Change Table for Final IRF-PAI Version 4.0– Effective Date: October 1, 2020 – Changes from Version 3.0 to 4.0

	Admission/	Item / Text			Rationale for
#	Discharge	Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Change / Comments
1.	All	N/A	Version 3.0	Version 4.0	Updated version number.
2.	Admission Discharge	Footer	Final IRF-PAI Version 3.0 - Effective October 1, 2019	Final IRF-PAI Version 4.0 - Effective October 1, 2020	Updated footer
3.	Admission Discharge	N/A	N/A	Punctuation and style revisions applicable throughout the instrument	Punctuation and style revisions to align with Minimum Data Set and LTCH CARE Data Set
4.	Admission	18	18. DELETED	N/A	All items previously labeled as DELETED have been removed.
5.	Admission	19	19. DELETED	N/A	All items previously labeled as DELETED have been removed.
6.	Admission	25	25. DELETED	N/A	All items previously labeled as DELETED have been removed.
7.	Admission	26	26. DELETED	N/A	All items previously labeled as DELETED have been removed.
8.	Admission	27	27. DELETED	N/A	All items previously labeled as DELETED have been removed.
9.	Admission	28	28. DELETED	N/A	All items previously labeled as DELETED have been removed.
10.	Admission	29-39	29-39. DELETED	N/A	All items previously labeled as DELETED have been removed.
11.	Admission	9	 9. Race/Ethnicity ↓ (Check all that apply) A. American Indian or Alaska Native B. Asian C. Black or African American D. Hispanic or Latino E. Native Hawaiian or Other Pacific Islander F. White 	N/A	Item 9. Race/Ethnicity is deleted and replaced with items A1005. Ethnicity and A1010. Race.

	Admission/	Item / Text			Rationale for
#	Discharge	Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Change / Comments
12.	Admission	15A	15A. Admit From	15A. Admit From	Revised for PAC alignment.
			01. Home (private home/apt., board/care,	01. Home (private home/apt., board/care,	
			assisted living, group home, transitional	assisted living, group home, transitional	
			living)	living, other residential care arrangements)	
			02. Short-term General Hospital	02. Short-term General Hospital	
			03. Skilled Nursing Facility (SNF)	03. Skilled Nursing Facility (SNF)	
			04. Intermediate care	04. Intermediate care	
			06. Home under care of organized home	06. Home under care of organized home	
			health service organization	health service organization	
			50. Hospice (home)	50. Hospice (home)	
			51. Hospice (institutional facility)	51. Hospice (medical facility)	
			61. Swing bed	61. Swing Bed	
			62. Another Inpatient Rehabilitation	62. Another Inpatient Rehabilitation	
			Facility	Facility	
			63. Long-Term Care Hospital (LTCH)	63. Long-Term Care Hospital (LTCH)	
			64. Medicaid Nursing Facility	64. Medicaid Nursing Facility	
			65. Inpatient Psychiatric Facility	65. Inpatient Psychiatric Facility	
			66. Critical Access Hospital	66. Critical Access Hospital (CAH)	
			99. Not Listed	99. Not Listed	

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Rationale for Change / Comments
13.	Discharge	44D	44D. Patient's discharge destination/living setting, using codes below: (answer only if 44C = 1; if 44C = 0, skip to item 46) 01. Home (private home/apt., board/care, assisted living, group home, transitional living) 02. Short-term General Hospital 03. Skilled Nursing Facility (SNF) 04. Intermediate care 06. Home under care of organized home health service organization 50. Hospice (home) 51. Hospice (institutional facility) 61. Swing bed 62. Another Inpatient Rehabilitation Facility 63. Long-Term Care Hospital (LTCH) 64. Medicaid Nursing Facility 65. Inpatient Psychiatric Facility 66. Critical Access Hospital 99. Not Listed	44D. Patient's discharge destination/living setting, using codes below: (answer only if 44C = 1; if 44C = 0, skip to item 46) 01. Home (private home/apt., board/care, assisted living, group home, transitional living, other residential care arrangements) 02. Short-term General Hospital 03. Skilled Nursing Facility (SNF) 04. Intermediate care 06. Home under care of organized home health service organization 50. Hospice (home) 51. Hospice (medical facility) 61. Swing Bed 62. Another Inpatient Rehabilitation Facility 63. Long-Term Care Hospital (LTCH) 64. Medicaid Nursing Facility 65. Inpatient Psychiatric Facility 66. Critical Access Hospital (CAH)	Revised for Transfer of Health Information measure calculation and PAC alignment.
14.	Admission	Section	N/A – new section	99. Not Listed Section A. Administrative Information	Adding new section to accommodate new items.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Rationale for Change / Comments
	Admission	A1005	N/A – new item	A1005. Ethnicity	Item 9. Race/Ethnicity is
				Are you of Hispanic, Latino/a, or Spanish	deleted and replaced with
				origin?	A1005. Ethnicity. Finalized as
				↓ Check all that apply	SPADE in the FY 2020 IRF PPS
				A. No, not of Hispanic, Latino/a, or	final rule. Aligns with 2011 HHS
				Spanish origin	race and ethnicity data
				B. Yes, Mexican, Mexican American,	standards for person-level data
				Chicano/a	collection, while maintaining
				C. Yes, Puerto Rican	the 1997 OMB minimum data
				D. Yes, Cuban	standards for race and
				E. Yes, another Hispanic, Latino, or	ethnicity.
				Spanish origin	
				X. Patient unable to respond	
16.	Admission	A1010	N/A – new item	A1010. Race	Item 9. Race/Ethnicity is
				What is your race?	deleted and replaced with
				→ Check all that apply	A1010. Race. Finalized as
				A. White	SPADE in the FY 2020 IRF PPS
				B. Black or African American	final rule. Aligns with 2011 HHS
				C. American Indian or Alaska Native	race and ethnicity data
				D. Asian Indian	standards for person-level data
				E. Chinese	collection, while maintaining
				F. Filipino	the 1997 OMB minimum data
				G. Japanese	standards for race and
				H. Korean	ethnicity.
				I. Vietnamese	
				J. Other Asian	
				K. Native Hawaiian	
				L. Guamanian or Chamorro	
				M. Samoan	
				N. Other Pacific Islander	
				X. Patient unable to respond	

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Rationale for Change / Comments
17.	Admission	A1110 A1110A A1110B	N/A – new item	A1110. Language A. What is your preferred language? B. Do you need or want an interpreter to communicate with a doctor or health care staff? O. No 1. Yes 9. Unable to determine	Finalized as SPADE in the FY 2020 IRF PPS final rule.
18.	Admission, Discharge	A1250	N/A – new item	A1250. Transportation (from NACHC©) Has lack of transportation kept you from medical appointments, meetings, work, or from getting things needed for daily living? ↓ Check all that apply A. Yes, it has kept me from medical appointments or from getting my medications B. Yes, it has kept me from non-medical meetings, appointments, work, or from getting things that I need C. No X. Patient unable to respond	Finalized as SPADE in the FY 2020 IRF PPS final rule. Consistent with Healthy People 2020 priority to address patients' social determinants of health.
19.	Admission, Discharge	NACHC© Footnote	N/A – new item	© 2019. National Association of Community Health Centers, Inc., Association of Asian Pacific Community health Organizations, Oregon Primary Care Association. PRAPARE and its resources are proprietary information of NACHC and its partners, intended for use by NACHC, its partners, and authorized recipients. Do not publish, copy, or distribute this information in part or whole without written consent from NACHC.	Added footnote for new item A1250.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Rationale for Change / Comments
20.	Discharge	A2121	N/A – new item	A2121. Provision of Current Reconciled Medication List to Subsequent Provider at Discharge At the time of discharge to another provider, did your facility provide the patient's current reconciled medication list to the subsequent provider? O. No − Current reconciled medication list not provided to the subsequent provider → Skip to A2123, Provision of Current Reconciled Medication List to Patient at Discharge 1. Yes − Current reconciled medication list provided to the subsequent provider	New data element added for the Transfer of Health Information quality measures.
21.	Discharge	A2122 A2122A A2122B A2122C A2122D A2122E	N/A – new item	A2122. Route of Current Reconciled Medication List Transmission to Subsequent Provider Indicate the route(s) of transmission of the current reconciled medication list to the subsequent provider. Check all that apply A. Electronic Health Record B. Health Information Exchange Organization C. Verbal (e.g., in-person, telephone, video conferencing) D. Paper-based (e.g., fax, copies, printouts) E. Other Methods (e.g., texting, email, CDs)	New data element added for the Transfer of Health Information quality measures.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Rationale for Change / Comments
22.	Discharge	A2123	N/A – new item	A2123. Provision of Current Reconciled Medication List to Patient at Discharge At the time of discharge, did your facility provide the patient's current reconciled medication list to the patient, family and/or caregiver? O. No − Current reconciled medication list not provided to the patient, family and/or caregiver → Skip to B1300, Health Literacy 1. Yes − Current reconciled medication list provided to the patient, family and/or caregiver	New data element added for the Transfer of Health Information quality measures.
23.	Discharge	A2124A A2124B A2124C A2124D A2124E	N/A – new item	A2124. Route of Current Reconciled Medication List Transmission to Patient Indicate the route(s) of transmission of the current reconciled medication list to the patient/family/caregiver. ↓ Check all that apply A. Electronic Health Record (e.g., electronic access to patient portal) B. Health Information Exchange Organization C. Verbal (e.g., in-person, telephone, video conferencing) D. Paper-based (e.g., fax, copies, printouts) E. Other Methods (e.g., texting, email, CDs)	New data element added for the Transfer of Health Information quality measures.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Rationale for Change / Comments
24.	Admission	B0200	N/A – new item	Ability to hear (with hearing aid or hearing appliances if normally used) 0. Adequate - no difficulty in normal conversation, social interaction, listening to TV 1. Minimal difficulty - difficulty in some environments (e.g., when person speaks softly or setting is noisy) 2. Moderate difficulty - speaker has to increase volume and speak distinctly 3. Highly impaired - absence of useful hearing	Added to assess Hearing in Section B – Speech, Hearing, and Vision. MDS currently assesses this but it is missing from previous versions of IRF-PAI. National Beta Test data supports cross-setting reliability and feasibility.
25.	Admission	B1000	N/A – new item	 B1000. Vision Ability to see in adequate light (with glasses or other visual appliances) O. Adequate - sees fine detail, such as regular print in newspapers/books Impaired - sees large print, but not regular print in newspapers/books Moderately impaired - limited vision; not able to see newspaper headlines but can identify objects Highly impaired - object identification in question, but eyes appear to follow objects Severely impaired - no vision or sees only light, colors or shapes; eyes do not appear to follow objects 	Added to assess Vision in Section B – Speech, Hearing, and Vision. MDS currently assesses this but it is missing from previous versions of IRF-PAI. National Beta Test data supports cross-setting reliability and feasibility.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Rationale for Change / Comments
26.	Admission, Discharge	B1300	N/A – new item	B1300. Health Literacy How often do you need to have someone help you when you read instructions, pamphlets, or other written material from your doctor or pharmacy? 0. Never 1. Rarely 2. Sometimes 3. Often 4. Always 8. Patient unable to respond	Finalized as SPADE in the FY 2020 IRF PPS final rule. Recommended for inclusion in Medicare data by HHS and the National Academies of Sciences, Engineering and Medicine (NASEM).
27.	Discharge	C0100	N/A – new item	C0100. Should Brief Interview for Mental Status (C0200-C0500) be Conducted? (3-day assessment period) Attempt to conduct interview with all patients. 0. No (patient is rarely/never understood) → Skip to C0900, Memory/Recall Ability 1. Yes → Continue to C0200, Repetition of Three Words	Added BIMS to Cognitive Patterns section on discharge of the IRF-PAI to assess mental status. Most public comments supportive of including BIMS. TEP supported use of BIMS. Testing supports use of MDS version of BIMS. National Beta Test data supports cross- setting reliability and feasibility.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Rationale for Change / Comments
28.	Discharge	C0200	N/A – new item	C0200. Repetition of Three Words	Added BIMS to Cognitive
					Patterns section on discharge
				Ask patient: "I am going to say three words	of the IRF-PAI to assess mental
				for you to remember. Please repeat the	status. Most public comments
				words after I have said all three. The words	supportive of including BIMS.
				are: sock, blue and bed. Now tell me the	TEP supported use of BIMS.
				three words."	Testing supports use of MDS
					version of BIMS. National Beta
				Number of words repeated after first	Test data supports cross-
				attempt	setting reliability and
				3. Three	feasibility.
				2. Two	
				1. One	
				0. None	
				After the patient's first attempt, repeat the	
				words using cues ("sock, something to wear;	
				blue, a color; bed, a piece of furniture"). You	
				may repeat the words up to two more	
				times.	

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Rationale for Change / Comments
# 29.	Discharge Discharge	Affected C0300 C0300A C0300B C0300C	IRF-PAI Version 3.0 N/A – new item	IRF-PAI Version 4.0 C0300. Temporal Orientation (orientation to year, month, and day) Ask patient: "Please tell me what year it is right now." A. Able to report correct year 3. Correct 2. Missed by 1 year 1. Missed by 2 - 5 years 0. Missed by > 5 years or no answer	Added BIMS to Cognitive Patterns section on discharge of the IRF-PAI to assess mental status. Most public comments supportive of including BIMS. TEP supported use of BIMS. Testing supports use of MDS version of BIMS. National Beta Test data supports cross- setting reliability and
				Ask patient: "What month are we in right now?" B. Able to report correct month 2. Accurate within 5 days 1. Missed by 6 days to 1 month 0. Missed by > 1 month or no answer Ask patient: "What day of the week is today?" C. Able to report correct day of the week 1. Correct 0. Incorrect or no answer	feasibility.

	Admission/	Item / Text			Rationale for
#	Discharge	Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Change / Comments
30.	Discharge	C0400	N/A – new item	C0400. Recall	Added BIMS to Cognitive
		C0400A			Patterns section on discharge
		C0400B		Ask patient: "Let's go back to an earlier	of the IRF-PAI to assess mental
		C0400C		question. What were those three words that	status. Most public comments
				I asked you to repeat?" If unable to	supportive of including BIMS.
				remember a word, give cue (something to	TEP supported use of BIMS.
				wear; a color; a piece of furniture) for that	Testing supports use of MDS
				word.	version of BIMS. National Beta
					Test data supports cross-
				A. Able to recall "sock"	setting reliability and
				2. Yes, no cue required	feasibility.
				1. Yes, after cueing ("something to	
				wear")	
				0. No - could not recall	
				B. Able to recall "blue"	
				2. Yes, no cue required	
				1. Yes, after cueing ("a color")	
				0. No - could not recall	
				C. Able to recall "bed"	
				2. Yes, no cue required	
				1. Yes, after cueing ("a piece of	
				furniture")	
				0. No - could not recall	

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Rationale for Change / Comments
31.	Discharge	C0500	N/A – new item	C0500. BIMS Summary Score Add scores for questions C0200-C0400 and fill in total score (00-15) Enter 99 if the patient was unable to complete the interview	Added BIMS to Cognitive Patterns section on discharge of the IRF-PAI to assess mental status. Most public comments supportive of including BIMS. TEP supported use of BIMS. Testing supports use of MDS version of BIMS. National Beta Test data supports cross- setting reliability and feasibility.
32.	Admission	C1310 C1310A C1310B C1310C C1310D	N/A – new item	C1310. Signs and Symptoms of Delirium (from CAM©) Code after completing Brief Interview for Mental Status or Staff Assessment and reviewing medical record. A. Acute Onset Mental Status Change Is there evidence of an acute change in mental status from the patient's baseline? 0. No 1. Yes Enter Codes in Boxes B. Inattention - Did the patient have difficulty focusing attention, for example being easily distractible or having difficulty keeping track of what was being said?	TEP supportive of CAM use across settings. National Beta Test data supports crosssetting reliability and feasibility of CAM.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Rationale for Change / Comments
32.	Admission (cont.)	C1310 C1310B C1310C C1310D (cont.)	N/A – new item (cont.)	C. Disorganized thinking - Was the patient's thinking disorganized or incoherent (rambling or irrelevant conversation, unclear or illogical flow of ideas, or unpredictable switching from subject to subject)? D. Altered level of consciousness - Did the patient have altered level of consciousness as indicated by any of the following criteria? • vigilant – startled easily to any sound or touch • lethargic – repeatedly dozed off when being asked questions, but responded to voice or touch • stuporous – very difficult to arouse and keep aroused for the interview • comatose – could not be aroused Coding: 0. Behavior not present 1. Behavior continuously present, does not fluctuate 2. Behavior present, fluctuates (comes and goes, changes in severity)	TEP supportive of CAM use across settings. National Beta Test data supports cross-setting reliability and feasibility of CAM. (cont.)
33.	Discharge	C1310 C1310A C1310B C1310C C1310D	N/A – new item	C1310. Signs and Symptoms of Delirium (from CAM©) Code after completing Brief Interview for Mental Status and reviewing medical record. A. Acute Onset Mental Status Change Is there evidence of an acute change in mental status from the patient's baseline? 0. No 1. Yes	TEP supportive of CAM use across settings. National Beta Test data supports crosssetting reliability and feasibility of CAM.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Rationale for Change / Comments
33.	Discharge (cont.)	C1310A C1310B C1310C C1310D (cont.)	N/A – new item (cont.)	Enter Codes in Boxes B. Inattention - Did the patient have difficulty focusing attention, for example being easily distractible or having difficulty keeping track of what was being said? C. Disorganized thinking - Was the patient's thinking disorganized or incoherent (rambling or irrelevant conversation, unclear or illogical flow of ideas, or unpredictable switching from subject to subject). D. Altered level of consciousness - Did the patient have altered level of consciousness as indicated by any of the following criteria? • vigilant – startled easily to any sound or touch • lethargic – repeatedly dozed off when being asked questions, but responded to voice or touch • stuporous – very difficult to arouse and keep aroused for the interview • comatose – could not be aroused Coding: 0. Behavior not present 1. Behavior continuously present, does not fluctuate 2. Behavior present, fluctuates (comes and goes, changes in severity)	TEP supportive of CAM use across settings. National Beta Test data supports cross-setting reliability and feasibility of CAM. (cont.)

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Rationale for Change / Comments
34.	Admission, Discharge	CAM © Footnote	Adapted with permission from: Inouye SK et al, Clarifying confusion: The Confusion Assessment Method. A new method for detection of delirium. Annals of Internal Medicine. 1990; 113: 941-948. Confusion Assessment Method: Training Manual and Coding Guide, Copyright 2003, Hospital Elder Life Program, LLC. Not to be reproduced without permission	Adapted from: Inouye SK, et al. Ann Intern Med. 1990; 113:941-948. Confusion Assessment Method. Copyright 2003, Hospital Elder Life Program,LLC. Not to be reproduced without permission.	TEP supportive of CAM use.
35.	Admission, Discharge	D0150 D0150A1 D0150A2 D0150B1 D0150B2 D0150C1 D0150C2 D0150D1 D0150D2 D0150E1 D0150E2 D0150F1 D0150F2 D0150G1 D0150G2 D0150H1 D0150H2 D0150H2 D0150H2 D0150I1 D0150I2	N/A – new item	D0150. Patient Mood Interview (PHQ-2 to 9) (from Pfizer Inc.©) Say to patient: "Over the last 2 weeks, have you been bothered by any of the following problems?" If symptom is present, enter 1 (yes) in column 1, Symptom Presence. If yes in column 1, then ask the patient: "About how often have you been bothered by this?" Read and show the patient a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency. 1. Symptom Presence 0. No (enter 0 in column 2) 1. Yes (enter 0-3 in column 2) 9. No response (leave column 2 blank)	Adding PHQ-2 to 9 to IRF-PAI. Stakeholder and expert input, including public comments and the TEP, supportive of using PHQ-2 as gateway to full PHQ-9 depression screening. This approach reduces burden while ensuring that patients with some depressive symptoms are screening with full PHQ-9. Results of the National Beta Test support the PHQ-2 to 9 as feasible and reliable across PAC settings.

	Admission/	Item / Text	IDE DALVersion 2.0	IDE DALVersion 4.0	Rationale for
#	Discharge	Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Change / Comments
35.	Admission,	D0150	N/A – new item (cont.)	2. Symptom Frequency	Adding PHQ-2 to 9 to IRF-PAI.
	Discharge	D0150A1		0. Never or 1 day	Stakeholder and expert input,
	(cont.)	D0150A2		1. 2-6 days (several days)	including public comments and
		D0150B1		2. 7-11 days (half or more of the days)	the TEP, supportive of using
		D0150B2		3. 12-14 days (nearly every day)	PHQ-2 as gateway to full PHQ-
		D0150C1			9 depression screening. This
		D0150C2		Enter scores in boxes.	approach reduces burden
		D0150D1		A. Little interest or pleasure in doing things	while ensuring that patients
		D0150D2		B. Feeling down, depressed, or hopeless	with some depressive
		D0150E1		If either D0150A2 or D0150B2 is coded	symptoms are screening with
		D0150E2		2 or 3, CONTINUE asking the questions	full PHQ-9. Results of the
		D0150F1		below. If not, END the PHQ interview.	National Beta Test support the
		D0150F2		C. Trouble falling or staying asleep, or	PHQ-2 to 9 as feasible and
		D0150G1		sleeping too much	reliable across PAC settings.
		D0150G2		D. Feeling tired or having little energy	(cont.)
		D0150H1		E. Poor appetite or overeating	
		D0150H2		F. Feeling bad about yourself – or that you	
		D0150I1		are a failure or have let yourself or your	
		D0150I2		family down	
		(cont.)		G. Trouble concentrating on things, such as	
		,		reading the newspaper or watching	
				television	
				H. Moving or speaking so slowly that other	
				people could have noticed. Or the	
				opposite – being so fidgety or restless	
				that you have been moving around a lot	
				more than usual	
				I. Thoughts that you would be better off	
				dead, or of hurting yourself in some way	
36.	Admission,	Pfizer Inc.©	N/A – new item	Copyright © Pfizer Inc. All rights reserved.	Added footnote for new item
	Discharge	Footnote	,	Reproduced with permission.	D0150.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Rationale for Change / Comments
37.	Admission, Discharge	D0160	N/A – new item	Add scores for all frequency responses in column 2, Symptom Frequency. Total score must be between 02 and 27. Enter 99 if unable to complete interview (i.e., Symptom Frequency is blank for 3 or more required items).	Adding PHQ-2 to 9 to IRF-PAI.
38.	Admission, Discharge	D0700	N/A – new item	D0700. Social Isolation How often do you feel lonely or isolated from those around you? 0. Never 1. Rarely 2. Sometimes 3. Often 4. Always 8. Patient unable to respond	Finalized as SPADE in the FY 2020 IRF PPS final rule. Recommended for inclusion in Medicare data by HHS and the NASEM.
39.	Admission, Discharge	Creative Commons© Footnote	N/A – new item	The Single Item Literacy Screener is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.	Added footnote for new item D0700.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Rationale for Change / Comments
40.	Admission	GG0100	GG0100. Prior Functioning: Everyday Activities. Indicate the patient's usual ability with everyday activities prior to the current illness, exacerbation, or injury. Coding: 3. Independent – Patient completed the activities by him/herself, with or without an assistive device, with no assistance from a helper. 2. Needed Some Help – Patient needed partial assistance from another person to complete activities. 1. Dependent – A helper completed the activities for the patient. 8. Unknown 9. Not Applicable	GG0100. Prior Functioning: Everyday Activities. Indicate the patient's usual ability with everyday activities prior to the current illness, exacerbation, or injury. Coding: 3. Independent – Patient completed all the activities by him/herself, with or without an assistive device, with no assistance from a helper. 2. Needed Some Help – Patient needed partial assistance from another person to complete any activities. 1. Dependent – A helper completed all the activities for the patient. 8. Unknown 9. Not Applicable	Minor edits for clarity and standardization.
41.	Admission	GG0100A	GG0100A. Self-Care: Code the patient's need for assistance with bathing, dressing, using the toilet, or eating prior to the current illness, exacerbation, or injury.	GG0100A. Self-Care : Code the patient's need for assistance with bathing, dressing, using the toilet, and eating prior to the current illness, exacerbation, or injury.	Minor edits for clarity and standardization.
42.	Admission, Discharge	GG0170C	C. Lying to sitting on side of bed: The ability to move from lying on the back to sitting on the side of the bed with feet flat on the floor, and with no back support.	C. Lying to sitting on side of bed: The ability to move from lying on the back to sitting on the side of the bed with no back support.	Minor edits for clarity and standardization.
43.	Admission, Discharge	GG0170M	M. 1 step (curb): The ability to go up and down a curb and/or up and down one step. If admission/discharge performance is coded 07, 09, 10 or 88, → Skip to GG0170P, Mobility, Picking up object.	M. 1 step (curb): The ability to go up and down a curb or up and down one step. If admission/discharge performance is coded 07, 09, 10 or 88, → Skip to GG0170P, Mobility, Picking up object.	Minor edits for clarity and standardization.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Rationale for Change / Comments
44.	Admission, Discharge	J0510	N/A – new item	Ask patient: "Over the past 5 days, how much of the time has pain made it hard for you to sleep at night?" 0. Does not apply − I have not had any pain or hurting in the past 5 days → Skip to J1750, History of Falls 1. Rarely or not at all 2. Occasionally 3. Frequently 4. Almost constantly 8. Unable to answer	TEP comments and National Beta Test data supports cross- setting reliability and feasibility.
45.	Admission, Discharge	J0520	N/A – new item	J0520. Pain Interference with Therapy Activities Ask patient: "Over the past 5 days, how often have you limited your participation in rehabilitation therapy sessions due to pain?" 0. Does not apply – I have not received rehabilitation therapy in the past 5 days 1. Rarely or not at all 2. Occasionally 3. Frequently 4. Almost constantly 8. Unable to answer	TEP comments and National Beta Test data supports crosssetting reliability and feasibility.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Rationale for Change / Comments
46.	Admission, Discharge	J0530	N/A – new item	J0530. Pain Interference with Day-to-Day Activities Ask patient: "Over the past 5 days, how often have you limited your day-to-day activities (excluding rehabilitation therapy sessions) because of pain?" 1. Rarely or not at all 2. Occasionally 3. Frequently 4. Almost constantly 8. Unable to answer	TEP comments and National Beta Test data supports cross- setting reliability and feasibility.
47.	Discharge	J1800	J1800. Any Falls Since Admission Has the patient had any falls since admission? 0. No → Skip to M0210, Unhealed Pressure Ulcers/Injuries 1. Yes → Continue to J1900, Number of Falls Since Admission	J1800. Any Falls Since Admission Has the patient had any falls since admission? 0. No → Skip to K0520, Nutritional Approaches 1. Yes → Continue to J1900, Number of Falls Since Admission	Updated skip pattern.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Rationale for Change / Comments
48.	Admission	K0110 K0110A K0110B K0110C	 K0110. Swallowing/Nutritional Status (3-day assessment period) Indicate the patient's usual ability to swallow. ↓ Check all that apply. A. Regular food - Solids and liquids swallowed safely without supervision or modified food or liquid consistency. B. Modified food consistency/supervision - Patient requires modified food or liquid consistency and/or needs supervision during eating for safety. C. Tube/parenteral feeding - Tube/parenteral feeding used wholly or partially as a means of sustenance. 	N/A	Replaced with item K0520. Nutritional Approaches to align with MDS' assessment of nutritional status.
49.	Admission	K0520 K0520A1 K0520B1 K0520C1 K0520D1 K0520Z1	N/A – new item	K0520. Nutritional Approaches Check all of the following nutritional approaches that apply on admission. 1. On Admission ↓ Check all that apply A. Parenteral/IV feeding B. Feeding tube (e.g., nasogastric or abdominal (PEG)) C. Mechanically altered diet – require change in texture of food or liquids (e.g., pureed food, thickened liquids) D. Therapeutic diet (e.g., low salt, diabetic, low cholesterol) Z. None of the above	Included to align with MDS' assessment of nutritional status. Item K0520 will mirror the MDS.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Rationale for Change / Comments
50.	Discharge	K0520 K0520A4 K0520A5 K0520B4 K0520B5 K0520C4 K0520C5 K0520D4 K0520D5 K0520Z4 K0520Z5	N/A – new item	 K0520. Nutritional Approaches 4. Last 7 Days Check all of the nutritional approaches that were received in the last 7 days 5. At Discharge Check all of the nutritional approaches that were being received at discharge ↓ Check all that apply A. Parenteral/IV feeding B. Feeding tube (e.g., nasogastric or abdominal (PEG)) C. Mechanically altered diet – require change in texture of food or liquids (e.g., pureed food, thickened liquids) D. Therapeutic diet (e.g., low salt, diabetic, low cholesterol) Z. None of the above 	Included to align with MDS' assessment of nutritional status. Item K0520 will mirror the MDS.
51.	Admission	M0210	M0210. Unhealed Pressure Ulcers/Injuries Does this patient have one or more unhealed pressure ulcers/injuries? 0. No → Skip to N2001, Drug Regimen Review 1. Yes → Continue to M0300, Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage	M0210. Unhealed Pressure Ulcers/Injuries Does this patient have one or more unhealed pressure ulcers/injuries? 0. No → Skip to N0415, High-Risk Drug Classes: Use and Indication 1. Yes → Continue to M0300, Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage	Updated skip pattern.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Rationale for Change / Comments
52.	Discharge	M0210	M0210. Unhealed Pressure Ulcers/Injuries Does this patient have one or more unhealed pressure ulcers/injuries? 0. No → Skip to N2005, Medication Intervention 1. Yes → Continue to M0300, Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage	M0210. Unhealed Pressure Ulcers/Injuries Does this patient have one or more unhealed pressure ulcers/injuries? O. No → Skip to N0415, High-Risk Drug Classes: Use and Indication 1. Yes → Continue to M0300, Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage	Updated skip pattern.
53.	Discharge	M0300	 M0300G. Unstageable – Deep tissue injury 1. Number of unstageable pressure injuries presenting as deep tissue injury – if 0 → Skip to N2005, Medication Intervention 2. Number of these unstageable pressure injuries that were present upon admission – enter how many were noted at the time of admission 	M0300G. Unstageable – Deep tissue injury 1. Number of unstageable pressure injuries presenting as deep tissue injury – if 0 → Skip to N0415, High-Risk Drug Classes: Use and Indication 2. Number of these unstageable pressure injuries that were present upon admission – enter how many were noted at the time of admission	Updated skip pattern.
54.	Admission	N2001	N2001. Drug Regimen Review Did a complete drug regimen review identify potential clinically significant medication issues? 0. No - No issues found during review → Skip to 00100, Special Treatments, Procedures, and Programs 1. Yes - Issues found during review → Continue to N2003, Medication Follow-up 9. NA - Patient is not taking any medications → Skip to 00100, Special Treatments, Procedures, and Programs	N2001. Drug Regimen Review Did a complete drug regimen review identify potential clinically significant medication issues? 0. No - No issues found during review → Skip to 00110, Special Treatments, Procedures, and Programs 1. Yes - Issues found during review → Continue to N2003, Medication Follow-up 9. Not applicable - Patient is not taking any medications → Skip to 00110, Special Treatments, Procedures, and Programs	Spelled out NA to Not applicable for clarity.

	Admission/	Item / Text			Rationale for
#	Discharge	Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Change / Comments
55.	Discharge	N2005	N2005. Medication Intervention Did the facility contact and complete physician (or physician-designee) prescribed/recommended actions by midnight of the next calendar day each time potential clinically significant medication issues were identified since the admission? 0. No 1. Yes 9. NA - There were no potential clinically significant medication issues identified since admission or patient is not taking any medications	N2005. Medication Intervention Did the facility contact and complete physician (or physician-designee) prescribed/recommended actions by midnight of the next calendar day each time potential clinically significant medication issues were identified since the admission? 0. No 1. Yes 9. Not applicable - There were no potential clinically significant medication issues identified since admission or patient is not taking any medications	Spelled out NA to Not applicable for clarity.
56.	Admission, Discharge	N0415 N0415A1 N0415A2 N0415E1 N0415E2 N0415F1 N0415F2 N0415H1 N0415H2 N0415I1 N0415I2 N0415J1 N0415J2 N0415J2	N/A – new item	NO415. High-Risk Drug Classes: Use and Indication 1. Is taking Check if the patient is taking any medications by pharmacological classification, not how it is used, in the following classes 2. Indication noted If column 1 is checked, check if there is an indication noted for all medications in the drug class ↓ Check all that apply A. Antipsychotic E. Anticoagulant F. Antibiotic H. Opioid I. Antiplatelet J. Hypoglycemic (including insulin) Z. None of the above	TEP comments and National Beta Test data supports crosssetting reliability and feasibility.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Rationale for Change / Comments
57.	Admission	O0100N	O0100N. Total Parenteral Nutrition	N/A	Item O0100N is deleted and replaced with item K0520A.
58.	Admission	O0110a	O0100. Special Treatments, Procedures, and Programs Check if treatment applies at admission	O0110. Special Treatments, Procedures, and Programs Check all of the following treatments, procedures, and programs that apply on admission. a. On Admission ↓ Check all that apply	TEP comments and National Beta Test data supports cross- setting reliability and feasibility.
59.	Discharge	O0110c	N/A – new item	O0110. Special Treatments, Procedures, and Programs Check all of the following treatments, procedures, and programs that apply at discharge. c. At Discharge Under the following treatments, procedures, and programs that apply at discharge.	TEP comments and National Beta Test data supports cross- setting reliability and feasibility.
60.	Admission, Discharge; note: "a" is used for item numbering for admission while "c" is used for item numbering for discharge	O0110B1a O0110A1c O0110A2c O0110A3c O0110A10c	N/A – new item	Cancer Treatments A1. Chemotherapy	Included to align with the MDS, and public comment and subject matter experts support breaking the parent item "chemotherapy" into type of chemotherapy to distinguish patient complexity/burden of care.

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Rationale for Change / Comments
61.	Admission,	O0110C1a	N/A – new item	Respiratory Therapies	Included to align with the MDS,
	Discharge;	O0110C2a			and public comment and
	note: "a" is	O0110C3a		C1. Oxygen Therapy	subject matter experts
	used for item	O0110C4a		C2. Continuous	support: breaking the parent
	numbering	O0110D1a		C3. Intermittent	item "oxygen therapy" into
	for	O0110D2a		C4. High-concentration	continuous vs. intermittent to
	admission	O0110D3a			distinguish patient
	while "c" is	O0110E1a		D1. Suctioning	complexity/burden of care;
	used for item	O0110F1a		D2. Scheduled	breaking the parent item
	numbering	O0110G1a		D3. As needed	"suctioning" into frequency of
	for discharge	O0110G2a			suctioning to distinguish
		O0110G3a		E1. Tracheostomy Care	patient complexity/burden of
					care. In public comment, there
		O0110C1c		F1. Invasive Mechanical Ventilator	was support for breaking the
		O0110C2c		(ventilator or respirator)	parent item into 2 response
		O0110C3c			options (BiPAP and CPAP).
		O0110C4c		G1. Non-invasive Mechanical Ventilator	
		O0110D1c		G2. BiPAP	
		O0110D2c		G3. CPAP	
		O0110D3c			
		O0110E1c			
		O0110F1c			
		O0110G1c			
		O0110G2c			
		O0110G3c			

#	Admission/ Discharge	Item / Text Affected	IRF-PAI Version 3.0	IRF-PAI Version 4.0	Rationale for Change / Comments
62.	Admission,	O0110H1a	N/A – new item	Other	In public comment, there was
	Discharge;	O0110H2a			support for: further delineating
	note: "a" is	O0110H3a		H1. IV Medications	types of IV medications (and
	used for item	O0110H4a		H2. Vasoactive medications	the new vasoactive medication
	numbering	O0110H10a		H3. Antibiotics	item, 00110H2, is included in
	for	O0110l1a		H4. Anticoagulation	the LTCH ventilator liberation
	admission	O0110J1a		H10. Other	quality measures); breaking
	while "c" is	O0110J2a			out the dialysis parent item
	used for item			I1. Transfusions	into type of dialysis; breaking
	numbering	O0110O1a			out the IV access parent item
	for discharge	O0110O2a		J1. Dialysis	(which appears on the MDS)
		O0110O3a		J2. Hemodialysis	into types of IV access.
		O0110O4a		J3. Peritoneal dialysis	
		O0110Z1a			
				O1. IV Access	
		O0110H1c		O2. Peripheral IV	
		O0110H2c		O3. Midline	
		O0110H3c		O4. Central line (e.g., PICC,	
		O0110H4c		tunneled, port)	
		O0110H10c			
		O0110I1c		None of the Above	
		O0110J1c			
		O0110J2c		Z1. None of the above	
		O0110J3c			
		O0110O1c			
		O0110O2c			
		O0110O3c			
		O0110O4c			
		O0110Z1c			
63.	Discharge	Section header	N/A	Section Z. Assessment Administration	Section header added to align with Minimum Data Set and LTCH CARE Data Set.