

CLIA Annual Laboratory Registry Overview

1. CFR 493.1850 requires that once a year CMS make available to physicians and the general public specific information - including information provided to CMS by the Office of the Inspector General (OIG)- that is useful in evaluating the performance of laboratories.
 - a. In January a letter is sent to each CMS Operations Location requesting any sanctions taken against a laboratory in the previous calendar year.
 - b. Letters are also sent to each Accreditation Organization (AO) and Exempt State (ES).
 - c. Time frame -the CMS Operations Locations, AOs and ESs have 60 days to respond and submit actions to CMS Baltimore.
2. Once the information is received from the CMS Operations Locations, AOs and the ESs, it has to be sorted and put in numerical order within each category. There are 10 regulatory sections:
 1. A list of laboratories that have been convicted, under Federal or State laws relating to fraud and abuse, false billing or kickbacks.
 2. A list of laboratories that have had their CLIA certificate suspended, limited, or revoked, and the reason for the adverse actions.
 3. A list of persons who have been convicted of violating CLIA requirements, as specified in section 353(1) of the PHS Act, together with circumstances of each case and the penalties imposed.
 4. A list of laboratories on which alternative sanctions have been imposed, showing-
 - (i) the effective date off the sanctions;
 - (ii) the reason for imposing them;
 - (iii) any corrective action taken by the laboratory;
 - (iv) if the laboratory has achieved compliance, the verified date of compliance
 5. A list of laboratories whose accreditation has been withdrawn or revoked and the reason for the withdrawal or decision.
 6. All appeals and hearing decisions.
 7. A list of laboratories against which CMS has brought suit under Section 493.1846 and the reason for those actions.
 8. A list of laboratories that have been excluded from participation in Medicare or Medicaid and the reasons for exclusion.
 9. This Section is for "Corrections of any Erroneous Statements of Information that Appeared in a previous Registry".
 10. Other Actions. This Section includes other Specific information that may be useful in evaluating the performance of Laboratories, as specified in 42 CFR 493.1850(a). It also includes information provided by CLIA exempt status.

The Registry can also include SETTLEMENTS which is generally supplied by the Office of the Inspector General.

3. Once the CMS Operations Locations have finished input for the calendar year under review into the data system (AEM -ASPEN Enforcement Manager), a report is run that collates the information in numerical order and per section (1 through 10). All actions taken by the AOs and ESs must be entered into ARO (ASPEN Regional Office) manually.
4. A final Laboratory Registry report is run when all of the information is complete. This report is checked for accuracy by the CMS Locations, AOs, ESs, and CMS Baltimore prior to publication on the CLIA website.



2022 CLIA LAB REGISTRY

Laboratory Registry Activity from 01/01/2022 thru 12/31/2022

(AS REQUIRED BY SECTION 353(N) OF THE PUBLIC HEALTH SERVICE ACT)

1. LABORATORIES SUBJECT TO CLIA THAT HAVE BEEN CONVICTED, UNDER FEDERAL OR STATE LAWS RELATING TO FRAUD AND ABUSE, FALSE BILLING, OR KICKBACKS.

*** NO DATA FOUND ***

2. LABORATORIES THAT HAVE HAD THEIR CLIA CERTIFICATE SUSPENDED, LIMITED, OR REVOKED, AND THE REASON FOR THE ADVERSE ACTION. (MEDICARE CANCELLATION, A PRINCIPAL SANCTION, HAS BEEN INCLUDED IN THIS CATEGORY.)

QUIN BIXLER, DIRECTOR
MOBILE BAY OB/GYN
3 MOBILE INFIRMARY CIRCLE, SUITE 201
MOBILE, AL 36607
CLIA ID# 01D0305645

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: June 10, 2022
REASON: Condition Level Non-Compliance
Unsuccessful PT
STATUS: Laboratory Voluntarily Ceased Testing

RAMESH REDDY, DIRECTOR
FAMILY MEDICAL ASSOCIATES
42320 HWY 195
HALEYVILLE, AL 35565
CLIA ID# 01D0702573

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: February 4, 2022
REASON: Cancellation of Medicare Approval Suspension
Condition Level Non-Compliance
Unsuccessful PT
STATUS: Laboratory Voluntarily Ceased Testing

SHVETA MEHRA, DIRECTOR
SOUTHWEST KIDNEY INSTITUTE, PLC
2538 E UNIVERSITY DR, STE 110
PHOENIX, AZ 85034
CLIA ID# 03D2114951

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: May 11, 2022
REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance
Unsuccessful PT

ERUM SHAHAB, DIRECTOR
ELLINGTON BEHAVIORAL HEALTH
16 MAIN ST
ELLINGTON, CT 06029
CLIA ID# 07D2006352

SANCTION: Cancel Medicare/Medicaid Approval
Revocation of CLIA Certificate

EFFECTIVE DATE: February 23, 2022
February 23, 2022

REASON: Condition Level Non-Compliance
Failure to Correct Deficiencies
Revocation of CLIA Certificate
Failure To Submit Acceptable POC or AOC

STATUS: Revocation of CLIA Certificate
Hearing Decision Sustained CMS Sanc Determ
Appeal Filed By Laboratory

REASON: Note: Effective date is based on signed agreement.
Civil Money Penalty imposed December 4, 2018.
Cancel Medicare/Medicaid Approval imposed December 17, 2018.
Revocation of CLIA Certificate imposed February 5, 2019.

DAQUESHA CHEVER, DIRECTOR
WMG URGENT CARE CHEROKEE
1120 WELLSTAR WAY, SUITE 105
HOLLY SPRINGS, GA 30114
CLIA ID# 11D1100175

SANCTION: Limitation of CLIA Certificate
Suspension of CLIA Certificate

EFFECTIVE DATE: February 15, 2022
February 15, 2022

REASON: Cancellation of Medicare Approval Suspension
Condition Level Non-Compliance
Unsuccessful PT

STATUS: Suspension And Limitation Lifted
Compliance Achieved

Patel, Sharad ALAK, BAHA, DIRECTOR
DOCTORS CLINICAL LABORATORY
1685 WINNETKA CIRCLE
ROLLING MEADOWS, IL 60008
CLIA ID# 14D0988472

SANCTION: Cancel Medicare/Medicaid Approval
Suspension of CLIA Certificate
Revocation of CLIA Certificate

EFFECTIVE DATE: April 19, 2022
April 19, 2022
June 13, 2022

REASON: 2 Year Prohibition From Owning, Operating and Directing
Condition Level Non-Compliance with IJ
Failure to Correct Deficiencies
Revocation of CLIA Certificate

STATUS: Revocation of CLIA Certificate

SMARANDA BADESCU, DIRECTOR
O'HARE CLINICAL LABS
4909 W DIVISION ST STE #302
CHICAGO, IL 60659
CLIA ID# 14D1051792

SANCTION: Cancel Medicare/Medicaid Approval
Suspension of CLIA Certificate
Revocation of CLIA Certificate

EFFECTIVE DATE: February 15, 2022
February 15, 2022
April 11, 2022

REASON: 2 Year Prohibition From Owning, Operating and Directing
Medicare Cancellation/Suspension
Condition Level Non-Compliance with IJ
Revocation of CLIA Certificate
Failure To Submit Acceptable POC or AOC

STATUS: Revocation of CLIA Certificate

Billy Taylor, DIRECTOR
VITAS LABORATORY LLC
8 W 4TH STREET
SPENCER, IA 51301
CLIA ID# 16D2126753

SANCTION: Cancel Medicare/Medicaid Approval
Revocation of CLIA Certificate

EFFECTIVE DATE: August 22, 2022
August 22, 2022

REASON: 2 Year Prohibition From Owning, Operating and Directing
Revocation of CLIA Certificate

Lab Owner/Oper Prohibited From Owning Lab

STATUS: Revocation of CLIA Certificate

SPENCER KERLEY, DIRECTOR
LABORATORY CORPORATION OF AMERICA HOLDINGS
7800 WEST 110TH STREET
OVERLAND PARK, KS 66210
CLIA ID# 17D0707970

SANCTION: Cancel Medicare/Medicaid Approval
Limitation of CLIA Certificate

EFFECTIVE DATE: July 8, 2022
July 8, 2022

REASON: Medicare Cancellation/Suspension
Improper PT Testing Referral Activities

GOUTHAM HEBBALMATH, DIRECTOR
CORBIN PEDIATRIC ASSOCIATES PSC
57 SUMMIT DRIVE
CORBIN, KY 40701
CLIA ID# 18D0664118

SANCTION: Limitation of CLIA Certificate

EFFECTIVE DATE: December 23, 2022

REASON: Unsuccessful PT

STATUS: Laboratory Voluntarily Ceased Testing

RICHARD BLANCHARD JR, DIRECTOR
HARDTNER MEDICAL CENTER
1102 NORTH PINE ROAD
OLLA, LA 71465
CLIA ID# 19D0465142

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: November 18, 2022
REASON: Unsuccessful PT
STATUS: Laboratory Voluntarily Ceased Testing

PASQUALE SANTINI, DIRECTOR
INTERNAL MEDICINE OF CHEVY CHASE, PA
5530 WISCONSIN AVENUE, SUITE 1400
CHEVY CHASE, MD 20815
CLIA ID# 21D0211731

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: January 18, 2022
REASON: Unsuccessful PT

REASON: The lab requested for voluntarily termination
8/17/2022 effective date.

PRITI PATEL, DIRECTOR
INTERNAL MEDICINE & PREVENTIVE CARE PC
233 WINTHROP STREET
TAUNTON, MA 02780
CLIA ID# 22D1030094

SANCTION: Revocation of CLIA Certificate
EFFECTIVE DATE: January 17, 2022
REASON: Cancellation of Medicare Approval Revocation
2 Year Prohibition From Owning, Operating and Directing Condition Level Non-
Compliance
STATUS: Revocation of CLIA Certificate

ROBERT RUSH, DIRECTOR
UNIQUE LABORATORY SOLUTIONS
8560 N SILVERY LANE SUITE 300
DEARBORN HEIGHTS, MI 48127
CLIA ID# 23D2040138

SANCTION: Cancel Medicare/Medicaid Approval
EFFECTIVE DATE: April 5, 2022
REASON: Cancellation of Medicare Approval Suspension
STATUS: Compliance Achieved

HABIB MUNSHI, DIRECTOR
BRANSON PULMONOLOGY & SLEEP LLC
875 E STATE HIGHWAY 76
BRANSON, MO 65616
CLIA ID# 26D2005747

SANCTION: Limitation of CLIA Certificate
Revocation of CLIA Certificate
EFFECTIVE DATE: March 3, 2022
March 3, 2022
REASON: Revocation of CLIA Certificate
Lab Owner/Oper Prohibited From Owning Lab
STATUS: Revocation of CLIA Certificate

DANITA SMITH, DIRECTOR
MY BLOOMING HEALTH
2040 WOODSON RD
OVERLAND, MO 63114
CLIA ID# 26D2062572

SANCTION: Suspension of CLIA Certificate
EFFECTIVE DATE: November 11, 2022
REASON: Medicare Cancellation/Suspension

Billy Taylor, DIRECTOR
VITAS LABORATORY, LLC
1429 HAZEL ST
CARTHAGE, MO 64836
CLIA ID# 26D2132750

SANCTION: Cancel Medicare/Medicaid Approval
Revocation of CLIA Certificate

EFFECTIVE DATE: August 22, 2022
August 22, 2022

REASON: 2 Year Prohibition From Owning, Operating and Directing
Revocation of CLIA Certificate
Lab Owner/Oper Prohibited From Owning Lab

STATUS: Revocation of CLIA Certificate

SHAWN ZIMMERMAN, DIRECTOR
QUANTUM LABORATORY, LLC
3466 BRIDGELAND DR SUITE 100
BRIDGETON, MO 63044
CLIA ID# 26D2184797

SANCTION: Suspension of CLIA Certificate

EFFECTIVE DATE: June 11, 2022

REASON: Failure to Correct Deficiencies
Failure To Submit Acceptable POC or AOC

STATUS: Revocation Pending Hearing
Appeal Filed By Laboratory

ERIC RAVITZ, DIRECTOR
BLUE MOUNTAIN CLINIC FAMILY PRACTICE
610 NORTH CALIFORNIA STREET
MISSOULA, MT 59802
CLIA ID# 27D0410840

SANCTION: Limitation of CLIA Certificate

EFFECTIVE DATE: August 30, 2022

REASON: Unsuccessful PT

STATUS: Suspension And Limitation Lifted
Laboratory Voluntarily Ceased Testing

VICKI LAWTON, DIRECTOR
PINE LAKE HEALTH DBA HEALTH FIRST NEBRASKA
9370 G STREET
OMAHA, NE 68127
CLIA ID# 28D2192482

SANCTION: Revocation of CLIA Certificate

EFFECTIVE DATE: May 18, 2022

REASON: 2 Year Prohibition From Owning, Operating and Directing
Condition Level Non-Compliance with IJ
Failure to Correct Deficiencies
Revocation of CLIA Certificate
Lab Owner/Oper Prohibited From Owning Lab

STATUS: Revocation of CLIA Certificate

DAVID LINDEN, DIRECTOR
PSYCHIATRIC MANAGEMENT LLC
2725 S JONES BLVD STE 107
LAS VEGAS, NV 89146
CLIA ID# 29D2135892

SANCTION: Cancel Medicare/Medicaid Approval
Revocation of CLIA Certificate

EFFECTIVE DATE: March 12, 2022
April 26, 2022

REASON: 2 Year Prohibition From Owning, Operating and Directing
Medicare Cancellation/Suspension
Condition Level Non-Compliance
Failure to Correct Deficiencies
Revocation of CLIA Certificate
Failure To Submit Acceptable POC or AOC
Lab Owner/Oper Prohibited From Owning Lab

PAM CORR, DIRECTOR
COLFAX GENERAL LABORATORY
615 PROSPECT AVE
SPRINGER, NM 87747
CLIA ID# 32D0536885

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: November 18, 2022
REASON: Unsuccessful PT
STATUS: Laboratory Voluntarily Ceased Testing

WILLIAM MITCHELL, DIRECTOR
SOUTHERN ONCOLOGY SPECIALISTS
268 GILLMAN ROAD SUITE A
DENVER, NC 28037
CLIA ID# 34D2150458

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: February 17, 2022
REASON: Condition Level Non-Compliance
Unsuccessful PT
STATUS: Suspension And Limitation Lifted

CHRISTOPHER LOCKHART, DIRECTOR
PEMBINA COUNTY MEMORIAL HOSPITAL
301 MOUNTAIN ST E
CAVALIER, ND 58220
CLIA ID# 35D0408554

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: September 28, 2022
REASON: Unsuccessful PT
STATUS: Laboratory Voluntarily Ceased Testing

EDWARD WOLF MD, DIRECTOR
CORVALLIS CLINIC, PC LABORATORY, THE
3680 NW SAMARITAN DR, ASBURY BLDG 2ND FLOOR
CORVALLIS, OR 97330
CLIA ID# 38D0656873

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: January 5, 2022
REASON: Condition Level Non-Compliance
Unsuccessful PT
STATUS: Compliance Achieved

ABDUL ALSHAREEF, DIRECTOR
SCDMH CLINICAL LABORATORY
8301 FARROW ROAD
COLUMBIA, SC 29203
CLIA ID# 42D0658581

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: September 16, 2022
REASON: Unsuccessful PT
STATUS: Laboratory Voluntarily Ceased Testing

CHET SCHWAB, DIRECTOR
EL CAMPO MEMORIAL HOSPITAL
303 SANDY CORNER ROAD
EL CAMPO, TX 77437
CLIA ID# 45D0495521

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: October 28, 2022
REASON: Unsuccessful PT
STATUS: Laboratory Voluntarily Ceased Testing

3. A LIST OF PERSONS CONVICTED OF VIOLATING CLIA REQUIREMENTS AS SPECIFIED IN SECTION 353(1) OF THE PUBLIC HEALTH SERVICES ACT, WITH THE CIRCUMSTANCES OF EACH CASE AND THE PENALTIES IMPOSED.

*** NO DATA FOUND ***

4. A LIST OF LABORATORIES ON WHICH ALTERNATIVE SANCTIONS HAVE BEEN IMPOSED, SHOWING -

- (I) THE EFFECTIVE DATE OF THE SANCTIONS
- (II) THE REASON FOR IMPOSING THEM
- (III) ANY CORRECTIVE ACTION TAKEN BY THE LABORATORY AND
- (IV) IF LABORATORY HAS ACHIEVED COMPLIANCE, THE VERIFIED DATE OF THE COMPLIANCE

QUIN BIXLER, DIRECTOR
MOBILE BAY OB/GYN
3 MOBILE INFIRMARY CIRCLE, SUITE 201
MOBILE, AL 36607
CLIA ID# 01D0305645

SANCTION: Directed Portion Plan of Correction (DPPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: June 10, 2022
June 10, 2022

REASON: Condition Level Non-Compliance
Unsuccessful PT

STATUS: Laboratory Voluntarily Ceased Testing

RICHARD FREEMAN, DIRECTOR
PEDIATRIC ASSOCIATES OF AUBURN
RICHARD M FREEMAN, MD
2901 CORPORATE PARK DRIVE
OPELIKA, AL 36801
CLIA ID# 01D0306320

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: June 10, 2022

REASON: Unsuccessful PT

STATUS: Compliance Achieved

RAMESH REDDY, DIRECTOR
FAMILY MEDICAL ASSOCIATES
42320 HWY 195
HALEYVILLE, AL 35565
CLIA ID# 01D0702573

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: February 4, 2022
February 4, 2022

REASON: Condition Level Non-Compliance
Unsuccessful PT

STATUS: Laboratory Voluntarily Ceased Testing

KEALAN ONEILL, DIRECTOR
PANACEA O'NEILL MEDICAL GROUP
104 SPENRYN DR
MADISON, AL 35758
CLIA ID# 01D0902798

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: June 10, 2022
REASON: Unsuccessful PT
STATUS: Compliance Achieved

DAVID WILHELM, DIRECTOR
AFFINITY PHYSICIANS SERVICES
5890 VALLEY ROAD SUITE 200
BIRMINGHAM, AL 35235
CLIA ID# 01D1089574

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: October 14, 2022
REASON: Condition Level Non-Compliance
Unsuccessful PT
STATUS: Laboratory Voluntarily Ceased Testing

SHVETA MEHRA, DIRECTOR
SOUTHWEST KIDNEY INSTITUTE, PLC
2538 E UNIVERSITY DR, STE 110
PHOENIX, AZ 85034
CLIA ID# 03D2114951

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid
EFFECTIVE DATE: April 15, 2022
May 11, 2022
REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance
Unsuccessful PT

ERUM SHAHAB, DIRECTOR
ELLINGTON BEHAVIORAL HEALTH
16 MAIN ST
ELLINGTON, CT 06029
CLIA ID# 07D2006352

SANCTION: Civil Money Penalty

EFFECTIVE DATE: February 23, 2022

REASON: Condition Level Non-Compliance
Failure to Correct Deficiencies
Revocation of CLIA Certificate
Failure To Submit Acceptable POC or AOC

STATUS: Revocation of CLIA Certificate
Hearing Decision Sustained CMS Sanc Determ
Appeal Filed By Laboratory

REASON: Note: Effective date is based on signed agreement.
Civil Money Penalty imposed December 4, 2018.
Cancel Medicare/Medicaid Approval imposed December 17, 2018.
Revocation of CLIA Certificate imposed February 5, 2019.

DEREK LYLE, DIRECTOR
NEOGENOMICS LABORATORIES INC
12701 COMMONWEALTH DR STE 9
FORT MYERS, FL 33913
CLIA ID# 10D0998082

SANCTION: Directed Plan of Correction (DPOC)
Civil Money Penalty

EFFECTIVE DATE: March 11, 2022
May 6, 2022

REASON: Improper PT Testing Referral Activities

STATUS: Compliance Achieved

CHRISTINE ARMSTRONG, DIRECTOR
NORTH PINELLAS CHILDRENS MEDICAL CENTER INC
12780 RACETRACK RD STE 305
TAMPA, FL 33626
CLIA ID# 10D1037895

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: May 27, 2022

REASON: Condition Level Non-Compliance
Unsuccessful PT

STATUS: Compliance Achieved

JOHN MCGILL, DIRECTOR
NEOGENOMICS LABORATORIES INC
12780 WESTLINKS DR
FORT MYERS, FL 33913
CLIA ID# 10D2110676

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)
EFFECTIVE DATE: March 11, 2022
March 11, 2022
REASON: Improper PT Testing Referral Activities
STATUS: Compliance Achieved

JOHN MCGILL, DIRECTOR
NEOGENOMICS LABORATORIES INC
2224 WELLINGTON AVE
ALVA, FL 33920
CLIA ID# 10D2138083

SANCTION: Directed Plan of Correction (DPOC)
Civil Money Penalty
EFFECTIVE DATE: March 11, 2022
May 6, 2022
REASON: Improper PT Testing Referral Activities
STATUS: Compliance Achieved

RADOSLAW BIENIEK, DIRECTOR
MAINSTREAM DIAGNOSTIC LABORATORY LLC
5354 GULF DR
NEW PORT RICHEY, FL 34652
CLIA ID# 10D2177660

SANCTION: Directed Portion Plan of Correction (DPPOC)
EFFECTIVE DATE: August 5, 2022
REASON: Condition Level Non-Compliance
Unsuccessful PT
STATUS: Compliance Achieved

ANDRE KALLAB, DIRECTOR
NORTHEAST GEORGIA DIAGNOSTIC ASSOC AND CLINIC, LLC
1240 JESSE JEWEL PARKWAY, SUITE 500
GAINESVILLE, GA 30501
CLIA ID# 11D0261374

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: December 2, 2022
REASON: Condition Level Non-Compliance
Unsuccessful PT
STATUS: Compliance Achieved

QUYEN LUU, DIRECTOR
CENTRAL GEORGIA INFECTIOUS DISEASES, LLC
458 HEMLOCK STREET, SUITE 200
MACON, GA 31201
CLIA ID# 11D0694939

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: June 9, 2022
REASON: Unsuccessful PT
STATUS: Compliance Achieved

WILLIAM LEE TIFT, DIRECTOR
PRIMARY PEDIATRICS AFTER HOUR
110 A REGENCY PARK DRIVE
MCDONOUGH, GA 30253
CLIA ID# 11D1061564

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: June 10, 2022
REASON: Unsuccessful PT
STATUS: Compliance Achieved

DAQUESHA CHEVER, DIRECTOR
WMG URGENT CARE CHEROKEE
1120 WELLSTAR WAY, SUITE 105
HOLLY SPRINGS, GA 30114
CLIA ID# 11D1100175

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: February 15, 2022
REASON: Cancellation of Medicare Approval Suspension
Condition Level Non-Compliance
Unsuccessful PT
STATUS: Compliance Achieved

D CONRAD HARPER, DIRECTOR
D CONRAD HARPER MD, LLC
101 NW BOWENS MILL RD, SUITE D
DOUGLAS, GA 31533
CLIA ID# 11D2004759

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: June 10, 2022
REASON: Unsuccessful PT
STATUS: Compliance Achieved

JEFFREY DOWIS, DIRECTOR
ACCORDIA URGENT CARE AND FAMILY PRACTICE
1205 RUSSEL PARKWAY
WARNER ROBINS, GA 31088
CLIA ID# 11D2087872

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: August 19, 2022
REASON: Condition Level Non-Compliance
Unsuccessful PT
STATUS: Compliance Achieved

Patel, Sharad ALAK, BAHA, DIRECTOR
DOCTORS CLINICAL LABORATORY
1685 WINNETKA CIRCLE
ROLLING MEADOWS, IL 60008
CLIA ID# 14D0988472

SANCTION: Civil Money Penalty
Directed Portion Plan of Correction (DPPOC)

EFFECTIVE DATE: February 22, 2022
April 29, 2022

REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance with IJ
Failure to Correct Deficiencies

STATUS: Revocation of CLIA Certificate

SMARANDA BADESCU, DIRECTOR
O'HARE CLINICAL LABS
4909 W DIVISION ST STE #302
CHICAGO, IL 60659
CLIA ID# 14D1051792

SANCTION: Directed Portion Plan of Correction (DPPOC)

EFFECTIVE DATE: February 25, 2022

REASON: Condition Level Non-Compliance with IJ
Failure To Submit Acceptable POC or AOC

STATUS: Revocation of CLIA Certificate

NEELOFUR NAZEER, DIRECTOR
URGENT LAB SERVICES INC
240 E LAKE ST - STE 302
ADDISON, IL 60101
CLIA ID# 14D2235171

SANCTION: Civil Money Penalty

EFFECTIVE DATE: June 6, 2022

REASON: Condition Level Non-Compliance with IJ

STATUS: Compliance Achieved
Laboratory Voluntarily Ceased Testing
Appeal Filed By Laboratory

SPENCER KERLEY, DIRECTOR
LABORATORY CORPORATION OF AMERICA HOLDINGS
7800 WEST 110TH STREET
OVERLAND PARK, KS 66210
CLIA ID# 17D0707970

SANCTION: Directed Plan of Correction (DPOC)
Civil Money Penalty

EFFECTIVE DATE: July 8, 2022
July 9, 2022

REASON: Improper PT Testing Referral Activities

GOUTHAM HEBBALMATH, DIRECTOR
CORBIN PEDIATRIC ASSOCIATES PSC
57 SUMMIT DRIVE
CORBIN, KY 40701
CLIA ID# 18D0664118

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: December 23, 2022
December 23, 2022

REASON: Unsuccessful PT

STATUS: Laboratory Voluntarily Ceased Testing

MATT SMITH, DIRECTOR
LEITCHFIELD PEDIATRIC CLINIC
901 WALLACE AVENUE
LEITCHFIELD, KY 42754
CLIA ID# 18D0691478

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: August 19, 2022

REASON: Unsuccessful PT

STATUS: Compliance Achieved

RICHARD BLANCHARD JR, DIRECTOR
HARDTNER MEDICAL CENTER
1102 NORTH PINE ROAD
OLLA, LA 71465
CLIA ID# 19D0465142

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: November 18, 2022
November 18, 2022

REASON: Unsuccessful PT

STATUS: Laboratory Voluntarily Ceased Testing

PASQUALE SANTINI, DIRECTOR
INTERNAL MEDICINE OF CHEVY CHASE, PA
5530 WISCONSIN AVENUE, SUITE 1400
CHEVY CHASE, MD 20815
CLIA ID# 21D0211731

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: January 18, 2022
January 18, 2022

REASON: Unsuccessful PT

REASON: The lab requested for voluntarily termination
8/17/2022 effective date.

ROBERT RUSH, DIRECTOR
UNIQUE LABORATORY SOLUTIONS
8560 N SILVERY LANE SUITE 300
DEARBORN HEIGHTS, MI 48127
CLIA ID# 23D2040138

SANCTION: Civil Money Penalty
Directed Portion Plan of Correction (DPPOC)

EFFECTIVE DATE: April 5, 2022
April 5, 2022

REASON: Condition Level Non-Compliance

STATUS: Compliance Achieved

ERIC REIMUND, DIRECTOR
DELTA HEALTH SYSTEM - THE MEDICAL CENTER
1400 EAST UNION ST - LABORATORY
GREENVILLE, MS 38703
CLIA ID# 25D0316753

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: November 18, 2022
REASON: Unsuccessful PT
STATUS: Compliance Achieved

BOBBIE WEST, DIRECTOR
MEA PRIMARY CARE PLUS PEARL
342 GILCHRIST DRIVE
PEARL, MS 39208
CLIA ID# 25D0318207

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: October 7, 2022
REASON: Unsuccessful PT
STATUS: Compliance Achieved

JUSTIN LAY, DIRECTOR
CHILDRENS MEDICAL GROUP MADISON
7726 OLD CANTON ROAD
MADISON, MS 39110
CLIA ID# 25D0861270

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid
EFFECTIVE DATE: January 21, 2022
January 21, 2022
REASON: Unsuccessful PT
STATUS: Compliance Achieved

MATTHEW MARTELLI, DIRECTOR
OCHSNER SCOTT REGIONAL HOSPITAL
317 HWY 13 SOUTH
MORTON, MS 39117
CLIA ID# 25D0869303

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: April 22, 2022
REASON: Unsuccessful PT
STATUS: Compliance Achieved

LEIGHEA TRIPLETT, DIRECTOR
ST DOMINIC'S INTERNAL MEDICINE
106 HIGHLAND WAY, SUITE 200
MADISON, MS 39110
CLIA ID# 25D2081934

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: November 18, 2022
REASON: Unsuccessful PT
STATUS: Compliance Achieved

HABIB MUNSHI, DIRECTOR
BRANSON PULMONOLOGY & SLEEP LLC
875 E STATE HIGHWAY 76
BRANSON, MO 65616
CLIA ID# 26D2005747

SANCTION: Directed Plan of Correction (DPOC)
Civil Money Penalty
EFFECTIVE DATE: March 3, 2022
March 3, 2022
REASON: Unsuccessful PT

ERIC RAVITZ, DIRECTOR
BLUE MOUNTAIN CLINIC FAMILY PRACTICE
610 NORTH CALIFORNIA STREET
MISSOULA, MT 59802
CLIA ID# 27D0410840

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: August 30, 2022
August 30, 2022

REASON: Unsuccessful PT

STATUS: Suspension And Limitation Lifted
Laboratory Voluntarily Ceased Testing

RIM ABDALLAH, DIRECTOR
VITALANT
1444 GRAND AVE
BILLINGS, MT 59102
CLIA ID# 27D0663768

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: November 16, 2022
December 1, 2022

REASON: Improper PT Testing Referral Activities

STATUS: Compliance Achieved

VICKI LAWTON, DIRECTOR
PINE LAKE HEALTH DBA HEALTH FIRST NEBRASKA
9370 G STREET OMAHA, NE 68127
CLIA ID# 28D2192482

SANCTION: Directed Portion Plan of Correction (DPPOC)
Civil Money Penalty

EFFECTIVE DATE: January 3, 2022
May 18, 2022

REASON: Condition Level Non-Compliance with IJ

DAVID LINDEN, DIRECTOR
PSYCHIATRIC MANAGEMENT LLC
2725 S JONES BLVD STE 107
LAS VEGAS, NV 89146
CLIA ID# 29D2135892

SANCTION: Directed Portion Plan of Correction (DPPOC)
Civil Money Penalty

EFFECTIVE DATE: March 12, 2022
March 13, 2022

REASON: 2 Year Prohibition From Owning, Operating and Directing
Medicare Cancellation/Suspension
Condition Level Non-Compliance
Failure to Correct Deficiencies
Revocation of CLIA Certificate
Failure To Submit Acceptable POC or AOC
Lab Owner/Oper Prohibited From Owning Lab

PAM CORR, DIRECTOR
COLFAX GENERAL LABORATORY
615 PROSPECT AVE
SPRINGER, NM 87747
CLIA ID# 32D0536885

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: November 18, 2022
November 18, 2022

REASON: Unsuccessful PT

STATUS: Laboratory Voluntarily Ceased Testing

ANDREW CRACKER, DIRECTOR
A WOMAN'S CHOICE OF CHARLOTTE, INC
421 N WENDOVER ROAD
CHARLOTTE, NC 28211
CLIA ID# 34D0244179

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: August 19, 2022

REASON: Condition Level Non-Compliance
Unsuccessful PT

STATUS: Compliance Achieved

SANJAI NAGENDRA, DIRECTOR
LABORATORY CORPORATION OF AMERICA HOLDINGS, INC
1447 YORK COURT
BURLINGTON, NC 27215
CLIA ID# 34D0655059

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: September 2, 2022
REASON: Improper PT Testing Referral Activities
STATUS: Compliance Achieved

DONNA WALKER, DIRECTOR
ANSON PEDIATRICS, PC
904 MORVEN ROAD
WADESBORO, NC 28170
CLIA ID# 34D1002468

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: May 6, 2022
REASON: Condition Level Non-Compliance
Unsuccessful PT
STATUS: Compliance Achieved

WILLIAM MITCHELL, DIRECTOR
SOUTHERN ONCOLOGY SPECIALISTS
268 GILLMAN ROAD SUITE A
DENVER, NC 28037
CLIA ID# 34D2150458

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid
EFFECTIVE DATE: March 4, 2022
March 4, 2022
REASON: Condition Level Non-Compliance
Unsuccessful PT
STATUS: Suspension And Limitation Lifted

CHRISTOPHER LOCKHART, DIRECTOR
PEMBINA COUNTY MEMORIAL HOSPITAL
301 MOUNTAIN ST E
CAVALIER, ND 58220
CLIA ID# 35D0408554

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: September 28, 2022
September 28, 2022

REASON: Unsuccessful PT

STATUS: Laboratory Voluntarily Ceased Testing

MARTIN RABINOWITZ, DIRECTOR
SOUTHWEST GENERAL HEALTH CENTER
18697 BAGLEY ROAD, LABORATORY SERVICES
CLEVELAND, OH 44130
CLIA ID# 36D0333745

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: April 26, 2022

REASON: Condition Level Non-Compliance

STATUS: Compliance Achieved
Appeal Filed By Laboratory

SANTIAGO CASTILLO, DIRECTOR
EXECUTIVE UROLOGY OF FISHER-TITUS SANDUSKY
2800 HAYES AVE BLDG D
SANDUSKY, OH 44870
CLIA ID# 36D0344213

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: March 17, 2022

REASON: Condition Level Non-Compliance

STATUS: Compliance Achieved

YILAN CHANG, DIRECTOR
FISHER TITUS MEDICAL CENTER PATHOLOGY
AND CLINICAL LABORATORY SERVICES
272 BENEDICT AVE
NORWALK, OH 44857
CLIA ID# 36D0664200

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: March 2, 2022
REASON: Condition Level Non-Compliance
STATUS: Compliance Achieved

DEREK IRWIN, DIRECTOR
NORTHEASTERN HEALTH SYSTEM-SEQUOYAH
213 EAST REDWOOD
SALLISAW, OK 74955
CLIA ID# 37D0476048

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)
EFFECTIVE DATE: May 20, 2022
May 20, 2022
REASON: Improper PT Testing Referral Activities
STATUS: Compliance Achieved

POPPY ANNE BENTON, DIRECTOR
SAINT FRANCIS LAB-SOUTH MEMORIAL
10506 S MEMORIAL DR
TULSA, OK 74133
CLIA ID# 37D2089970

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: June 24, 2022
REASON: Unsuccessful PT
STATUS: Compliance Achieved

EDWARD WOLF MD, DIRECTOR
CORVALLIS CLINIC, PC LABORATORY, THE
3680 NW SAMARITAN DR, ASBURY BLDG 2ND FLOOR
CORVALLIS, OR 97330
CLIA ID# 38D0656873

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: January 5, 2022
January 5, 2022

REASON: Condition Level Non-Compliance
Unsuccessful PT

THOMAS PETRUSICK, DIRECTOR
GRAND STRAND PEDIATRICS & ADOLESCENT MED
8120 ROURKE STREET
MYRTLE BEACH, SC 29572
CLIA ID# 42D0251967

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: September 30, 2022

REASON: Unsuccessful PT

STATUS: Compliance Achieved

ABDUL ALSHAREEF, DIRECTOR
SCDMH CLINICAL LABORATORY
8301 FARROW ROAD
COLUMBIA, SC 29203
CLIA ID# 42D0658581

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: September 16, 2022
September 16, 2022

REASON: Unsuccessful PT

STATUS: Laboratory Voluntarily Ceased Testing

CAROL BROADWAY, DIRECTOR
COLUMBIA PEDIATRIC CLINIC
1600 NASHVILLE HWY
COLUMBIA, TN 38401
CLIA ID# 44D0315886

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: January 7, 2022
REASON: Improper PT Testing Referral Activities
STATUS: Compliance Achieved

ROSLAND ROBINSON, DIRECTOR
BAPTIST MEMORIAL HEALTH CARE
DBA BAPTIST MINOR MEDICAL CENTER
7424 HWY 64 STE 111
BARTLETT, TN 38133
CLIA ID# 44D0666807

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: December 23, 2022
REASON: Unsuccessful PT
STATUS: Compliance Achieved

HUGO CABALLERO MD, DIRECTOR
CABALLERO FAMILY HEALTHCARE GROUP PLLC
1920 KIRBY PKWY SUITE 202
GERMANTOWN, TN 38138
CLIA ID# 44D0897266

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: July 8, 2022
REASON: Unsuccessful PT
STATUS: Compliance Achieved

BRIDGET SMUDRICK, DIRECTOR
GI FOR KIDS, PLLC
1975 TOWN CENTER BLVD
KNOXVILLE, TN 37922
CLIA ID# 44D0995453

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: June 24, 2022
REASON: Unsuccessful PT
STATUS: Compliance Achieved

MEREDITH BROWN, DIRECTOR
SPRINGER MEDICAL ASSOCIATES
16615 HWY 104 N STE B
LEXINGTON, TN 38351
CLIA ID# 44D1079372

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: June 3, 2022
REASON: Unsuccessful PT
STATUS: Compliance Achieved

HEATHER MICHALAK, DIRECTOR
COLUMBIA PEDIATRIC CLINIC
1003 RESERVE BLVD STE 110
SPRING HILL, TN 37174
CLIA ID# 44D2068197

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: January 7, 2022
REASON: Improper PT Testing Referral Activities
STATUS: Compliance Achieved

CHET SCHWAB, DIRECTOR
EL CAMPO MEMORIAL HOSPITAL
303 SANDY CORNER ROAD
EL CAMPO, TX 77437
CLIA ID# 45D0495521

SANCTION: Directed Plan of Correction (DPOC)
Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: October 14, 2022
October 28, 2022
October 28, 2022

REASON: Condition Level Non-Compliance with IJ
Unsuccessful PT

STATUS: Compliance Achieved
Laboratory Voluntarily Ceased Testing

JORGE CRUZ-BENITEZ, DIRECTOR
DIMMIT REGIONAL HOSPITAL
704 HOSPITAL DRIVE CARRIZO
SPRINGS, TX 78834
CLIA ID# 45D0506298

SANCTION: Directed Plan of Correction (DPOC)
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: February 18, 2022
July 8, 2022

REASON: Condition Level Non-Compliance with IJ
Condition Level Non-Compliance

STATUS: Compliance Achieved
Compliance Achieved

MARILYN NUTT, DIRECTOR
THROCKMORTON COUNTY MEMORIAL HOSPITAL
802 NORTH MINTER AVENUE BOX 729
THROCKMORTON, TX 76483
CLIA ID# 45D0659838

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: September 23, 2022

REASON: Unsuccessful PT

STATUS: Compliance Achieved

PRATAP TUMMALA, DIRECTOR
ARTHRITIS & RHEUMATISM CENTER, PA
1107 EAST SARA SWAMY DRIVE
SHERMAN, TX 75090
CLIA ID# 45D0990236

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: June 10, 2022
REASON: Unsuccessful PT
STATUS: Laboratory Voluntarily Ceased Testing

MICHAEL SEDRAK, DIRECTOR
FIRST SURGICAL HOSPITAL
4801 BISSONNET STREET
BELLAIRE, TX 77401
CLIA ID# 45D1063733

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: June 3, 2022
REASON: Unsuccessful PT
STATUS: Compliance Achieved

FADI TORRES MD, DIRECTOR
ALL CHILDRENS PEDIATRIC CLINIC PA
4221 NORTH CONWAY SUITE D
PALMHURST, TX 78572
CLIA ID# 45D1082475

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: October 28, 2022
REASON: Unsuccessful PT
STATUS: Compliance Achieved

DAI YUEMENG, DIRECTOR
ENCOMPASS HEALTH REHABILITATION HOSPITAL OF DALLAS
7930 NORTHAVEN ROAD
DALLAS, TX 75230
CLIA ID# 45D2010725

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: May 20, 2022
REASON: Unsuccessful PT
STATUS: Compliance Achieved

TERESA TODD, DIRECTOR
CROCKETT MEDICAL CENTER
1100 EAST LOOP 304
CROCKETT, TX 75835
CLIA ID# 45D2149371

SANCTION: Directed Plan of Correction (DPOC)
Directed Plan of Correction (DPOC)
EFFECTIVE DATE: June 24, 2022
December 2, 2022
REASON: Unsuccessful PT
Unsuccessful PT
STATUS: Compliance Achieved
Compliance Achieved

WEIKE MO, DIRECTOR
CONFIRM LABORATORY, LLC
2828 FORREST LANE #1119
DALLAS, TX 75234
CLIA ID# 45D2161337

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: May 20, 2022
REASON: Condition Level Non-Compliance

5. LABORATORIES WHOSE ACCREDITATION HAS BEEN WITHDRAWN OR REVOKED AND THE REASON FOR THE WITHDRAWAL OR REVOCATION. (INCLUDES ALL OTHER ADVERSE ACTIONS TAKEN BY THE ACCREDITATION ORGANIZATIONS)

AL SCHERFF, DIRECTOR
ATHENS LIMESTONE HOSPITAL RESPIRATORY
BLOOD GAS LAB
700 W MARKET ST
ATHENS, AL 35611
CLIA ID# 01D0683464 **(TJC)**

SANCTION: Cease testing for pH, pO2, pCO2, routine Chemistry
EFFECTIVE DATE: 5/9/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 cease testing still in effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JOHN JERNIGAN, DIRECTOR
MULBERRY MEDICAL ASSOCIATES
1301 MULBERRY STREET
MONTGOMERY, AL 36106
CLIA ID# 01D0683630 **(COLA)**

SANCTION: Cease Testing for Rheumatoid factor (RF)
EFFECTIVE DATE: 6/1/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JOSEPH SEWELL, DIRECTOR
SARHA DOCTORS CENTER
1412 ELBY HIGHWAY
TROY, AL 36079
CLIA ID# 01D1037545 **(TJC)**

SANCTION: Cease testing for WBC diff
EFFECTIVE DATE: 8/12/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 cease testing still in effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

GEORGE BRASINIKAS, DIRECTOR
CHINLE COMPREHENSIVE CARE FACILITY
PO BOX PH
CHINLE, AZ 86503
CLIA ID# 03D0642043 **(TJC)**

SANCTION: Cease testing for Fibrinogen
EFFECTIVE DATE: 8/15/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 cease testing still in effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

GEORGE WANG, DIRECTOR
MENA REGIONAL HEALTH SYSTEM
311 NORTH MORROW STREET
MENA, AR 71953
CLIA ID# 04D0049580 **(COLA)**

SANCTION: Cease Testing for ABO group - RBC, Donor/Recipient Compatibility
EFFECTIVE DATE: 9/29/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

KEITH AGRE, DIRECTOR
KEITH AGRE MD MED CORP
1125 S BEVERLY DR, STE 110
LOS ANGELES, CA 90035
CLIA ID# 05D0546307 **(COLA)**

SANCTION: Denial of Accreditation
EFFECTIVE DATE: 1/7/2022
REASON: Failure to adhere to COLA- Imposed Required Improvements
STATUS: No longer accredited by COLA

DAVID CHUN, DIRECTOR
SAN DIMAS COMMUNITY HOSPITAL
1350 W COVINA BLVD
SAN DIMAS, CA 91773
CLIA ID# 05D0564509 **(TJC)**

SANCTION: Cease testing for hemoglobin and hematology
EFFECTIVE DATE: 9/7/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 cease testing still in effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

SY SONG, DIRECTOR
SAN DIEGO ONCOLOGY MEDICAL CLINIC
750 MEDICAL CENTER CT STE 9
CHULA VISTA, CA 91911
CLIA ID# 05D0565924 **(COLA)**

SANCTION: Denial of Accreditation
EFFECTIVE DATE: 5/11/2022
REASON: Failure to adhere to COLA- Imposed Required Improvements
STATUS: No longer accredited by COLA
REASON:
For continuing to test an analyte after being directed by COLA to cease testing because of failure to meet proficiency testing (PT) performance criteria

NORMA RODRIGUEZ, DIRECTOR
PIONEERS MEMORIAL HOSPITAL LABORATORY
207 W LEGION ROAD
BRAWLEY, CA 92227
CLIA ID# 05D0572029 **(TJC)**

SANCTION: Cease testing for Fibrinogen
EFFECTIVE DATE: 4/19/2022
REASON: Unsuccessful PT
STATUS: Reinstated effective 12/12/2022
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

NICHOLAS HARDING-JACKSON, DIRECTOR
ADVENTIST HEALTH HOWARD MEMORIAL
1 MARCELA DR
WILLITS, CA 95490
CLIA ID# 05D0682844 **(TJC)**

SANCTION: Cease testing for Compatibility testing
EFFECTIVE DATE: 6/10/2022
REASON: Unsuccessful PT
STATUS: Reinstated effective 12/12/2022
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JOSHUA ROKAW, DIRECTOR
INTERNAL MEDICINE ASSOCIATES
15211 VANOWEN ST STE 100
VAN NUYS, CA 91405
CLIA ID# 05D0684654 **(COLA)**

SANCTION: Cease Testing for Hematocrit
EFFECTIVE DATE: 4/14/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

SALEM MD, RIFAAT, DIRECTOR
PACIFIC REPRODUCTIVE CENTER
3720 LOMITA BLVD STE 200
TORRANCE, CA 90505
CLIA ID# 05D0936846 **(CAP)**

SANCTION: Probation
EFFECTIVE DATE: 7/27/2022
REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections
STATUS: Removed from Probation on 09/28/2022
REASON: Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory

SAM NAJMABADI, DIRECTOR
CENTER FOR REPRODUCTIVE HEALTH AND GYNECOLOGY
99 N LA CIENEGA BLVD STE 109
BEVERLY HILLS, CA 90211
CLIA ID# 05D0954752 (**CAP**)

SANCTION: Probation

EFFECTIVE DATE: 2/11/2022

REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections

STATUS: Removed from Probation on 09/28/2022

REASON: Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory

MAN LI, DIRECTOR
CALIFORNIA FERTILITY CLINIC INC
5455 WILSHIRE BLVD STE 1904
LOS ANGELES, CA 90036
CLIA ID# 05D0991770 (**CAP**)

SANCTION: Revocation of Accreditation

EFFECTIVE DATE: 7/1/2022

REASON: Laboratory Performance Does Not Meet CAP Standards of Accreditation

STATUS: As of 07/01/2022, Not Accredited by CAP

REASON: Laboratory Performance Does Not Meet CAP Standards of Accreditation

REGINA SINGSON, DIRECTOR
THOUSAND OAKS SURGICAL HOSPITAL
A CAMPPUS OF LOS ROBLES HOSPITAL & MEDICAL CENTER
401 E ROLLING OAKS DR
THOUSAND OAKS, CA 91361
CLIA ID# 05D1029197 (**COLA**)

SANCTION: Cease Testing, Multiple Analytes

EFFECTIVE DATE: 8/2/2022

REASON: Unsuccessful PT

STATUS: As of 12/31/2022 Cease Testing Still in Effect

REASON: Cease Testing for Blood Gases, Chloride, Creatinine, Glucose, Hematocrit, Hemoglobin, PCO2, PO2, Potassium, Sodium, Urea (BUN)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

SAADIYA HAQUE, DIRECTOR
RETROGEN INC
6645 NANCY RIDGE DR
SAN DIEGO, CA 92121
CLIA ID# 05D2049567 (CAP)

SANCTION: Probation
EFFECTIVE DATE: 4/27/2022
REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections
STATUS: As of 12/31/2022, Probation Still in Effect
REASON: Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory

NOGBA PAWOO, DIRECTOR
VICTOR VALLEY GLOBAL MEDICAL CENTER
15248 ELEVENTH ST
VICTORVILLE, CA 92395
CLIA ID# 05D2054158 (CAP)

SANCTION: Probation
EFFECTIVE DATE: 5/20/2022
REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections
STATUS: As of 12/31/2022, Probation Still in Effect
REASON: Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory

HENRY TSAI, DIRECTOR
DERMTECH OPERATIONS, INC
11099 N TORREY PINES RD STE 100
LA JOLLA, CA 92037
CLIA ID# 05D2073519 (CAP)

SANCTION: Probation
EFFECTIVE DATE: 8/24/2022
REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections
STATUS: As of 12/31/2022, Probation Still in Effect
REASON: Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory

NICOLE PELE, DIRECTOR
HEALTHQUEST ESOTERICS, INC
6 BENDIX
IRVINE, CA 92618
CLIA ID# 05D2088507 **(COLA)**

SANCTION: Cease Testing for Lithium
EFFECTIVE DATE: 4/29/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

BRIAN TYSON, DIRECTOR
ALL VALLEY URGENT CARE, TYSON MEDICAL INC
2026 N IMPERIAL AVE STE C
EL CENTRO, CA 92243
CLIA ID# 05D2114540 **(COLA)**

SANCTION: Cease Testing for White Blood Cell Count (Leukocyte Count) (WBC)
EFFECTIVE DATE: 5/4/2022
REASON: Unsuccessful PT
STATUS: Test reinstated effective date 11/18/2022
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

HOJOON LEE, DIRECTOR
AMERICAN FERTILITY SERVICES
100 PUTNAM GREEN
GREENWICH, CT 06830
CLIA ID# 07D2153813 **(CAP)**

SANCTION: Cease Testing for hCG, Serum
EFFECTIVE DATE: 5/7/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022, Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JOEL ANG, DIRECTOR
JOEL C ANG, MD PC DBA Q STREET MEDICAL ASSOCIATES
1759 Q ST NW
WASHINGTON, DC 20009
CLIA ID# 09D0207838 (COLA)

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)
EFFECTIVE DATE: 8/15/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ROBERT CONSTANT, DIRECTOR
ORLANDO HEALTH MEDICAL GROUP, INC
3113 LAWTON RD, STE 100
ORLANDO, FL 32803
CLIA ID# 10D0274671 (COLA)

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)
EFFECTIVE DATE: 8/2/2022
REASON: Unsuccessful PT
STATUS: Testing As of 12/31/2022 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency

WALTER SZYDLOWSKI JR, DIRECTOR
WALTER J SZYDLOWSKI JR MD PA
11347 CORTEZ BLVD
BROOKSVILLE, FL 34613
CLIA ID# 10D0296582 (COLA)

SANCTION: Cease Testing for Alkaline Phosphatase (ALP); Cease Testing for Bilirubin, Total
EFFECTIVE DATE: 5/2/2022
8/15/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

STEVEN STROBBE, DIRECTOR
SMS DO PA D/B/A GULF COAST MEDICAL CENTER
9238 US HWY 19
PORT RICHEY, FL 34668
CLIA ID# 10D0996433 **(COLA)**

SANCTION: Cease Testing for Red Blood Cell Count (Erythrocyte Count) (RBC)
EFFECTIVE DATE: 9/29/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JANIS BLACK, DIRECTOR
FAMILY HEALTH CENTER AT PORT ST JOHN
3740 CURTIS BLVD STE 108
COCOA, FL 32927
CLIA ID# 10D1081504 **(COLA)**

SANCTION: Cease Testing for Chloride, Potassium
EFFECTIVE DATE: 10/28/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

BIENIEK, RADOSLAW, DIRECTOR
PAIN RELIEF SOLUTIONS, LLC
1164 EAST OAKLAND PARK BLVD STE 103
OAKLAND PARK , FL 33334
CLIA ID# 10D2111958 **(COLA)**

SANCTION: Denial of Accreditation
EFFECTIVE DATE: 3/9/2022
REASON: Failure to adhere to COLA- Imposed Required Improvements
STATUS: No longer accredited by COLA
REASON:
Failure to adhere to COLA- Imposed Required Improvements

GEOFFREY WEISBAUM, DIRECTOR
MOLECULAR STAT LABORATORY, INC
4373 NW 124TH AVE CORAL
SPRINGS, FL 33065
CLIA ID# 10D2157771 (**COLA**)

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)
EFFECTIVE DATE: 1/18/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

LYONEL JEAN BAPTISTE, DIRECTOR
JBS DIAGNOSTICS LLC
3020 HIGH RIDGE ROAD STE 600
BOYNTON BEACH, FL 33426
CLIA ID# 10D2164213 (**COLA**)

SANCTION: Cease Testing for Hemoglobin
EFFECTIVE DATE: 8/15/2022
REASON: Unsuccessful PT
STATUS: No longer Accredited by COLA
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

RICHARD MAJESTE, DIRECTOR
WELLSTAR ATLANTA MEDICAL CENTER LABORATORY
303 PARKWAY DRIVE NORTHEAST
ATLANTA, GA 30312
CLIA ID# 11D0259216 (**CAP**)

SANCTION: Cease Testing for Triiodothyronine (T3)
EFFECTIVE DATE: 8/20/2022
REASON: Unsuccessful PT
STATUS: Withdrew from Accreditation on 11/1/2022 Due to Closure
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

CHRISTOPHER CAMPO, DIRECTOR
FAIRVIEW PARK LIMITED PARTNERSHIP DBA
FAIRVIEW PARK HOSPITAL LABORATORY 200
INDUSTRIAL BOULEVARD
DUBLIN, GA 31021
CLIA ID# 11D0263444 **(CAP)**

SANCTION: Probation
EFFECTIVE DATE: 4/27/2022
REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections
STATUS: As of 12/31/2022, Probation Still in Effect
REASON: Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory

KAPLAN, JOSEPH, DIRECTOR
ACUTE CARE EMERGENCE
7901 VETERANS PARKWAY
COLUMBUS, GA 31909
CLIA ID# 11D2146526 **(COLA)**

SANCTION: Cease Testing for Virology, Bacteriology
EFFECTIVE DATE: 6/07/2022
REASON: Unsuccessful PT
STATUS: No longer Accredited by COLA
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ONIKA POPOJAMES, DIRECTOR
FAMILY HEALTH CLINIC
230 PLAZA DRIVE
ZEBULON, GA 30295
CLIA ID# 11D2170921 **(COLA)**

SANCTION: Cease Testing for Urea (BUN)
EFFECTIVE DATE: 01/18/22
REASON: Unsuccessful PT
STATUS: Test Reinstated 8/15/2022
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JAMES BODNAR, DIRECTOR
HARDIN COUNTY GEN HOSP
6 FERRELL RD, PO BOX 2467
ROSICLARE, IL 62982
CLIA ID# 14D0436747 **(COLA)**

SANCTION: Cease Testing for Donor/Recipient Compatibility
EFFECTIVE DATE: 01/18/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

BORIS GUREVICH, DIRECTOR
EAST WEST INTERNAL MEDICINE ASSOCIATES P C
DBA VILLAGE MEDIC AL WHEELING
342 S MILWAUKEE AVENUE
WHEELING, IL 60090
CLIA ID# 14D0998974 **(COLA)**

SANCTION: Cease Testing for Chloride
EFFECTIVE DATE: 8/24/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

SHERRIE WHITE, DIRECTOR
CAM MEDICAL GROUP SC
1945 W WILSON AVE, STE 5110
CHICAGO, IL 60640
CLIA ID# 14D2098731 **(COLA)**

SANCTION: Cease Testing for Chloride
EFFECTIVE DATE: 8/15/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

THANH LAN, DIRECTOR
LABELITE
5824 N NORTHWEST HWY
CHICAGO, IL 60631
CLIA ID# 14D2201417 **(COLA)**

SANCTION: Denial of Accreditation
EFFECTIVE DATE: 6/29/2022
REASON: Failure to adhere to COLA- Imposed Required Improvements
STATUS: No longer accredited by COLA
REASON: Failure to adhere to COLA- Imposed Required Improvements

DEAN RICKS, DIRECTOR
MARION GENERAL HOSPITAL LABORATORY
441 N WABASH AVE
MARION, IN 46952
CLIA ID# 15D0035167 **(CAP)**

SANCTION: Cease Testing, Multiple Analytes
EFFECTIVE DATE: 4/12/2022
7/13/2022
11/29/2022
REASON: Unsuccessful PT
STATUS: Allowed to Resume Testing for Cholesterol and Cholesterol, LDL on 12/05/2022
As of 12/31/2022, Cease Testing for Bacteriology Still in Effect
REASON: Cease Testing for Cholesterol; Cease Testing for Cholesterol, LDL;
Cease Testing for Bacteriology
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MATTHEW ANDRES, DIRECTOR
MERCYONE WEST DES MOINES MEDICAL CENTER
1755 59TH PLACE
WEST DES MOINES, IA 50266
CLIA ID# 16D0996674 **(CAP)**

SANCTION: Cease Testing for Compatibility Testing
EFFECTIVE DATE: 5/9/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022, Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

SUSAN SPEAKS, DIRECTOR
SOUTHWEST MEDICAL CENTER
315 W 15TH STREET
LIBERAL, KS 67905
CLIA ID# 17D0453332 (CAP)

SANCTION: Probation
EFFECTIVE DATE: 11/3/2022
REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections
STATUS: As of 12/31/2022, Probation Still in Effect
REASON: Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory

ANN HENTZEN PAGE, DIRECTOR
SUMMIT SURGICAL LLC
1818 E 23RD
HUTCHINSON, KS 67502
CLIA ID# 17D1047101 (COLA)

SANCTION: Cease Testing, Multiple Analytes
EFFECTIVE DATE: 8/24/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON: Cease Testing for Chloride, Creatinine, Glucose, Potassium, Sodium, Urea (BUN), Hematocrit, Hemoglobin
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

GREG FUQUA, DIRECTOR
BHMG-FRANKFORT WEST
1001 LEAWOOD DR
FRANKFORT, KY 40601
CLIA ID# 18D0698978 (COLA)

SANCTION: Cease Testing for Thyroid Stimulating Hormone - high sens. (TSH-HS)
EFFECTIVE DATE: 11/9/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

VICKI STEEN, DIRECTOR
WOMENS HEALTH & WELLNESS,LLC/SCOTT P STRIPLIN,MD
77 STARBRUSH CIRCLE
COVINGTON, LA 70433
CLIA ID# 19D0989149 **(COLA)**

SANCTION: Cease Testing for Bacteriology
EFFECTIVE DATE: 12/12/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JENNIFER ROOD, DIRECTOR
NATCHEZ MORICE, MD, MBA, LLC
1216 N VICTOR II BLVD, SUITE 300
MORGAN CITY, LA 70380
CLIA ID# 19D2029422 **(COLA)**

SANCTION: Cease Testing for Bilirubin, Total
EFFECTIVE DATE: 11/10/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

EMIL TIGAS, DIRECTOR
WHITTIER REHABILITATION HOSPITAL
150 FLANDERS ROAD
WESTBOROUGH, MA 01581
CLIA ID# 22D0934894 **(TJC)**

SANCTION: Cease testing for pH
EFFECTIVE DATE: 2/7/2022
REASON: Unsuccessful PT
STATUS: Reinstated effective 8/8/2022
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JOSEPH CZAJA, DIRECTOR
MCLAREN BAY REGION
1900 COLUMBUS AVENUE
BAY CITY, MI 48708
CLIA ID# 23D0375000 **(CAP)**

SANCTION: Cease Testing for Bilirubin
EFFECTIVE DATE: 4/12/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022, Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

EDGAR BETANCOURT, DIRECTOR
ASPIRUS IRON RIVER HOSPITAL
1400 W ICE LAKE RD
IRON RIVER, MI 49935
CLIA ID# 23D0382390 **(COLA)**

SANCTION: Cease Testing for Chloride
EFFECTIVE DATE: 11/10/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

TEKLEHAIMANOT, DAWIT, DIRECTOR
PHYSICAL MEDICINE REHABILITATION AND CONSULTANT
21675 COOLIDGE HWY SUITE A
OAK PARK, MI 48237
CLIA ID# 23D1092620 **(COLA)**

SANCTION: Denial of Accreditation
EFFECTIVE DATE: 2/23/2022
REASON: Failure to adhere to COLA- Imposed Required Improvements
STATUS: No longer accredited by COLA
REASON:
Failure to adhere to COLA- Imposed Required Improvements

RAJAN DEWAR, DIRECTOR
CAP DIAGNOSTICS, LLC DBA PATHNOSTICS
31205 WOODWARD AVENUE
ROYAL OAK, MI 48073
CLIA ID# 23D2155344 (**CAP**)

SANCTION: Probation
EFFECTIVE DATE: 3/23/2022
REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections
STATUS: Removed from Probation on 05/20/2022
REASON: Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory

JOSEPH CZAJA, DIRECTOR
MCLAREN BAY REGION
2110 SOUTH M-76, STE 5
WEST BRANCH, MI 48661
CLIA ID# 23D2168417 (**CAP**)

SANCTION: Cease Testing for Albumin
EFFECTIVE DATE: 7/13/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022, Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

KURT KRATZ, DIRECTOR
MERIT HEALTH WESLEY
5001 W HARDY STREET
HATTIESBURG, MS 39402
CLIA ID# 25D0318998 (**TJC**)

SANCTION: Cease testing for hemoglobin
EFFECTIVE DATE: 12/8/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 cease testing still in effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

HARSHA DESAI, DIRECTOR
HANNIBAL REGIONAL HOSPITAL
6000 HOSPITAL DRIVE
HANNIBAL, MO 63401
CLIA ID# 26D0441465 (CAP)

SANCTION: Cease Testing for Gentamicin
EFFECTIVE DATE: 11/2/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022, Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

BO FENG, DIRECTOR
SALEM MEDICAL CENTER
310 WOODSTOWN ROAD
SALEM, NJ 08079
CLIA ID# 31D0005362 (TJC)

SANCTION: Cease testing for thyroid stimulating hormone (TSH)
EFFECTIVE DATE: 8/25/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 cease testing still in effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

VARADARAJALU, BALAMURALI, DIRECTOR
BON SECOURS COMMUNITY HOSPITAL LABORATORY
160 EAST MAIN ST
PORT JERVIS, NY 12771
CLIA ID# 33D0009240 (CAP)

SANCTION: Cease Testing for Phenobarbital
EFFECTIVE DATE: 7/13/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022, Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

SACHIN KAMATH, DIRECTOR
ISLAND PRIMARY MEDICAL CARE PC
4625 MERRICK ROAD
MASSAPEQUA, NY 11758
CLIA ID# 33D0874697 **(COLA)**

SANCTION: Cease Testing for Thyroid Stimulating Hormone (TSH), Thyroxine (T4),
Triiodothyronine (T3)
EFFECTIVE DATE: 8/15/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ALTER KESSLER, DIRECTOR
COMMUNITY URGENT CARE PC
5902 18TH AVENUE
BROOKLYN, NY 11204
CLIA ID# 33D2116935 **(COLA)**

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)
EFFECTIVE DATE: 9/29/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JACK SADACKA, DIRECTOR
SADACKA MEDICAL OFFICE PLLC
813 QUENTIN ROAD, SUITE 202
BROOKLYN, NY 11223
CLIA ID# 33D2158299 **(COLA)**

SANCTION: Cease Testing for Bacteriology
EFFECTIVE DATE: 01/18/2022
REASON: Unsuccessful PT
STATUS: Test Reinstated 8/15/2022
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

CHRISTINE BARTON, DIRECTOR
WILSON MEDICAL ASSOCIATES PA
200 GLENDALE DRIVE
WILSON, NC 27893
CLIA ID# 34D0895853 **(COLA)**

SANCTION: Cease Testing for Bilirubin, Total
EFFECTIVE DATE: 8/15/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

HAQUE, IMRAN, DIRECTOR
HORIZON INTERNAL MEDICINE
1380 EASTCHESTER DR, SUITE 105
HIGH POINT, NC 27265
CLIA ID# 34D1037774 **(COLA)**

SANCTION: Denial of Accreditation
EFFECTIVE DATE: 2/23/2022
REASON: Failure to adhere to COLA-Imposed Required Improvements
STATUS: No longer accredited by COLA
REASON:
Continuing to test after being directed by COLA to cease testing

JAMES HATHORN, DIRECTOR
MCCREARY CANCER CENTER, A SERVICE OF UNC HOSPITALS
212 MULBERRY ST SW
LENOIR, NC 28645
CLIA ID# 34D2044312 **(COLA)**

SANCTION: Cease Testing for Chloride, Urea (BUN), Glucose, Sodium, Creatinine,
Potassium
EFFECTIVE DATE: 10/18/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

EMERY JR, HENRY, DIRECTOR
LIBERTY FAMILY PHYSICIANS
1928 WEDDINGTON ROAD
WEDDINGTON, NC 28104
CLIA ID# 34D2088863 (COLA)

SANCTION: Denial of Accreditation
EFFECTIVE DATE: 6/29/2022
REASON: Failure to comply with reasonable requests from COLA
STATUS: No longer accredited by COLA
REASON: Failure to comply with reasonable requests from COLA

KELLY HIGHLAND, DIRECTOR
FRYE REGIONAL MEDICAL CENTER POINT OF CARE
420 N CENTER STREET
HICKORY, NC 28601
CLIA ID# 34D2175896 (TJC)

SANCTION: Cease testing for pCO2
EFFECTIVE DATE: 6/23/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 cease testing still in effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

TISHA FARRELL, DIRECTOR
ADENA FAYETTE MEDICAL CENTER
1430 COLUMBUS AVENUE
WASHINGTON COURT HOUSE, OH 43160
CLIA ID# 36D0328615 (TJC)

SANCTION: Cease testing for Gentamicin
EFFECTIVE DATE: 12/6/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 cease testing still in effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MANAL ROBIN HANNA, DIRECTOR
CCSO COMANCHE COUNTY MEMORIAL HOSPITAL
104 NW 31ST
LAWTON, OK 73505
CLIA ID# 37D0472114 **(COLA)**

SANCTION: Cease Testing for Urea (BUN)
EFFECTIVE DATE: 8/15/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect

REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

KARI HOOPER, DIRECTOR
SSM HEALTH ST ANTHONY HOSPITAL-SHAWNEE, SEMINOLE
ST ANTHONY SHAWNEE HOSPITAL, INC
2401 WRANGLER BLVD (HOSPITAL)
SEMINOLE, OK 74868
CLIA ID# 37D0944204 **(TJC)**

SANCTION: Cease testing for Compatibility testing
EFFECTIVE DATE: 1/13/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 cease testing still in effect

REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MATTHEW HAAG, DIRECTOR
GALLERY CLINIC, THE
2801 NW 23RD STREET
OKLAHOMA CITY, OK 73107
CLIA ID# 37D1077856 **(COLA)**

SANCTION: Cease Testing for Chloride
EFFECTIVE DATE: 4/27/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect

REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MICHAEL ROBINSON, DIRECTOR
MICHAEL ROBINSON MD FAMILY MEDICAL CLINIC
1900 WEST 2ND STREET, SUITE A
ELK CITY, OK 73644
CLIA ID# 37D2028404 **(COLA)**

SANCTION: Cease Testing for Glucose
EFFECTIVE DATE: 11/10/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect

REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MODHI GUDE, DIRECTOR
ACCESS ENDOCRINE CTR
6001 NORTHWEST 120TH CT #6
OKLAHOMA CITY, OK 73162
CLIA ID# 37D2035024 **(COLA)**

SANCTION: Cease Testing for Thyroxine, Free (FT4)
EFFECTIVE DATE: 8/15/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect

REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

FRANK WIANS JR, DIRECTOR
OPTIMUM LAB SERVICES
6914 YORKTOWN AVE, SUITE 110
TULSA, OK 74136
CLIA ID# 37D2069751 **(COLA)**

SANCTION: Cease Testing for Cortisol, Cholesterol
EFFECTIVE DATE: 4/4/2022
REASON: Unsuccessful PT
STATUS: No longer accredited by COLA

REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

DWAYNE SCHMIDT, DIRECTOR
ADVANCED SURGICAL AND RESEARCH SOLUTIONS
3200 QUAIL SPRINGS PARKWAY, SUITE 100
OKLAHOMA CITY, OK 73134
CLIA ID# 37D2128829 **(COLA)**

SANCTION: Cease Testing for Hemoglobin
EFFECTIVE DATE: 01/18/2022
REASON: Unsuccessful PT
STATUS: Test Reinstated 11/9/2022
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

HERBERT AUERBACH, DIRECTOR
ABINGTON MEMORIAL HOSPITAL
PATHOLOGY DEPT 1200 OLD YORK RD
ABINGTON, PA 19001
CLIA ID# 39D0194459 **(CAP)**

SANCTION: Cease Testing for Magnesium
EFFECTIVE DATE: 7/13/2022
11/2/2022
REASON: Failure to Correct Deficiencies
STATUS: Initially Allowed to Resume Testing on 08/26/2022
As of 12/31/2022, Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

WARREN GILLETTE, DIRECTOR
MEDARBOR LLC DBA MEDARBOR DIAGNOSTICS
200 RITTENHOUSE CIRCLE, EAST BUILDING SUITE 1
BRISTOL, PA 19007
CLIA ID# 39D2132328 **(COLA)**

SANCTION: Cease Testing for Lactate Dehydrogenase (LDH);
Cease Testing for Hepatitis B Core Antibody, Hepatitis B Surface Antigen
(HBsAg)
EFFECTIVE DATE: 8/24/2022
12/9/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ROGER GADDY, DIRECTOR
FAIRFIELD MEDICAL ASSOCIATES
880 WEST MOULTRIE STREET SUITE 200
WINNSBORO, SC 29180
CLIA ID# 42D0249208 (**COLA**)

SANCTION: Cease Testing for Bilirubin, Total
EFFECTIVE DATE: 11/10/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ROBERT RAINER, DIRECTOR
BLOOD CONNECTION INC, THE
1099 BRACKEN ROAD
PIEDMONT, SC 29673
CLIA ID# 42D0252317 (**AABB**)

SANCTION: Conditional Accreditation Status
EFFECTIVE DATE: 7/14/2022
REASON: Unevaluated PT performances, multiple events
STATUS: As of 12/31/2022, Conditional Accreditation Status still in effect
REASON: Unevaluated performances for NAT-A and C-Babesia 2021 Proficiency Testing event;
Unevaluated performance for NAT A -Babesia 2022 Proficiency Testing event

JEFFREY HARRIS, DIRECTOR
AFC URGENT CARE
2746 BOILING SPRINGS RD.
BOILING SPRINGS, SC 29316
CLIA ID# 42D2137535 (**COLA**)

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)
EFFECTIVE DATE: 01/18/2022
REASON: Unsuccessful PT
STATUS: No longer accredited by COLA
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

LARRY TOFFOLETTO, DIRECTOR
HAMBLÉN PEDIATRIC ASSOCIATES OF MORRISTOWN
A MEMBER OF SUMMIT MEDICAL GROUP
1817 W MORRIS BLVD
MORRISTOWN, TN 37813
CLIA ID# 44D0311809 (COLA)

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)
EFFECTIVE DATE: 9/29/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JARVIS REED, DIRECTOR
SHELBY COUNTY HEALTH CARE CORPORATION
DBA REGIONAL ONE HEALTH
1588 UNION AVENUE
MEMPHIS, TN 38104
CLIA ID# 44D1020036 (COLA)

SANCTION: Cease Testing for Bilirubin, Total
EFFECTIVE DATE: 8/15/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

KALAVALLI EZEKIEL, DIRECTOR
KALAVALLI EZEKIEL MD
375 MUNICIPAL DR SUITE 102
RICHARDSON, TX 75080
CLIA ID# 45D0477699 (COLA)

SANCTION: Cease Testing for Hematocrit
EFFECTIVE DATE: 8/15/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

GARY CROLL, DIRECTOR
WELLMED AT WHITE ROCK
9330 POPPY DR STE 403
DALLAS, TX 75218
CLIA ID# 45D0479578 **(COLA)**

SANCTION: Cease Testing for Chloride
EFFECTIVE DATE: 8/24/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect

REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ROBERT PYLE, DIRECTOR
TRINITY VALLEY DIAGNOSTIC CLINIC
2217 S SYCAMORE
PALESTINE, TX 75801
CLIA ID# 45D0483784 **(COLA)**

SANCTION: Cease Testing for Alpha-1-Antitrypsin
EFFECTIVE DATE: 10/18/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect

REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

TERESA TODD, DIRECTOR
WOODLAND HEIGHTS MEDICAL CENTER LAB
505 SOUTH JOHN REDDITT DRIVE
LUFKIN, TX 75904
CLIA ID# 45D0483981 **(TJC)**

SANCTION: Cease testing for Lactate Dehydrogenase (LD)
EFFECTIVE DATE: 11/9/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 cease testing still in effect

REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ARIES GAVINO, DIRECTOR
MC GOVERN ALLERGY CLINIC PA
4710 BELLAIRE BLVD SUITE 200
BELLAIRE, TX 77401
CLIA ID# 45D0490653 (COLA)

SANCTION: Denial of Accreditation
EFFECTIVE DATE: 12/28/2022
REASON: Failure to adhere to COLA-Imposed Required Improvements
STATUS: No longer accredited by COLA
REASON: Failure to adhere to COLA-Imposed Required Improvements

DEDRIC MYERS, DIRECTOR
SURGERY SPECIALTY HOSPITALS OF AMERICA SOUTHEAST HOUSTON
4301 VISTA ROAD
PASADENA, TX 77504
CLIA ID# 45D0496271 (COLA)

SANCTION: Cease Testing for Sodium;
Cease Testing for Creatine Kinase MB Fraction (CKMB)
EFFECTIVE DATE: 8/15/2022
8/30/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

HEMARANI SIVARAJAN, DIRECTOR
HOUSTON HEMATOLOGY AND CANCER INSTITUTE
1610 WEST BAKER ROAD, SUITE A
BAYTOWN, TX 77521
CLIA ID# 45D0496534 (COLA)

SANCTION: Cease Testing for Red Blood Cell Count (Erythrocyte Count) (RBC)
EFFECTIVE DATE: 01/18/2022
REASON: Unsuccessful PT
STATUS: Test Reinstated 10/10/2022
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

AYMAN KARKOUTLY, DIRECTOR
CARDIAC DIAGNOSTIC CENTER
4001 21ST STREET
LUBBOCK, TX 79410
CLIA ID# 45D0507694 **(COLA)**

SANCTION: Cease Testing for Bilirubin, Total
EFFECTIVE DATE: 8/15/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

LOLA WINDISCH, DIRECTOR
SCENIC MOUNTAIN MEDICAL CENTER
1601 W 11TH PLACE
BIG SPRING, TX 79720
CLIA ID# 45D0508868 **(TJC)**

SANCTION: Cease testing for Bacteriology
EFFECTIVE DATE: 11/10/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 cease testing still in effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

T JAYARAM, DIRECTOR
NORTH HOUSTON RESPIRATORY CONSULTANTS, PA
9950 MEMORIAL BLVD SUITE 102
HUMBLE, TX 77338
CLIA ID# 45D0679723 **(COLA)**

SANCTION: Cease Testing for Hematocrit, Hemoglobin
EFFECTIVE DATE: 01/18/2022
REASON: Unsuccessful PT
STATUS: No longer accredited by COLA
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JUAN CORREA-PEREZ, DIRECTOR
TEXAS CENTER FOR REPRODUCTIVE HEALTH
3600 GASTON AVE SUITE 504
DALLAS, TX 75246
CLIA ID# 45D0685974 (**CAP**)

SANCTION: Probation
EFFECTIVE DATE: 2/11/2022
REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections
STATUS: Removed from Probation on 07/27/2022
REASON: Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory

CLAUDIUS ROBINSON, DIRECTOR
LIMESTONE MEDICAL CENTER
701 MCCLINTIC
GROESBECK, TX 76642
CLIA ID# 45D0691062 (**COLA**)

SANCTION: Cease Testing for HCG, Beta, Serum, Quantitative
EFFECTIVE DATE: 5/2/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MARIO CERVANTES, DIRECTOR
UNITED MEMORIAL MEDICAL CENTER
510 W TIDWELL
HOUSTON, TX 77091
CLIA ID# 45D0868678 (**COLA**)

SANCTION: Cease Testing for Digoxin, Ethanol (Alcohol), Phenytoin
EFFECTIVE DATE: 8/15/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

RALPH HEAVEN, DIRECTOR
TEXAS ONCOLOGY LAB-ABILENE SOUTH
D/B/A TEXAS CANCER CENTER SOUTH
1957 ANTILLEY ROAD
ABILENE, TX 79606
CLIA ID# 45D0912062 **(COLA)**

SANCTION: Cease Testing for Sodium
EFFECTIVE DATE: 8/15/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ROBERT SANDERS, DIRECTOR
TEXOMA CARE LABORATORY MOB
5012 S US HWY 75 3RD FL
DENISON, TX 75020
CLIA ID# 45D0916027 **(COLA)**

SANCTION: Cease Testing for Bilirubin, Total
EFFECTIVE DATE: 11/10/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

DAVID CORDERO, DIRECTOR
WESLEY HEALTH AND WELLNESS CENTER
1406 FITCH STREET
SAN ANTONIO, TX 78211
CLIA ID# 45D0923849 **(COLA)**

SANCTION: Cease Testing for Chloride
EFFECTIVE DATE: 8/15/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

HAROUTIOUN SHAHINIAN, DIRECTOR
HAROUTIOUN SHAHINIAN MD PA
7812 GATEWAY EAST STE 110
EL PASO, TX 79915
CLIA ID# 45D1055748 **(COLA)**

SANCTION: Cease Testing for Chloride
EFFECTIVE DATE: 8/15/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

RANDALL BELL, DIRECTOR
PAM SPECIALTY HOSPITAL OF SAN ANTONIO MEDICAL CTR
8902 FLOYD CURL DRIVE
SAN ANTONIO, TX 78240
CLIA ID# 45D1069913 **(TJC)**

SANCTION: Cease testing for Total billirubin
EFFECTIVE DATE: 8/9/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 cease testing still in effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

NABEEL SHALAN, DIRECTOR
ONCOLOGY & HEMATOLOGY CONSULTANTS OF HOUSTON
7500 BEECHNUT, SUITE 265
HOUSTON, TX 77074
CLIA ID# 45D1089842 **(COLA)**

SANCTION: Cease Testing, Multiple Analytes
EFFECTIVE DATE: 4/8/2022
REASON: Unsuccessful PT
STATUS: No longer accredited by COLA
REASON:
Cease Testing for Hematocrit, Hemoglobin, Platelet Count, Red Blood Cell Count (Erythrocyte Count) (RBC), White Blood Cell Count (Leukocyte Count) (WBC), White Blood Cell Differential (WBC Diff)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

TODD NGUYEN, DIRECTOR
TRANSCEND MEDICAL GROUP
1119 W RANDOL MILL ROAD , SUITE 103
ARLINGTON, TX 76012
CLIA ID# 45D1092331 **(COLA)**

SANCTION: Cease Testing, Multiple Analytes
EFFECTIVE DATE: 5/2/2022
REASON: Unsuccessful PT
STATUS: Cease Testing for Thyroid Stimulating Hormone (TSH), Thyroxine, Free (FT4)
Reinstated 11/10/2022; As of 12/31/2022 Cease Testing for remaining analytes
Still in Effect
REASON:
Cease Testing for Albumin, Aminotransferase (ALT) (SGPT), Alkaline Phosphatase (ALP), Aspartate
Aminotransferase (AST) (SGOT), Calcium, Total Chloride, Creatinine, Glucose, Potassium, Protein,
Total, Sodium; Cease Testing for Thyroid Stimulating Hormone (TSH), Thyroxine, Free (FT4)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

OSCAR VELA, DIRECTOR
PRESTON HOLLOW EMERGENCY ROOM
8007 WALNUT HILL LANE
DALLAS, TX 75231
CLIA ID# 45D2078269 **(COLA)**

SANCTION: Cease Testing for hCG, beta, whole blood, quantitative
EFFECTIVE DATE: 11/10/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

KEITH RIGSBY, DIRECTOR
URGENT PLUS CARE LLC
1200 DOLFIE LANE, SUITE 101
ENNIS, TX 75119
CLIA ID# 45D2081327 **(COLA)**

SANCTION: Denial of Accreditation
EFFECTIVE DATE: 6/22/2022
REASON: Failure to adhere to COLA- Imposed Required Improvements
STATUS: No longer accredited by COLA
REASON:
Failure to adhere to COLA- Imposed Required Improvements

JESSIE ADAME, DIRECTOR
TEXAS EMERGENCY HOSPITAL
300 EAST CROCKETT
CLEVELAND, TX 77327
CLIA ID# 45D2117784 (TJC)

SANCTION: Cease testing for prothrombin time (PT)
EFFECTIVE DATE: 7/22/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 cease testing still in effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

GUADALUPE DURAN, DIRECTOR
STAT SPECIALTY HOSPITAL OF EAGLE PASS
2114 N VETERANS BLVD
EAGLE PASS, TX 78852
CLIA ID# 45D2120863 (COLA)

SANCTION: Cease Testing for Lactate Dehydrogenase (LDH) 5/2/2022 Cease Testing for Bilirubin, Total
EFFECTIVE DATE: 5/2/2022
8/15/2022
REASON: Unsuccessful PT
STATUS: Testing for Lactate Dehydrogenase (LDH) Reinstated 11/2/2022
As of 12/31/2022 Cease Testing for Bilirubin, Total Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

AMIR ZEGAR, DIRECTOR
MEMORIAL VILLAGE EMERGENCY ROOM
14520 MEMORIAL DRIVE SUITE 4
HOUSTON, TX 77079
CLIA ID# 45D2128748 (COLA)

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)
EFFECTIVE DATE: 1/18/2022
REASON: Unsuccessful PT
STATUS: As of 12/31/2022 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

LON YOUNG, DIRECTOR
BRAZOS VALLEY HOSPITAL, LLC
3134 BRIARCREST DR
BRYAN, TX 77802
CLIA ID# 45D2140883 **(COLA)**

SANCTION: Cease Testing for Blood Gases

EFFECTIVE DATE: 5/22/2022

REASON: Unsuccessful PT

STATUS: Test Reinstated 11/2/2022

REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

PETER MALOUF, DIRECTOR
CONCIERGE DERMATOLOGY MANAGEMENT, LLC
1910 W HENDERSON ST SUITE 100
CLEBURNE, TX 76033
CLIA ID# 45D2156583 **(ACHC)**

SANCTION: Cease Testing for Microbiology Specialty

EFFECTIVE DATE: 8/25/2022

REASON: Unsuccessful PT

STATUS: As of 12/31/2022 Cease Testing Still in Effect

REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ROBERT PHELAN, DIRECTOR
ER 365
101 N LOOP STE 300
HOUSTON, TX 77018
CLIA ID# 45D2160270 **(COLA)**

SANCTION: Cease Testing for hCG, beta, whole blood, quantitative

EFFECTIVE DATE: 6/16/2022

REASON: Unsuccessful PT

STATUS: As of 12/31/2022 Cease Testing Still in Effect

REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ARNAUD NANGNE, DIRECTOR
ACCEL DIAGNOSTIC LABORATORIES WEST OAKS
6750 HIGHWAY 6 SOUTH
HOUSTON, TX 77083
CLIA ID# 45D2168583 **(COLA)**

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)

EFFECTIVE DATE: 9/9/2022

REASON: Unsuccessful PT

STATUS: As of 12/31/2022 Cease Testing Still in Effect

REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JOHN SUMMERVILLE, DIRECTOR
PAGE MEMORIAL HOSPITAL INC
200 MEMORIAL DR
LURAY, VA 22835
CLIA ID# 49D0225581 **(TJC)**

SANCTION: Cease testing for Compatibility testing

EFFECTIVE DATE: 1/21/2022

REASON: Unsuccessful PT

STATUS: Reinstated effective 9/23/2022

REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

SUSAN RUSCH, DIRECTOR
ASCENSION SE WISCONSIN HOSPITAL- MAYFAIR ROAD
201 N MAYFAIR RD
WAUWATOSA, WI 53226
CLIA ID# 52D0391636 **(TJC)**

SANCTION: Cease Testing for Compatibility Testing

EFFECTIVE DATE: 07/14/2022

REASON: Unsuccessful PT

STATUS: As of 12/31/21, Cease Testing Still in Effect

REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

TODD STRAUS, DIRECTOR
COMMUNITY BLOOD CENTER INC
4406 W SPENCER ST
APPLETON, WI 54914
CLIA ID# 52D0397502 (**AABB**)

SANCTION: Conditional Accreditation Status

EFFECTIVE DATE: 12/8/2022

REASON: Unsuccessful PT

STATUS: As of 12/31/2022, Conditional Accreditation Status still in effect

REASON:
Unsuccessful performance for NAT A and NAT B 2022: 2 of 3 PT challenges for NAT-Babesia 2022

6. ALL APPEALS AND HEARING DECISIONS. FOR DETAILED INFORMATION REGARDING THE FOLLOWING LISTING SEE CLIA HEARING DECISION INDEX AT [HTTP://WWW.CMS.GOV/CLIA/HEARINGGROUP.ASP](http://www.cms.gov/clia/hearinggroup.asp)

Ellington Behavioral Health vs CMS

07D2006352

DECISION NUMBER: CR6031

DECISION DATE: 2/23/2022

DECISION: For CMS

David L. Smalley, Ph.D. Vs Xavier Becerra, Secretary of HHS

26D1041510

DECISION NUMBER: DC 4:22CV399 HEA

DECISION DATE: 07/06/2022

DECISION: For CMS

Vitas Laboratory, LLC vs. CMS

16D2126753

DECISION NUMBER: CR6135

DECISION DATE: 8/22/2022

DECISION: For CMS

Vitas Laboratory, LLC and Chenbo Dong, Ph.D. vs. CMS

26D2132750

DECISION NUMBER: CR6142

DECISION DATE: 8/22/2022

DECISION: For CMS, DONG

David L. Smalley, Ph.D. vs CMS

26D1041510

DECISION NUMBER: ALJ Ruling No. 2023-3

DECISION DATE: 11/14/2022

DECISION: For CMS

7. A LIST OF LABORATORIES AGAINST WHICH CMS HAS BROUGHT SUIT UNDER SECTION 493.1846 AND THE REASON FOR THOSE ACTIONS.

*** NO DATA FOUND ***

8. A LIST OF LABORATORIES THAT HAVE BEEN EXCLUDED FROM PARTICIPATION IN MEDICARE OR MEDICAID AND THE REASON FOR EXCLUSION.

*** NO DATA FOUND ***

9. CORRECTION OF ANY ERRONEOUS STATEMENTS OF INFORMATION THAT APPEARED IN THE 2021 REGISTRY.

CHRISTINA KAVRAN, DIRECTOR
SO BIG HORN CO HOSPITAL
388 US HWY 20 SOUTH
BASIN, WY 82410
CLIA ID# 53D0519862

REASON:

Principal Sanction, Limitation of CLIA Certificate, and Alternative Sanctions, Suspension of Part of Medicare/Medicaid, and Directed Plan of Correction (DPOC), should have appeared on the 2021 Registry.

Reason: Unsuccessful PT.

Effective date: 12/31/2021.

Status: Compliance achieved 08/09/2022.

10. OTHER ACTIONS. THIS SECTION INCLUDES OTHER SPECIFIC INFORMATION THAT MAY BE USEFUL IN EVALUATING THE PERFORMANCE OF LABORATORIES AS SPECIFIED IN 493 CFR 1859(A). IT ALSO INCLUDES INFORMATION PROVIDED BY CLIA EXEMPT STATES.

CHIA-LING GAU, DIRECTOR
AMBRY GENETICS CORPORATION
7 ARGONAUT
ALISO VIEJO, CA 92656
CLIA ID# 05D0981414

REASON: Permit void
Laboratory failed to meet reporting requirements for change in owner per NYS Public Health Law.
NY State Permit is Void (Laboratory applied for a new permit under ES ID 9840)
EFFECTIVE DATE: 7/1/2022

MAHER BADIR, DIRECTOR
CAP DIAGNOSTICS LLC DBA PATHNOSTICS
15545 SAND CANYON AVENUE, SUITE 100 & 200
IRVINE, CA 92618
CLIA ID# 05D2024468

REASON: Cease testing for bacteria identification for NY State
Subsequent unsuccessful proficiency testing performance
Cease testing order rescinded on 10/9/2022
EFFECTIVE DATE: 4/15/2022

HENRY BELL, DIRECTOR
KARRINGTON CLINICAL LAB DBA MATRIX CLINICAL LABS
8161 MAPLE LAWN BLVD SUITE 375
FULTON, MD 20759
CLIA ID# 21D2059950

REASON: Permit void.
Laboratory failed to identify a laboratory director that met NY requirements
NY State Permit is Void
EFFECTIVE DATE: 1/7/2022

PHILIP WYATT, DIRECTOR
ESOTERIX GENETIC LABORATORIES LLC
2000 VIVIGEN WAY
SANTA FE, NM 87505
CLIA ID# 32D0653253

REASON: Civil Monetary Penalty (CMP)
Interlaboratory communication of proficiency testing
Fine paid
EFFECTIVE DATE: 6/29/2022

WALTER BURACK, DIRECTOR
URMC LABS-STRONG MEMORIAL HOSPITAL
601 ELMWOOD AVE BOX 626
ROCHESTER, NY 14642
CLIA ID# 33D0173384

REASON: Civil Monetary Penalty (CMP)
Interlaboratory communication of proficiency testing
Fine paid
EFFECTIVE DATE: 4/26/2022

XIAOLAN OU, DIRECTOR
UR MEDICINE LABS: F F THOMPSON HOSPITAL LABORATORY
350 PARRISH STREET
CANANDAIGUA, NY 14424
CLIA ID# 33D0663743

REASON: Civil Monetary Penalty (CMP)
Interlaboratory communication of proficiency testing
Fine paid
EFFECTIVE DATE: 5/4/2022

LEONARDO DISHMAN, DIRECTOR
ALICE HYDE MEDICAL CENTER LABORATORY
133 PARK ST
MALONE, NY 12953
CLIA ID# 33D0674356

REASON: Cease testing for sperm motility
Subsequent unsuccessful proficiency testing performance
Laboratory voluntarily ceased testing
EFFECTIVE DATE: 5/10/2022

MAGDA BASKHAROUN-GUIRGUIS, DIRECTOR
BIO DIAGNOSTIC LABS INC
2380 EAST 22ND STREET
BROOKLYN, NY 11229 5155
CLIA ID# 33D0713273

REASON: Cease testing for phenobarbitol
Subsequent unsuccessful proficiency testing performance
Laboratory voluntarily ceased testing
EFFECTIVE DATE: 8/1/2022

ELOY CARACUEL, DIRECTOR
ENDO FERTILITY LAB INC. 661
NINTH AVENUE
NEW YORK, NY 10036
CLIA ID# 33D1040642

REASON: Permit terminated
Laboratory failed to maintain successful proficiency testing performance
NYS Permit is terminated
EFFECTIVE DATE: 12/7/2022

LIYING HAN, DIRECTOR
BAROUKH AND ROBERT E. KODSI, MD, PC
6010 BAY PARKWAY, SUITE 804
BROOKLYN, NY 11204
CLIA ID# 33D2085793

REASON: Permit void
Laboratory failed to identify a laboratory director that met NY requirements
NY State Permit is Void
EFFECTIVE DATE: 8/4/2022

LAUREN MCVOY, DIRECTOR
MSKCC MAIN HOSPITAL RAPID RESULTS LABORATORY
1275 YORK AVE
NEW YORK, NY 10065
CLIA ID# 33D2127929

REASON: Civil Monetary Penalty (CMP)
Interlaboratory communication of proficiency testing
Fine paid
EFFECTIVE DATE: 9/26/2022

OMAR IDLIBI, DIRECTOR
SOUTHEAST PATHOLOGY LAB
1815 BACK CREEK DR - SUITE 100
CHARLOTTE, NC 28213
CLIA ID# 34D2166916

REASON: Permit terminated
Laboratory failed to complete provisional permit
reapplication process.
NYS Permit is terminated
EFFECTIVE DATE: 1/12/2022