

CLIA Annual Laboratory Registry Overview

1. CFR 493.1850 requires that once a year CMS make available to physicians and the general public specific information - including information provided to CMS by the Office of the Inspector General (OIG)- that is useful in evaluating the performance of laboratories.
 - a. In January a letter is sent to each CMS Operations Location requesting any sanctions taken against a laboratory in the previous calendar year.
 - b. Letters are also sent to each Accreditation Organization (AO) and Exempt State (ES).
 - c. Time frame -the CMS Operations Locations, AOs and ESs have 60 days to respond and submit actions to CMS Baltimore.
2. Once the information is received from the CMS Operations Locations, AOs and the ESs, it has to be sorted and put in numerical order within each category. There are 10 regulatory sections:
 1. A list of laboratories that have been convicted, under Federal or State laws relating to fraud and abuse, false billing or kickbacks.
 2. A list of laboratories that have had their CLIA certificate suspended, limited, or revoked, and the reason for the adverse actions.
 3. A list of persons who have been convicted of violating CLIA requirements, as specified in section 353(1) of the PHS Act, together with circumstances of each case and the penalties imposed.
 4. A list of laboratories on which alternative sanctions have been imposed, showing-
 - (i) the effective date off the sanctions;
 - (ii) the reason for imposing them;
 - (iii) any corrective action taken by the laboratory;
 - (iv) if the laboratory has achieved compliance, the verified date of compliance
 5. A list of laboratories whose accreditation has been withdrawn or revoked and the reason for the withdrawal or decision.
 6. All appeals and hearing decisions.
 7. A list of laboratories against which CMS has brought suit under Section 493.1846 and the reason for those actions.
 8. A list of laboratories that have been excluded from participation in Medicare or Medicaid and the reasons for exclusion.
 9. This Section is for "Corrections of any Erroneous Statements of Information that Appeared in a previous Registry".
 10. Other Actions. This Section includes other Specific information that may be useful in evaluating the performance of Laboratories, as specified in 42 CFR 493.1850(a). It also includes information provided by CLIA exempt status.

The Registry can also include SETTLEMENTS which is generally supplied by the Office of the Inspector General.

3. Once the CMS Operations Locations have finished input for the calendar year under review into the data system (AEM -ASPEN Enforcement Manager), a report is run that collates the information in numerical order and per section (1 through 10). All actions taken by the AOs and ESs must be entered into ARO (ASPEN Regional Office) manually.
4. A final Laboratory Registry report is run when all of the information is complete. This report is checked for accuracy by the CMS Locations, AOs, ESs, and CMS Baltimore prior to publication on the CLIA website.



2023 CLIA LAB REGISTRY

Laboratory Registry Activity from 01/01/2023 thru 12/31/2023

(AS REQUIRED BY SECTION 353(N) OF THE PUBLIC HEALTH SERVICE ACT)

1. LABORATORIES SUBJECT TO CLIA THAT HAVE BEEN CONVICTED, UNDER FEDERAL OR STATE LAWS RELATING TO FRAUD AND ABUSE, FALSE BILLING, OR KICKBACKS.

*** NO DATA FOUND ***

2. LABORATORIES THAT HAVE HAD THEIR CLIA CERTIFICATE SUSPENDED, LIMITED, OR REVOKED, AND THE REASON FOR THE ADVERSE ACTION. (MEDICARE CANCELLATION, A PRINCIPAL SANCTION, HAS BEEN INCLUDED IN THIS CATEGORY.)

KHALID ABOUL-NASR, DIRECTOR
CAMPUS HEALTH SERVICES
1224 E LOWELL ST
TUCSON, AZ 85721
CLIA ID# 03D0057856

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: October 26, 2023
REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance
Unsuccessful PT

MAUREEN CLARK, DIRECTOR
NIH NIDDK PECRB DECRS
1550 E INDIAN SCHOOL RD
PHOENIX, AZ 85014
CLIA ID# 03D0704110

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: October 12, 2023
REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance
Unsuccessful PT

ELWYN PERSER, DIRECTOR
OFFICE PARK FAMILY PRACTICE
1415 BRECKENRIDGE DRIVE
LITTLE ROCK, AR 72227
CLIA ID# 04D0467474

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: January 20, 2023
REASON: Unsuccessful PT
STATUS: Laboratory voluntarily Ceased Testing

MITCHELL BECKER MD, DIRECTOR
MITCHELL BECKER, MD PHYSICIAN'S OFFICE LAB
2336 SANTA MONICA BLVD STE 201
SANTA MONICA, CA 90404
CLIA ID# 05D1002957

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: August 31, 2023
REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance
Unsuccessful PT

MARCO AYULO MD, DIRECTOR
ONCOLOGY HEMATOLOGY CARE CENTER INCORPORATE
501 RIVERSIDE DRIVE
WAYCROSS, GA 31501
CLIA ID# 11D0858571

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: May 12, 2023
REASON: Unsuccessful PT
Failure to Correct Deficiencies
Failure To Submit Acceptable POC or AOC

CELSO CHAVEZ, DIRECTOR
TRI-STATE CLEARWATER MEDICAL CLINIC
1522 17TH ST
LEWISTON, ID 83501
CLIA ID# 13D0521095

SANCTION: Limitation of CLIA Certificate
Cancel Medicare/Medicaid Approval
EFFECTIVE DATE: May 2, 2023
May 3, 2023
REASON: Unsuccessful PT
STATUS: Suspension And Limitation Lifted
Compliance Achieved
REASON: Suspension and Limitation of the analyte Creatinine

ALAN PETERSON, DIRECTOR
ST MARY'S HEALTH
701 LEWISTON ST
COTTONWOOD, ID 83522
CLIA ID# 13D0521144

SANCTION: Cancel Medicare/Medicaid Approval
Limitation of CLIA Certificate

EFFECTIVE DATE: March 3, 2023
March 3, 2023

REASON: Unsuccessful PT

STATUS: Compliance Achieved

REASON: Limitation of Testing Digoxin six months

HENRY ZEIDAN, DIRECTOR
NORTHSHORE CLINICAL LABORATORIES
4751 N KEDZIE AVE
CHICAGO, IL 60625
CLIA ID# 14D0426602

SANCTION: Cancel Medicare/Medicaid Approval
Suspension of CLIA Certificate
Revocation of CLIA Certificate

EFFECTIVE DATE: March 11, 2023
March 11, 2023
July 17, 2023

REASON: Condition Level Non-Compliance with IJ
Revocation of CLIA Certificate

STATUS: Revocation of CLIA Certificate

JOE HARRIS, DIRECTOR
CHILDREN'S CLINIC OF OXFORD PA
2888 S LAMAR BLVD
OXFORD, MS 38655
CLIA ID# 25D0316522

SANCTION: Limitation of CLIA Certificate

EFFECTIVE DATE: February 10, 2023

REASON: Unsuccessful PT

STATUS: Laboratory voluntarily Ceased Testing

ANDREW DUNN, DIRECTOR
ARTHRITIS CENTER-WEST, THE
104 MILLSAPS DR
HATTIESBURG, MS 39402
CLIA ID# 25D0318919

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: February 24, 2023
REASON: Unsuccessful PT
STATUS: Laboratory voluntarily Ceased Testing

LESLIE MILLER, DIRECTOR
JEFFERSON CITY MEDICAL GROUP LABORATORY SERVICES
1241 W STADIUM BLVD
JEFFERSON CITY, MO 65109
CLIA ID# 26D0446044

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: July 11, 2023
REASON: Unsuccessful PT

FENG XIAN, and DEBORAH KEIL, DIRECTOR
QUANTOX LAB
4633 WORLD PARKWAY CIRCLE STE 103
SAINT LOUIS, MO 63143
CLIA ID# 26D2135849

SANCTION: Revocation of CLIA Certificate
EFFECTIVE DATE: June 2, 2023
REASON: 2 Year Prohibition From Owning, Operating and Directing
Condition Level Non-Compliance with IJ
Revocation of CLIA Certificate
STATUS: Hearing Decision Sustained CMS Sanc Determ
Appeal Filed By Laboratory

SHAWN ZIMMERMAN, DIRECTOR
QUANTUM LABORATORY, LLC
3466 BRIDGELAND DR SUITE 100
BRIDGETON, MO 63044
CLIA ID# 26D2184797

SANCTION: Cancel Medicare/Medicaid Approval
Revocation of CLIA Certificate

EFFECTIVE DATE: March 31, 2023
March 31, 2023

REASON: Condition Level Non-Compliance with IJ
Revocation of CLIA Certificate
Lab Owner/Oper Prohibited From Owning Lab

JAWED SIDDIQUI, DIRECTOR
METRO CARDIOVASCULAR
3737 NORTH KINGSHIGHWAY BLVD STE 109
SAINT LOUIS, MO 63115
CLIA ID# 26D2187318

SANCTION: Cancel Medicare/Medicaid Approval
Suspension of CLIA Certificate
Revocation of CLIA Certificate

EFFECTIVE DATE: June 25, 2023
June 25, 2023
September 19, 2023

REASON: Cancellation of Medicare Approval Revocation
2 Year Prohibition From Owning, Operating and Directing
Medicare Cancellation/Suspension
Condition Level Non-Compliance with IJ
Failure to Correct Deficiencies
Revocation of CLIA Certificate
Lab Owner/Oper Prohibited From Owning Lab

STATUS: Revocation of CLIA Certificate

TERRY DANIELSON, DIRECTOR
STL DIAGNOSTIC, LLC
5203 CHIPPEWA ST
SAINT LOUIS, MO 63109
CLIA ID# 26D2197233

SANCTION: Cancel Medicare/Medicaid Approval
Suspension of CLIA Certificate

EFFECTIVE DATE: December 4, 2023
December 4, 2023

REASON: Cancellation of Medicare Approval Suspension
Condition Level Non-Compliance with IJ

LEANDRA HIGGINBOTHAM, DIRECTOR
CLINICCARE LABORATORIES, LLC
1310 PAPIN STREET SUITE 107B
SAINT LOUIS, MO 63103
CLIA ID# 26D2240325

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: June 7, 2023
REASON: Unsuccessful PT

KIMBERLEE YEARGIN, DIRECTOR
AZTEC URGENT CARE
604 S RIO GRANDE AVE
AZTEC, NM 87410
CLIA ID# 32D2011233

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: October 13, 2023
REASON: Unsuccessful PT
STATUS: Laboratory voluntarily Ceased Testing

MICHELLE POWERS, DIRECTOR
HARPER COUNTY COMMUNITY HOSPITAL
1003 HWY 64 NORTH
BUFFALO, OK 73834
CLIA ID# 37D0472771

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: August 4, 2023
REASON: Unsuccessful PT
STATUS: Laboratory voluntarily Ceased Testing

LILLIAN RIVERA, DIRECTOR
LABORATORIO CLINICO DR AGUSTIN STAHL
CARR 174 BLOQUE 21 NO 20 STA ROSA
BAYAMON, PR 00959
CLIA ID# 40D0669861

SANCTION: Limitation of CLIA Certificate
 Revocation of CLIA Certificate

EFFECTIVE DATE: December 15, 2023
 December 15, 2023

REASON: 2 Year Prohibition From Owning, Operating and Directing
 Improper PT Testing Referral Activities

REASON: Sanction Prohibition in effect only applies to Directing

LILLIAN RIVERA, DIRECTOR
LABORATORIO CLINICO GARNIER
BARRIO GUARAGUAO ABAJO CARR 174, KM 5, HM 7
BAYAMON, PR 00958
CLIA ID# 40D0872956

SANCTION: Limitation of CLIA Certificate
 Revocation of CLIA Certificate

EFFECTIVE DATE: December 15, 2023
 December 15, 2023

REASON: 2 Year Prohibition From Owning, Operating and Directing
 Improper PT Testing Referral Activities

REASON: Sanction Prohibition in effect only applies to Directing

LILLIAN RIVERA, DIRECTOR
LABORATORIO CLINICO LA MORENITA
CARR 174 KM 10 HM 2, BO GUARAGUAO ABAJO
BAYAMON, PR 00959
CLIA ID# 40D2058420

SANCTION: Limitation of CLIA Certificate
 Revocation of CLIA Certificate

EFFECTIVE DATE: December 15, 2023
 December 15, 2023

REASON: 2 Year Prohibition From Owning, Operating and Directing
 Improper PT Testing Referral Activities

REASON: Sanction Prohibition in effect only applies to Directing

JEFFREY LINDABERRY, DIRECTOR
MCLEOD DR LINDABERRY AT CAROLINA FOREST
108 FINNEGAN COURT
MYRTLE BEACH, SC 29579
CLIA ID# 42D1044303

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: May 12, 2023
REASON: Unsuccessful PT
STATUS: Laboratory voluntarily Ceased Testing

CHRISTOPHER CLIMACO, DIRECTOR
PUTNAM COUNTY PEDIATRICS, PLLC
DBA KIDS KARE PEDIATRICS
758 SOUTH WILLOW AVENUE
COOKEVILLE, TN 38501
CLIA ID# 44D0316153

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: January 20, 2023
REASON: Unsuccessful PT
STATUS: Laboratory voluntarily Ceased Testing

CYNTHIA BROWN-SULLIVAN, DIRECTOR
UNIV OF WI OSHKOSH STUDENT HEALTH CENTER
RADFORD HALL RMS 129 & 132
777 ALGOMA BLVD
OSHKOSH, WI 54901
CLIA ID# 52D0719792

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: March 30, 2023
REASON: Improper PT Testing Referral Activities
STATUS: Compliance Achieved

3. A LIST OF PERSONS CONVICTED OF VIOLATING CLIA REQUIREMENTS AS SPECIFIED IN SECTION 353(1) OF THE PUBLIC HEALTH SERVICES ACT, WITH THE CIRCUMSTANCES OF EACH CASE AND THE PENALTIES IMPOSED.

*** NO DATA FOUND ***

4. A LIST OF LABORATORIES ON WHICH ALTERNATIVE SANCTIONS HAVE BEEN IMPOSED, SHOWING -

- (I) THE EFFECTIVE DATE OF THE SANCTIONS
- (II) THE REASON FOR IMPOSING THEM
- (III) ANY CORRECTIVE ACTION TAKEN BY THE LABORATORY AND
- (IV) IF LABORATORY HAS ACHIEVED COMPLIANCE, THE VERIFIED DATE OF THE COMPLIANCE

DAVID DORN JR, DIRECTOR
HALE COUNTY HOSPITAL
508 GREEN STREET
GREENSBORO, AL 36744
CLIA ID# 01D0724352

SANCTION: Directed Plan of Correction (DPOC)
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: September 14, 2023
September 14, 2023

REASON: Unsuccessful PT
Unsuccessful PT

STATUS: Compliance Achieved
Compliance Achieved

KHALID ABOUL-NASR, DIRECTOR
CAMPUS HEALTH SERVICES
1224 E LOWELL ST
TUCSON, AZ 85721
CLIA ID# 03D0057856

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: October 12, 2023
October 26, 2023

REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance
Unsuccessful PT

MAUREEN CLARK, DIRECTOR
NIH NIDDK PECRB DECRS
1550 E INDIAN SCHOOL RD
PHOENIX, AZ 85014
CLIA ID# 03D0704110

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: September 20, 2023
October 12, 2023

REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance
Unsuccessful PT

ELWYN PERSER, DIRECTOR
OFFICE PARK FAMILY PRACTICE
1415 BRECKENRIDGE DRIVE
LITTLE ROCK, AR 72227
CLIA ID# 04D0467474

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: January 20, 2023
January 20, 2023

REASON: Unsuccessful PT

STATUS: Laboratory voluntarily Ceased Testing

CRAIG FERRIS, DIRECTOR
MERCY HOSPITAL BOONEVILLE
880 WEST MAIN STREET
BOONEVILLE, AR 72927
CLIA ID# 04D0469307

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: January 27, 2023

REASON: Unsuccessful PT

STATUS: Compliance Achieved

DANIEL PUMMILL, DIRECTOR
COMMUNITY PHYSICIANS/SAGER PEDIATRIC
1101-2 NORTH PROGRESS AVE
SILOAM SPRINGS, AR 72761
CLIA ID# 04D0958035

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: November 10, 2023

REASON: Unsuccessful PT

STATUS: Laboratory voluntarily Ceased Testing

WILLIAM PULLEN, DIRECTOR
WILLIAM A PULLEN MD
1301 20TH ST, STE 550
SANTA MONICA, CA 90404
CLIA ID# 05D0550065

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: February 15, 2023
REASON: Condition Level Non-Compliance
Unsuccessful PT

MAZIAR ZAMANI MD, DIRECTOR
SADDLEBACK MEDICAL GROUP INC
24221 CALLE DE LA LOUISA STE 200
LAGUNA HILLS, CA 92653
CLIA ID# 05D0891753

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: March 24, 2023
REASON: Condition Level Non-Compliance
Unsuccessful PT

MITCHELL BECKER MD, DIRECTOR
MITCHELL BECKER, MD PHYSICIAN'S OFFICE LAB
2336 SANTA MONICA BLVD STE 201
SANTA MONICA, CA 90404
CLIA ID# 05D1002957

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid
EFFECTIVE DATE: July 5, 2023
August 31, 2023
REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance
Unsuccessful PT

RITA ELITHORPE MD,
DIRECTOR TLC LABORATORY
13422 NEWPORT AVE, SUITE L
TUSTIN, CA 92780
CLIA ID# 05D2007334

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: February 15, 2023
REASON: Condition Level Non-Compliance
Unsuccessful PT

ROBERT PRETZLAFF, DIRECTOR
HENRY MAYO NEWHALL URGENT CARE
23929 MCBEAN PKWY STE 102
VALENCIA, CA 91355
CLIA ID# 05D2115911

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: September 12, 2023
REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance
Unsuccessful PT

SUMRA RATHORE, DIRECTOR
BERNHARDT LABORATORIES
3728 PHILIPS HWY SUITE 64
JACKSONVILLE, FL 32207
CLIA ID# 10D0645099

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)
EFFECTIVE DATE: March 3, 2023
March 3, 2023
REASON: Improper PT Testing Referral Activities
STATUS: Compliance Achieved

MAUD MAJOR-NICOLAS, DIRECTOR
BERNHARDT LABORATORIES INC
950 RIVER EDGE COURT
LONGWOOD, FL 32779
CLIA ID# 10D2144349

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: March 3, 2023
March 3, 2023

REASON: Improper PT Testing Referral Activities

STATUS: Compliance Achieved

DAVID BOOKER, DIRECTOR
CHATUGE REGIONAL HOSP & NURSING HOME
110 MAIN STREET
HIAWASSEE, GA 30546
CLIA ID# 11D0261672

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: June 30, 2023

REASON: Unsuccessful PT

STATUS: Compliance Achieved

CRAIG CALDWELL, DIRECTOR
INTERNAL MEDICINE ASSOCIATES OF MIDDLE GEORGIA PC
97 MARTIN LUTHER KING JR DR
FORSYTH, GA 31029
CLIA ID# 11D0263537

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: April 28, 2023

REASON: Condition Level Non-Compliance
Unsuccessful PT

STATUS: Compliance Achieved
Laboratory voluntarily Ceased Testing

MARCO AYULO MD, DIRECTOR
ONCOLOGY HEMATOLOGY CARE CENTER INCORPORATE
501 RIVERSIDE DRIVE
WAYCROSS, GA 31501
CLIA ID# 11D0858571

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: May 12, 2023
May 12, 2023

REASON: Unsuccessful PT
Failure to Correct Deficiencies
Failure To Submit Acceptable POC or AOC

KIRTI SHAH, DIRECTOR
ACCU LAB, LLC - KIDNEY-HYPERTENSION-CLINIC, PC
605 OLD NORCROSS ROAD
LAWRENCEVILLE, GA 30046
CLIA ID# 11D2009488

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: April 28, 2023

REASON: Condition Level Non-Compliance
Unsuccessful PT

STATUS: Compliance Achieved
Laboratory voluntarily Ceased Testing

CELSO CHAVEZ, DIRECTOR
TRI-STATE CLEARWATER MEDICAL CLINIC
1522 17TH ST
LEWISTON, ID 83501
CLIA ID# 13D0521095

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: May 3, 2023
May 3, 2023

REASON: Condition Level Non-Compliance
Unsuccessful PT

STATUS: Compliance Achieved
Laboratory voluntarily Ceased Testing

REASON: Suspension and Limitation of the analyte Creatinine

ALAN PETERSON, DIRECTOR
ST MARY'S HEALTH
701 LEWISTON ST
COTTONWOOD, ID 83522
CLIA ID# 13D0521144

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: February 27, 2023
March 6, 2023

REASON: Unsuccessful PT

STATUS: Suspension And Limitation Lifted
Compliance Achieved

REASON: Limitation of Testing Digoxin six months

HENRY ZEIDAN, DIRECTOR
NORTHSHORE CLINICAL LABORATORIES,
4751 N KEDZIE AVE
CHICAGO, IL 60625
CLIA ID# 14D0426602

SANCTION: Directed Portion Plan of Correction (DPPOC)

EFFECTIVE DATE: March 16, 2023

REASON: Condition Level Non-Compliance with IJ

STATUS: Revocation of CLIA Certificate

SWATI PATEL, DIRECTOR
QUEST DIAGNOSTICS - FAIRFIELD COMMUNITY HEALTH
1007 W MAIN ST
FAIRFIELD, IL 62837
CLIA ID# 14D2044263

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: January 5, 2023
January 6, 2023

REASON: Improper PT Testing Referral Activities

MICHAEL WOLTMAN, DIRECTOR
BUCHANAN COUNTY HEALTH CENTER
1600 FIRST STREET EAST
INDEPENDENCE, IA 50644
CLIA ID# 16D0384646

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: December 21, 2023
REASON: Unsuccessful PT

JONI WOOLDRIDGE, DIRECTOR
SPRINGS PEDIATRICS
6400 DUTCHMANS PKWY SUITE 15
LOUISVILLE, KY 40205
CLIA ID# 18D0321992

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: July 14, 2023
REASON: Unsuccessful PT
STATUS: Compliance Achieved

JOHN JANSEN, DIRECTOR
MCDOWELL ARH
9879 ROUTE 122
MC DOWELL, KY 41647
CLIA ID# 18D0325122

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: May 12, 2023
REASON: Unsuccessful PT
STATUS: Compliance Achieved

ABDUL DAHHAN, DIRECTOR
A DAHHAN MD FCCP
120 PROFESSIONAL LANE STE 101
HARLAN, KY 40831
CLIA ID# 18D0681245

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: May 12, 2023
REASON: Unsuccessful PT
STATUS: Compliance Achieved

ASHBY HARTY, DIRECTOR
WHITESBURG ARH
240 HOSPITAL RD
WHITESBURG, KY 41858
CLIA ID# 18D0684548

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: May 5, 2023
REASON: Unsuccessful PT
STATUS: Compliance Achieved

MICHAEL MIGUEZ, DIRECTOR
ALLEN PARISH HOSPITAL LAB
108 6TH AVENUE
KINDER, LA 70648
CLIA ID# 19D0461975

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: March 10, 2023
REASON: Unsuccessful PT
STATUS: Compliance Achieved

JOE HARRIS, DIRECTOR
CHILDREN'S CLINIC OF OXFORD PA
2888 S LAMAR BLVD
OXFORD, MS 38655
CLIA ID# 25D0316522

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: February 10, 2023
February 10, 2023

REASON: Unsuccessful PT

STATUS: Laboratory voluntarily Ceased Testing

ANAMARIA ANDREI, DIRECTOR
BAPTIST MEDICAL CENTER LEAKE
1100 HWY 16 EAST
CARTHAGE, MS 39051
CLIA ID# 25D0317431

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: February 10, 2023

REASON: Unsuccessful PT

STATUS: Compliance Achieved

THOMAS ROSE, DIRECTOR
JEFFERSON COUNTY HOSPITAL
870 MAIN STREET
FAYETTE, MS 39069
CLIA ID# 25D0317488

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: August 4, 2023

REASON: Unsuccessful PT

STATUS: Compliance Achieved

ANDREW DUNN, DIRECTOR
ARTHRITIS CENTER-WEST, THE
104 MILLSAPS DR
HATTIESBURG, MS 39402
CLIA ID# 25D0318919

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: February 24, 2023
February 24, 2023

REASON: Unsuccessful PT

STATUS: Laboratory voluntarily Ceased Testing

MERAJ SIDDIQUI, DIRECTOR
PTCOA CONSULTING - ROLLING FORK MS
29 S 4TH ST
ROLLING FORK, MS 39159
CLIA ID# 25D2241861

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: November 17, 2023

REASON: Unsuccessful PT

STATUS: Compliance Achieved

LESLIE MILLER, DIRECTOR
JEFFERSON CITY MEDICAL GROUP
LABORATORY SERVICES
1241 W STADIUM BLVD
JEFFERSON CITY, MO 65109
CLIA ID# 26D0446044

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: May 27, 2023

REASON: Unsuccessful PT

SWATI PATEL, DIRECTOR
QUEST DIAGNOSTICS - CAPE GIRARDEAU RRL
1417 N MOUNT AUBURN RD, SUITE B
CAPE GIRARDEAU, MO 63701
CLIA ID# 26D2044707

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)
EFFECTIVE DATE: January 5, 2023
January 6, 2023
REASON: Improper PT Testing Referral Activities

FENG XIAN, and DEBORAH KEIL, DIRECTOR
QUANTOX LAB
4633 WORLD PARKWAY CIRCLE STE 103
SAINT LOUIS, MO 63143
CLIA ID# 26D2135849

SANCTION: Civil Money Penalty
EFFECTIVE DATE: June 2, 2023
REASON: Condition Level Non-Compliance with IJ
STATUS: Hearing Decision Sustained CMS Sanc Determ
Appeal Filed By Laboratory

SHAWN ZIMMERMAN, DIRECTOR
QUANTUM LABORATORY, LLC
3466 BRIDGELAND DR SUITE 100
BRIDGETON, MO 63044
CLIA ID# 26D2184797

SANCTION: Civil Money Penalty
EFFECTIVE DATE: March 31, 2023
REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance with IJ
STATUS: Hearing Decision Sustained CMS Sanc Determ
Appeal Filed By Laboratory

JAWED SIDDIQUI, DIRECTOR
METRO CARDIOVASCULAR
3737 NORTH KINGSHIGHWAY BLVD STE 109
SAINT LOUIS, MO 63115
CLIA ID# 26D2187318

SANCTION: Directed Portion Plan of Correction (DPPOC)
EFFECTIVE DATE: June 30, 2023
REASON: Condition Level Non-Compliance with IJ
Failure to Correct Deficiencies

TERRY DANIELSON, DIRECTOR
STL DIAGNOSTIC, LLC
5203 CHIPPEWA ST
SAINT LOUIS, MO 63109
CLIA ID# 26D2197233

SANCTION: Directed Portion Plan of Correction (DPPOC)
EFFECTIVE DATE: December 4, 2023
REASON: 2 Year Prohibition From Owning, Operating and Directing
Medicare Cancellation/Suspension
Condition Level Non-Compliance with IJ
Revocation of CLIA Certificate

LEANDRA HIGGINBOTHAM, DIRECTOR
CLINICCARE LABORATORIES, LLC
1310 PAPIN STREET SUITE 107B
SAINT LOUIS, MO 63103
CLIA ID# 26D2240325

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid
EFFECTIVE DATE: June 7, 2023
June 7, 2023
REASON: Unsuccessful PT

WIN NAING, DIRECTOR
MEDICAL LABORATORY SERVICES OF NEVADA
2725 S JONES BLVD SUITE 107
LAS VEGAS, NV 89146
CLIA ID# 29D2268352

SANCTION: Directed Plan of Correction (DPOC)
Civil Money Penalty

EFFECTIVE DATE: March 8, 2023
April 8, 2023

REASON: Condition Level Non-Compliance
Improper PT Testing Referral Activities

KIMBERLEE YEARGIN, DIRECTOR
AZTEC URGENT CARE
604 S RIO GRANDE AVE
AZTEC, NM 87410
CLIA ID# 32D2011233

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: October 13, 2023
October 13, 2023

REASON: Unsuccessful PT

STATUS: Laboratory voluntarily Ceased Testing

JOHN BRIGGS JR, DIRECTOR
HARNETT COUNTY HEALTH DEPARTMENT
307 W CORNELIUS HARNETT BOULEVARD
LILLINGTON, NC 27546
CLIA ID# 34D0864770

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: March 24, 2023

REASON: Unsuccessful PT

STATUS: Compliance Achieved

GEORGE RINKER, DIRECTOR
SELECT REFERENCE LABORATORIES, LLC
1100 REVOLUTION MILL DRIVE, SUITE 4, 5 & 7
GREENSBORO, NC 27405
CLIA ID# 34D2091857

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: April 17, 2023
REASON: Unsuccessful PT
STATUS: Compliance Achieved

MICHELLE POWERS, DIRECTOR
HARPER COUNTY COMMUNITY HOSPITAL
1003 HWY 64 NORTH
BUFFALO, OK 73834
CLIA ID# 37D0472771

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid
EFFECTIVE DATE: August 4, 2023
August 4, 2023
REASON: Unsuccessful PT
STATUS: Laboratory voluntarily Ceased Testing

MARY CAROLINE HOLMBOE, DIRECTOR
MEMORIAL HOSPITAL
1401 W LOCUST ST
STILWELL, OK 74960
CLIA ID# 37D0476067

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: November 17, 2023
REASON: Unsuccessful PT
STATUS: Compliance Achieved

JONATHAN CANNELLA, DIRECTOR
PENN HIGHLANDS DUBOIS
100 HOSPITAL AVENUE
DU BOIS, PA 15801
CLIA ID# 39D0181725

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: May 3, 2023
May 3, 2023

REASON: Improper PT Testing Referral Activities

JONATHAN CANNELLA, DIRECTOR
PH DUBOIS, CLEARFIELD CAMPUS
809 TURNPIKE AVENUE
CLEARFIELD, PA 16830
CLIA ID# 39D0185151

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: May 3, 2023
May 19, 2023

REASON: Improper PT Testing Referral Activities

LILLIAN RIVERA, DIRECTOR
LABORATORIO CLINICO DR AGUSTIN STAHL
CARR 174 BLOQUE 21 NO 20 STA ROSA
BAYAMON, PR 00959
CLIA ID# 40D0669861

SANCTION: Civil Money Penalty

EFFECTIVE DATE: December 15, 2023

REASON: 2 Year Prohibition From Owning, Operating and Directing
Improper PT Testing Referral Activities

REASON: Sanction Prohibition in effect only applies to Directing

LILLIAN RIVERA, DIRECTOR
LABORATORIO CLINICO GARNIER
BARRIO GUARAGUAO ABAJO CARR 174, KM 5, HM 7
BAYAMON, PR 00958
CLIA ID# 40D0872956

SANCTION: Civil Money Penalty
EFFECTIVE DATE: December 15, 2023
REASON: 2 Year Prohibition From Owning, Operating and Directing
Improper PT Testing Referral Activities
REASON: Sanction Prohibition in effect only applies to Directing

LILLIAN RIVERA, DIRECTOR
LABORATORIO CLINICO LA MORENITA
CARR 174 KM 10 HM 2, BO GUARAGUAO ABAJO
BAYAMON, PR 00959
CLIA ID# 40D2058420

SANCTION: Civil Money Penalty
EFFECTIVE DATE: December 15, 2023
REASON: 2 Year Prohibition From Owning, Operating and Directing
Improper PT Testing Referral Activities
REASON: Sanction Prohibition in effect only applies to Directing

ROXANNE LATIMER, DIRECTOR
DOCTORS CARE STRAND MEDICAL
1221 21ST AVENUE NORTH
MYRTLE BEACH, SC 29577
CLIA ID# 42D0914536

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: May 12, 2023
REASON: Unsuccessful PT
STATUS: Compliance Achieved

EDWARD BOOKER SR, DIRECTOR
GOLDEN CORNER FAMILY PRACTICE
1205 NORTH HWY 11
WEST UNION, SC 29696
CLIA ID# 42D0936712

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: May 12, 2023
REASON: Unsuccessful PT
STATUS: Compliance Achieved

JEFFREY LINDABERRY, DIRECTOR
MCLEOD DR LINDABERRY AT CAROLINA FOREST
108 FINNEGAN COURT
MYRTLE BEACH, SC 29579
CLIA ID# 42D1044303

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid
EFFECTIVE DATE: May 12, 2023
May 12, 2023
REASON: Unsuccessful PT
STATUS: Laboratory voluntarily Ceased Testing

CHRISTOPHER CLIMACO, DIRECTOR
PUTNAM COUNTY PEDIATRICS, PLLC
DBA KIDS KARE PEDIATRICS
758 SOUTH WILLOW AVENUE
COOKEVILLE, TN 38501
CLIA ID# 44D0316153

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid
EFFECTIVE DATE: January 20, 2023
January 20, 2023
REASON: Unsuccessful PT
STATUS: Laboratory voluntarily Ceased Testing

IAN FLINN, DIRECTOR
TENNESSEE ONCOLOGY PLLC
250 25TH AVE N, SUITE 100
NASHVILLE, TN 37203
CLIA ID# 44D0882942

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: September 14, 2023
September 14, 2023

REASON: Improper PT Testing Referral Activities

STATUS: Compliance Achieved

BRINDERS JONES MD, DIRECTOR
PEDIATRIC PARTNERS OF MEMPHIS
6063 MT MORIAH EXT SUITE 13
MEMPHIS, TN 38115
CLIA ID# 44D0986736

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: February 10, 2023

REASON: Unsuccessful PT

STATUS: Laboratory voluntarily Ceased Testing

KENT GROTEFENDT, DIRECTOR
MEMORIAL HEALTH PARTNERS FOUNDATION, INC
DBA CHI MEMORIAL FAMILY PRACTICE ASSOC-OOLTEWAH
6401 MOUNTAIN VIEW RD, SUITE 109
OOLTEWAH, TN 37363
CLIA ID# 44D1058465

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: July 14, 2023

REASON: Unsuccessful PT

STATUS: Compliance Achieved

IAN FLINN, DIRECTOR
TENNESSEE ONCOLOGY PLLC
250 25TH AVENUE N, SUITE 412
NASHVILLE, TN 37203
CLIA ID# 44D1066106

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: September 14, 2023
September 14, 2023

REASON: Improper PT Testing Referral Activities

STATUS: Compliance Achieved

DOUGLAS KINGMA, DIRECTOR
TENNESSEE ONCOLOGY, PLLC
DBA TENNESSEE ONCOLOGY
4488 CAROTHERS PARKWAY SUITE 310
FRANKLIN, TN 37067
CLIA ID# 44D2120027

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: September 14, 2023
September 14, 2023

REASON: Improper PT Testing Referral Activities

STATUS: Compliance Achieved

CHET SCHWAB, DIRECTOR
EL CAMPO MEMORIAL HOSPITAL
303 SANDY CORNER ROAD
EL CAMPO, TX 77437
CLIA ID# 45D0495521

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: November 10, 2023

REASON: Unsuccessful PT

STATUS: Compliance Achieved

MARILYN NUTT, DIRECTOR
THROCKMORTON COUNTY MEMORIAL HOSPITAL
802 NORTH MINTER AVENUE BOX 729
THROCKMORTON, TX 76483
CLIA ID# 45D0659838

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: June 2, 2023
REASON: Unsuccessful PT
STATUS: Compliance Achieved

JOSE VALENCIA, DIRECTOR
STARR COUNTY MEMORIAL HOSPITAL
128 N FM 3167
RIO GRANDE CITY, TX 78582
CLIA ID# 45D0660553

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: November 17, 2023
REASON: Unsuccessful PT

JERRY SAN DIEGO, DIRECTOR
SEYMOUR HOSPITAL LABORATORY
200 STADIUM DRIVE
SEYMOUR, TX 76380
CLIA ID# 45D0675182

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: August 25, 2023
REASON: Unsuccessful PT
STATUS: Compliance Achieved

BRENT HARRIS, DIRECTOR
PITTSBURG HOSPITAL, LLC
2701 US HWY 271 NORTH
PITTSBURG, TX 75686
CLIA ID# 45D0675381

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: June 2, 2023
REASON: Unsuccessful PT
STATUS: Compliance Achieved

MARSHA THIGPEN, DIRECTOR
GULF COAST HEALTH CENTER, INC
2548 MEMORIAL BLVD
PORT ARTHUR, TX 77640
CLIA ID# 45D0707586

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: December 15, 2023
REASON: Unsuccessful PT
STATUS: Compliance Achieved

JORGE GUEVARA, DIRECTOR
MEDICAL ASSOCIATES OF BROWNSVILLE PA
425 E LOS EBANOS BLVD STE 100
BROWNSVILLE, TX 78520
CLIA ID# 45D0933273

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: September 29, 2023
REASON: Unsuccessful PT
STATUS: Compliance Achieved

ALICE AJIM, DIRECTOR
GRACE ER
1851 PEARLAND PARKWAY
PEARLAND, TX 77581
CLIA ID# 45D2130192

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: March 10, 2023
REASON: Unsuccessful PT
STATUS: Compliance Achieved

CARLOS TORRES, DIRECTOR
CONFIRM LABORATORY, LLC
2828 FORREST LANE #1119
DALLAS, TX 75234
CLIA ID# 45D2161337

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid
EFFECTIVE DATE: May 26, 2023
September 1, 2023
REASON: Condition Level Non-Compliance
STATUS: Laboratory voluntarily Ceased Testing

DAVID DURNICK, DIRECTOR
ASPIRUS OWEN CLINIC
6 JOHNSON ST
OWEN, WI 54460
CLIA ID# 52D0395552

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: March 14, 2023
REASON: Improper PT Testing Referral Activities
STATUS: Compliance Achieved

DAVID DURNICK, DIRECTOR
ASPIRUS STANLEY HOSPITAL LABORATORY
1120 PINE ST
STANLEY, WI 54768
CLIA ID# 52D0396895

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: January 26, 2023
March 14, 2023

REASON: Improper PT Testing Referral Activities

STATUS: Compliance Achieved

CYNTHIA BROWN-SULLIVAN, DIRECTOR
UNIV OF WI OSHKOSH STUDENT HEALTH CENTER
RADFORD HALL RMS 129 & 132
777 ALGOMA BLVD
OSHKOSH, WI 54901
CLIA ID# 52D0719792

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: January 13, 2023
March 30, 2023

REASON: Improper PT Testing Referral Activities

STATUS: Compliance Achieved

DAVID DURNICK, DIRECTOR
ASPIRUS THORP CLINIC
704 S CLARK ST
THORP, WI 54771
CLIA ID# 52D0910331

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: March 9, 2023
March 14, 2023

REASON: Improper PT Testing Referral Activities

STATUS: Compliance Achieved

DAVID DURNICK, DIRECTOR
ASPIRUS STANLEY CLINIC
1120 PINE ST
STANLEY, WI 54768
CLIA ID# 52D0912910

SANCTION:	Civil Money Penalty Directed Plan of Correction (DPOC)
EFFECTIVE DATE:	March 14, 2023 March 14, 2023
REASON:	Improper PT Testing Referral Activities
STATUS:	Compliance Achieved

5. LABORATORIES WHOSE ACCREDITATION HAS BEEN WITHDRAWN OR REVOKED AND THE REASON FOR THE WITHDRAWAL OR REVOCATION. (INCLUDES ALL OTHER ADVERSE ACTIONS TAKEN BY THE ACCREDITATION ORGANIZATIONS)

MICHAEL HAN, DIRECTOR
SOUTHVIEW MEDICAL GROUP PC
833 ST VINCENTS DR PROF BLDG III
BIRMINGHAM, AL 35205
CLIA ID# 01D0300711 **(COLA)**

SANCTION: Cease Testing for Lactate Dehydrogenase (LDH)
EFFECTIVE DATE: 8/15/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

BOYDE HARRISON, DIRECTOR
JERRY HARRISON FAMILY PRACTICE
904 26TH STREET
HALEYVILLE, AL 35565
CLIA ID# 01D0302095 **(COLA)**

SANCTION: Cease Testing for Calcium, Chloride, Creatinine, Glucose, Lactate Dehydrogenase (LDH), Magnesium, Potassium, Urea (BUN)
EFFECTIVE DATE: 1/23/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JAMES JAKES, DIRECTOR
MONTGOMERY RHEUMATOLOGY ASSOCIATES
1421 NARROW LANE PARKWAY
MONTGOMERY, AL 36111
CLIA ID# 01D0304176 **(COLA)**

SANCTION: Cease Testing for Complement C3, Complement C4
EFFECTIVE DATE: 12/22/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

RAO THOTAKURA, DIRECTOR
DR N. RAO THOTAKURA, MD
333 WHITESPORT DR SUITE 104
HUNTSVILLE, AL 35801
CLIA ID# 01D0685713 **(COLA)**

SANCTION: Cease Testing for Red Blood Cell Count (Erythrocyte Count)(RBC)
EFFECTIVE DATE: 1/17/2023
REASON: Unsuccessful PT
STATUS: No longer accredited by COLA
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

EDWIN CHRISTENSEN, DIRECTOR
FAMILY MEDICINE OF TUSCALOOSA
100 TOWNCENTER BLVD, SUITE 112
TUSCALOOSA, AL 35406
CLIA ID# 01D2018405 **(COLA)**

SANCTION: Cease Testing for Thyroid Stimulating Hormone (TSH) 1
EFFECTIVE DATE: 11/9/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JAMES CRUMB, DIRECTOR
MOBILITY METABOLISM & WELLNESS PC
4357 MIDMOST DRIVE
MOBILE, AL 36609
CLIA ID# 01D2034743 **(COLA)**

SANCTION: Cease Testing for Theophylline
EFFECTIVE DATE: 3/22/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ARTHUR SITELMAN, DIRECTOR
SURGICAL SPECIALITY HOSPITAL OF ARIZONA, LLC
6501 N 19TH AVE
PHOENIX, AZ 85015
CLIA ID# 03D0057192 **(COLA)**

SANCTION: Cease Testing for Bilirubin, Total
EFFECTIVE DATE: 8/15/2023
REASON: Unsuccessful PT
STATUS: No Longer Accredited by COLA
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MICHAEL KEENEY, DIRECTOR
SAN CARLOS APACHE HEALTHCARE CENTER
103 MEDICINE WAY RD
PERIDOT, AZ 85542
CLIA ID# 03D0531813 **(TJC)**

SANCTION: Cease Testing for Compatibility Testing
EFFECTIVE DATE: 2/9/2023
REASON: Unsuccessful PT
STATUS: Reinstated Effective 8/10/2023
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

BIN WU, DIRECTOR
REPRODUCTIVE ENDOCRINOLOGY & INFERTILITY INC
5190 EAST FARNESS STE 114
TUCSON, AZ 85712
CLIA ID# 03D0867537 **(CAP)**

SANCTION: Probation
EFFECTIVE DATE: 7/12/2023
REASON: Quality and Severity of Deficiencies is Significant Enough to Question Ability to Sustain Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory
STATUS: As of 12/31/2023 Probation Still in Effect
REASON: Probation

DAVID POPE, DIRECTOR
CONWAY REGIONAL MEDICAL CENTER
2302 COLLEGE AVENUE
CONWAY, AR 72032
CLIA ID# 04D0466269 **(CAP)**

SANCTION: Cease Testing for IgA
EFFECTIVE DATE: 1/26/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

VERA COLLINS, DIRECTOR
MERCY CONVENIENT CARE-ZERO STREET
1400 S ZERO
FT. SMITH, AR 72903
CLIA ID# 04D2061489 **(COLA)**

SANCTION: Cease Testing for Cease Testing for Platelet Count, Red Blood Cell Count (Erythrocyte Count) (RBC), Hematocrit, White Blood Cell Differential (WBC Diff), White Blood Cell Count (Leukocyte Count) (WBC), Hemoglobin
EFFECTIVE DATE: 7/10/2023
REASON: Unsuccessful PT
STATUS: No Longer Accredited by COLA
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JULIA BARNES, DIRECTOR
WOODSIDE MEDICAL CARMICAL MEDICAL, PLLC
940 OLD WARREN ROAD
MONTICELLO, AR 71655
CLIA ID# 04D2241932 **(COLA)**

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)
EFFECTIVE DATE: 6/23/2023
REASON: Unsuccessful PT
STATUS: Test Reinstated 12/23/2023
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ROBERT LAUGHLIN, DIRECTOR
PREMIER MEDICAL ASSOCIATES, INC
3838 SAN DIMAS ST, BLDG. A, STE 250
BAKERSFIELD, CA 93301
CLIA ID# 05D0586134 **(COLA)**

SANCTION: Cease Testing for Hemoglobin, White Blood Cell Count (Leukocyte Count), (WBC), Red Blood Cell Count (Erythrocyte Count)(RBC), White Blood Cell Differential (WBC Diff), Platelet Count, Hematocrit

EFFECTIVE DATE: 07/10/2023

REASON: Unsuccessful PT

STATUS: No Longer Accredited by COLA

REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

CLAUDE BURDICK, DIRECTOR
KINDRED HOSPITAL-SF BAY AREA
2800 BENEDICT DR
SAN LEANDRO, CA 94577
CLIA ID# 05D0600653 **(TJC)**

SANCTION: Cease Testing for Partial Thromboplastin Time

EFFECTIVE DATE: 5/4/2023

REASON: Unsuccessful PT

STATUS: Reinstated Effective 12/8/2023

REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

WANHUA YANG, DIRECTOR
PETALUMA VALLEY HOSPITAL LABORATORY
400 N MCDOWELL BLVD
PETALUMA, CA 94954
CLIA ID# 05D0605063 **(TJC)**

SANCTION: Cease Testing for Urea Nitrogen

EFFECTIVE DATE: 11/20/2023

REASON: Unsuccessful PT

STATUS: As of 12/31/2023 Cease Testing Still in Effect

REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

DANIEL LEIGHTON, DIRECTOR
IMPERIAL VALLEY FAMILY CARE MEDICAL GROUP
516 WEST ATEN ROAD, SUITE # 3
IMPERIAL, CA 92251
CLIA ID# 05D0681409 **(COLA)**

SANCTION: Cease Testing for Virology
EFFECTIVE DATE: 11/09/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

REGINA SINGSON, DIRECTOR
THOUSAND OAKS SURGICAL HOSPITAL
A CAMPPUS OF LOS ROBLES HOSPITAL & MEDICAL CENTER
401 E ROLLING OAKS DR
THOUSAND OAKS, CA 91361
CLIA ID# 05D1029197 **(COLA)**

SANCTION: Cease Testing for Mycology
Cease Testing for Hemoglobin, Potassium, Creatinine, PCO2, Urea (BUN),
Blood Gases, Glucose, Sodium, PO2, Hematocrit, Chloride
EFFECTIVE DATE: 03/22/2023; 07/21/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

GARBIS APELIAN, DIRECTOR
APELIAN MEDICAL INC
14600 SHERMAN WAY STE 280
VAN NUYS, CA 91405
CLIA ID# 05D2018940 **(COLA)**

SANCTION: Cease Testing for Iron
EFFECTIVE DATE: 07/10/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

NEIL RAWLINSON, DIRECTOR
SOLAR URGENT CARE 2100
SOLAR DRIVE ST 100
OXNARD, CA 93036
CLIA ID# 05D2098844 **(COLA)**

SANCTION: Denial of Accreditation
EFFECTIVE DATE: 1/25/2023
REASON: Failure to Adhere to COLA- Imposed Required Improvements
STATUS: No Longer Accredited by COLA
REASON:
Denial of Accreditation

CHUANYI LU, DIRECTOR
KENTFIELD HOSPITAL SAN FRANCISCO
450 STANYAN STREET, FL 6, ROOM 99
SAN FRANCISCO, CA 94117
CLIA ID# 05D2112780 **(COLA)**

SANCTION: Cease Testing for PO2
EFFECTIVE DATE: 9/22/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MONICA ZUCCA, DIRECTOR
1CARE MEDICAL DIAGNOSTICS
685 STONE RD, UNIT 7-12
BENICIA, CA 94510
CLIA ID# 05D2191924 **(CAP)**

SANCTION: Revocation of Accreditation
EFFECTIVE DATE: 3/23/2023
REASON: Laboratory Performance Does Not Meet CAP Standards of Accreditation
STATUS: As of 12/31/2023 Not Accredited by CAP
REASON:
Revocation of Accreditation

HARRY HAMNER, DIRECTOR
ESTES PARK HEALTH
555 PROSPECT AVE
ESTES PARK, CO 80517
CLIA ID# 06D0515897 (CAP)

SANCTION: Probation
EFFECTIVE DATE: 6/14/2023
REASON: Quality and Severity of Deficiencies is Significant Enough to Question Ability to Sustain Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory
STATUS: Removed Probation on 11/29/2023
REASON: Probation

MICHAEL GORDON, DIRECTOR
HUNT CLUB MEDICAL CARE
3191 E SEMORAN BLVD
APOPKA, FL 32703
CLIA ID# 10D0692467 (COLA)

SANCTION: Cease Testing for Alanine Aminotransferase (ALT),(SGPT), Cholesterol, HDL Cholesterol
EFFECTIVE DATE: 10/13/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

WILLIAM SILVERMAN, DIRECTOR
LAKE HOWELL FAMILY MEDICINE ASSOCIATES
590 RUBY CT
MAITLAND, FL 32751
CLIA ID# 10D0722148 (COLA)

SANCTION: Cease Testing for Chloride
EFFECTIVE DATE: 11/07/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

SURESH KANDAVANAM, DIRECTOR
ORMOND MEDICAL ARTS FAMILY PRACTICE PL
800 NORTH STONE STREET
DELAND, FL 32720
CLIA ID# 10D0966519 **(COLA)**

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)

EFFECTIVE DATE: 01/17/2023

REASON: Unsuccessful PT

STATUS: Test Reinstated 9/15/2023

REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MUKESH GOEL, DIRECTOR
PUTNAM HEART CENTER PA
6710 OLD WOLFBAY ROAD
PALATKA, FL 32177
CLIA ID# 10D0991646 **(COLA)**

SANCTION: Cease Testing for Chloride, Creatinine, Glucose, Potassium, Sodium, Urea (BUN), Hematocrit

EFFECTIVE DATE: 05/17/2023

REASON: Unsuccessful PT

STATUS: Test Reinstated 11/21/2023

REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

STEVEN STROBBE, DIRECTOR
SMS DO PA D/B/A GULF COAST MEDICAL CENTER
9238 US HWY 19
PORT RICHEY, FL 34668
CLIA ID# 10D0996433 **(COLA)**

SANCTION: Cease Testing for Hematocrit, Hemoglobin, Platelet Count, Red Blood Cell Count (Erythrocyte Count)(RBC), White Blood Cell Count (Leukocyte Count) (WBC), White Blood Cell Differential (WBC Diff)

EFFECTIVE DATE: 04/24/2023

REASON: Unsuccessful PT

STATUS: As of 12/31/2023 Cease Testing Still in Effect

REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

DANIEL SCHARIFKER, DIRECTOR
WEST BOCA MEDICAL CENTER EMERGENCY
CARE AT COCONUT CREEK
4890 STATE RD 7 COCONUT CREEK, FL 33073
CLIA ID# 10D2093412 **(TJC)**

SANCTION: Cease Testing for PO2
EFFECTIVE DATE: 4/14/2023
REASON: Unsuccessful PT
STATUS: Reinstated Effective 11/10/2023
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

KAI MCGREEVY, DIRECTOR
ESTATE VENTURES LLC
DBA MCGREEVY NEUROHEALTH
559 W TWINCOURT TRL STE 607-608
SAINT AUGUSTINE, FL 32095
CLIA ID# 10D2113103 **(COLA)**

SANCTION: Cease Testing for Calcium, Total
EFFECTIVE DATE: 7/10/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ROBERT KENDALL, DIRECTOR
INTERLAB CORP
9000 NW 15TH ST UNIT 1A
DORAL, FL 33172
CLIA ID# 10D2117825 **(CAP)**

SANCTION: Probation
EFFECTIVE DATE: 2/17/2023
REASON: Quality and Severity of Deficiencies is Significant Enough to Question Ability to Sustain Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory
STATUS: As of 12/31/2023 Probation Still in Effect
REASON: Probation

HILARIO ISABA, DIRECTOR
PERSONALIZED GENETIC TESTING INC
12855 SW 132ND ST STE 101
MIAMI, FL 33186
CLIA ID# 10D2118173 **(COLA)**

SANCTION: Cease Testing for Bacteriology

EFFECTIVE DATE: 3/21/2023

REASON: Unsuccessful PT

STATUS: No Longer Accredited by COLA

REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

TETYANA METYK, DIRECTOR
MEDIC INFUSION PA*
3191 HARBOR BLVD STE D
PORT CHARLOTTE, FL 33952
CLIA ID# 10D2125445 **(COLA)**

SANCTION: Cease Testing for Red Blood Cell Count (Erythrocyte Count)(RBC)

EFFECTIVE DATE: 4/24/2023

REASON: Unsuccessful PT

STATUS: As of 12/31/2023 Cease Testing Still in Effect

REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing
*Updated address to 2811Tamiami Trl Suite I, Port Charlotte, FL 33952

ARMEN DERIAN, DIRECTOR
URGENT FAMILY CLINIC LLC
301 NORTH JOHN YOUNG PKWY
KISSIMMEE, FL 34741
CLIA ID# 10D2141868 **(COLA)**

SANCTION: Denial of Accreditation

EFFECTIVE DATE: 10/26/2023

REASON: Failure to Adhere to COLA- Imposed Required Improvements

STATUS: No Longer Accredited by COLA

REASON:
Failure to adhere to COLA- Imposed Required Improvements

JOHN ACCOLA JR, DIRECTOR
ADVANCED BIOMEDICAL INC
1551 SW 37TH AVE
OCALA, FL 34474
CLIA ID# 10D2145635 **(COLA)**

SANCTION: Cease Testing for Albumin, Cholesterol, Urea(BUN)
EFFECTIVE DATE: 03/21/2023
REASON: Unsuccessful PT
STATUS: No Longer Accredited by COLA
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ALICIA HIRZEL, DIRECTOR
MY CLINICAL LAB INC
15481 SW 12TH STREET SUITE 303
SUNRISE, FL 33326
CLIA ID# 10D2164773 **(COLA)**

SANCTION: Cease Testing for Creatinine Kinase MB Fraction (CKMB)
EFFECTIVE DATE: 3/22/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MICHAEL EDWARDS, DIRECTOR
MY CHOICE OPERATING COMPANY, LLC
4655 SALISBURY RD STE 220
JACKSONVILLE, FL 32256
CLIA ID# 10D2178878 **(COLA)**

SANCTION: Cease Testing for Bilirubin, Total
Cease Testing for Creatinine, Chloride
EFFECTIVE DATE: 03/29/2023;04/17/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

KARA DUNCAN, DIRECTOR
PIEDMONT MOUNTAINSIDE HOSPITAL LABORATORY
1266 HIGHWAY 515 SOUTH
JASPER, GA 30143
CLIA ID# 11D0256642 **(CAP)**

SANCTION: Cease Testing for Compatibility Testing
EFFECTIVE DATE: 1/10/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

GERALD FILMORE, DIRECTOR
TRUE NORTH HEALTH NAVIGATION, LLC
DBA DISPATCH HEALTH
5885 GLENRIDGE DRIVE, SUITE 100
ATLANTA, GA 30328
CLIA ID# 11D2174533 **(COLA)**

SANCTION: Cease Testing for Blood Gases, PCO2, PO2
EFFECTIVE DATE: 02/22/2023
REASON: Unsuccessful PT
STATUS: Test Reinstated 10/16/2023
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

VEN ADUANA, DIRECTOR
INSIGHT HOSPITAL & MEDICAL CENTER CHICAGO
2525 S MICHIGAN AVENUE
CHICAGO, IL 60616
CLIA ID# 14D0424747 **(CAP)**

SANCTION: Probation
EFFECTIVE DATE: 8/9/2023
REASON: Quality and Severity of Deficiencies is Significant Enough to Question Ability to Sustain Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory
STATUS: As of 12/31/2023 Probation Still in Effect
REASON:
Probation

ANDREW VANDERHEYDEN, DIRECTOR
MIDWEST MEDICAL CENTER
ONE MEDICAL CENTER DRIVE
GALENA, IL 61036
CLIA ID# 14D0429720 **(COLA)**

SANCTION: Cease Testing for ABO group-RBC, D(Rho) Type, Donor/Recipient
Compatibility, Unexpected RBC antibody-detection-serum, plasma

EFFECTIVE DATE: 05/10/2023

REASON: Unsuccessful PT

STATUS: Test Reinstated 11/10/2023

REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

STEPHEN OLSON, DIRECTOR
TOUCHETTE REGIONAL HOSPITAL
5900 BOND AVE
CENTREVILLE, IL 62207
CLIA ID# 14D0433911 **(CAP)**

SANCTION: Cease Testing for Bacteriology

EFFECTIVE DATE: 11/7/2023

REASON: Unsuccessful PT

STATUS: As of 12/31/2023 Cease Testing Still in Effect

REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

AIMAN HAWASLI, DIRECTOR
FERRELL HOSPITAL COMMUNITY FOUNDATION
1201 PINE ST
ELDORADO, IL 62930
CLIA ID# 14D0436524 **(COLA)**

SANCTION: Cease Testing for PCO2, PO2, Blood Gases

EFFECTIVE DATE: 11/09/2023

REASON: Unsuccessful PT

STATUS: As of 12/31/2023 Cease Testing Still in Effect

REASON:
Non-Compliance due to Unsuccessful Participation in Proficiency Testing

CARLOS GARCIA, DIRECTOR
LORETTO HOSPITAL
645 SOUTH CENTRAL AVENUE
CHICAGO, IL 60644
CLIA ID# 14D0670293 **(CAP)**

SANCTION: Cease Testing for Digoxin
EFFECTIVE DATE: 11/2/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ABIR CHAUDRY, DIRECTOR
EAST WEST INTERNAL MEDICINE ASSOCIATES P C
DBA VILLAGE MEDICAL WHEELING
342 S MILWAUKEE AVENUE
WHEELING, IL 60090
CLIA ID# 14D0998974 **(COLA)**

SANCTION: Cease Testing for Chloride
EFFECTIVE DATE: 7/10/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON:
Non-Compliance due to Unsuccessful Participation in Proficiency Testing

LISA COOK, DIRECTOR
ACGT Inc-MOLECULAR DIAGNOSTICS
35 W WALTZ DR
WHEELING, IL 60090-6052
CLIA ID# 14D2035148 **(CAP)**

SANCTION: Revocation of Accreditation
EFFECTIVE DATE: 8/9/2023
REASON: Laboratory Performance Does Not Meet CAP Standards of Accreditation
STATUS: As of 12/31/2023 Not Accredited by CAP
REASON:
Laboratory Performance Does Not Meet CAP Standards of Accreditation

NOURI ALKHALED, DIRECTOR
CONSULTANTS IN CARDIOLOGY & ELECTROPHYSIOLOGY LLC
3545 W 95TH ST
EVERGREEN PARK, IL 60805
CLIA ID# 14D2091639 **(COLA)**

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)
EFFECTIVE DATE: 4/24/2023
REASON: Unsuccessful PT
STATUS: Test Reinstated 10/24/2023
REASON: Non-Compliance due to Unsuccessful Participation in Proficiency Testing

DEAN RICKS, DIRECTOR
MARION GENERAL HOSPITAL LABORATORY
441 N WABASH AVE
MARION, IN 46952
CLIA ID# 15D0035167 **(CAP)**

SANCTION: Cease Testing for Bacteriology
EFFECTIVE DATE: 9/22/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JAMIE WEYDERT, DIRECTOR
MCFARLAND CLINIC PC-AMES
1215 DUFF AVENUE
AMES, IA 50010
CLIA ID# 16D0382533 **(COLA)**

SANCTION: Cease Testing for Albumin
EFFECTIVE DATE: 3/29/2023
REASON: Unsuccessful PT
STATUS: Test Reinstated 9/29/2023
REASON: Non-Compliance due to Unsuccessful Participation in Proficiency Testing

MELISSA MUCH, DIRECTOR
MERCYONE NORTHEAST IOWA FAMILY MEDICINE AND RESIDENCY LAB
DBA NORTHEAST IOWA FAMILY PRACTICE CENTER
2055 KIMBALL AVENUE, SUITE 101
WATERLOO, IA 50702
CLIA ID# 16D0384869 **(COLA)**

SANCTION: Cease Testing for Bilirubin, Total
EFFECTIVE DATE: 4/5/2023
REASON: Unsuccessful PT
STATUS: No Longer Accredited by COLA
REASON: Non-Compliance due to Unsuccessful Participation in Proficiency Testing

TRISHA ANDERSEN, DIRECTOR
MCFARLAND CLINIC-CARROLL LABORATORY
1214 S GRANT ROAD
CARROLL, IA 51401
CLIA ID# 16D0385584 **(COLA)**

SANCTION: Cease Testing for HCG, Intact, Serum, Quantitative
EFFECTIVE DATE: 7/21/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON: Non-Compliance due to Unsuccessful Participation in Proficiency Testing

JOHN MULLEN, DIRECTOR
JENLAB, LLC
3930 WESTOWN PKWY, SUITE C
WEST DES MOINES, IA 50266
CLIA ID# 16D2134538 **(COLA)**

SANCTION: Cease Testing for Hemoglobin
EFFECTIVE DATE: 9/20/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON: Non-Compliance due to Unsuccessful Participation in Proficiency Testing

JARED SCHREINER, DIRECTOR
TOPEKA ER & HOSPITAL
6135 SW 17TH STREET
TOPEKA, KS 66615
CLIA ID# 17D2188925 **(COLA)**

SANCTION: Cease Testing for Sodium, Potassium, Chloride, Creatinine, Urea (BUN),
Glucose, Calcium, Magnesium, Lactate Dehydrogenase (LDH)
EFFECTIVE DATE: 7/5/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON: Non-Compliance due to Unsuccessful Participation in Proficiency Testing

EDWARD TANOUS, DIRECTOR
HARRISON MEMORIAL HOSPITAL
1210 KY HIGHWAY 36 EAST
CYNTHIANA, KY 41031
CLIA ID# 18D0324276 **(CAP)**

SANCTION: Cease Testing for Bacteriology
EFFECTIVE DATE: 9/22/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MICHAEL STOUT, DIRECTOR
COVALENT LABORATORIES LLC
8000 INNOVATION PARK DRIVE, BLDG 3100 ROOM 199
BATON ROUGE, LA 70820
CLIA ID# 19D2228211 **(CAP)**

SANCTION: Revocation of Accreditation
EFFECTIVE DATE: 8/30/2023
REASON: Laboratory Performance Does Not Meet CAP Standards of Accreditation
STATUS: As of 12/31/2023 Not Accredited by CAP
REASON: Revocation of Accreditation 8/30/2023
Laboratory performance Does Not Meet CAP Standards of Accreditation
As of 12/31/2023 Not Accredited by CAP

THOMAS GORDON, DIRECTOR
HERITAGE CLINIC FOR WOMEN
320 E FULTON STREET
GRAND RAPIDS, MI 49503 CLIA
ID# 23D0380163 (COLA)

SANCTION: Denial of Accreditation
EFFECTIVE DATE: 6/28/2023
REASON: Failure to Adhere to COLA-Imposed Required Improvements-Continuing to test an analyte, specialty or subspecialty after being directed by COLA to cease testing because of failure to meet proficiency testing (PT) performance criteria for that analyte, specialty or subspecialty
STATUS: No Longer Accredited by COLA
REASON: Denial of Accreditation 6/28/2023

VAISHALI PANSARE, DIRECTOR
BEAUMONT HOSPITAL GROSSE POINTE
468 CADIEUX RD
GROSSE POINTE, MI 48230
CLIA ID# 23D0663749 (CAP)

SANCTION: Probation
EFFECTIVE DATE: 10/11/2023
REASON: Quality and Severity of Deficiencies is Significant Enough to Question Ability to Sustain Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory
STATUS: As of 12/31/2023 Probation Still in Effect
REASON: Probation

MOHAMMED OTHMAN, DIRECTOR
FORD BIO MEDICAL LABORTORY
5601 SCHAEFER ROAD SUITE 200
DEARBORN, MI 48126
CLIA ID# 23D0960256 (COLA)

SANCTION: Cease Testing for Bilirubin, Total
EFFECTIVE DATE: 6/28/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON: Non-Compliance due to Unsuccessful Participation in Proficiency Testing

ALEXEY WILSON, DIRECTOR
VERES DIAGNOSTICS
11525 BROUGHAM DRIVE SUITE
103 STERLING HEIGHTS, MI 48312
CLIA ID# 23D1031653 **(COLA)**

SANCTION: Cease Testing for Hematocritl
EFFECTIVE DATE: 6/22/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON:
Non-Compliance due to Unsuccessful Participation in Proficiency Testing

AMRO ALMRADI, DIRECTOR
GREAT LAKES MEDICAL LABORATORY
33469 W 14 MILE
FARMINGTON HILLS, MI 48331
CLIA ID# 23D2004186 **(COLA)**

SANCTION: Denial of Accreditation
EFFECTIVE DATE: 12/7/2023
REASON: Failure to adhere to COLA-Imposed Required Improvements
STATUS: No Longer Accredited by COLA
REASON:
Failure to adhere to COLA-Imposed Required Improvements

STEPHANIE ANDERSON, DIRECTOR
FRANCE AVENUE FAMILY PHYSICIANS
7600 FRANCE AVENUE SOUTH, SUITE 4100
EDINA, MN 55435
CLIA ID# 24D0403145 **(COLA)**

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)
EFFECTIVE DATE: 12/22/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON:
Non-Compliance due to Unsuccessful Participation in Proficiency Testing

MARSHA LUCAS, DIRECTOR
GREENWOOD LEFLORE HOSPITAL
1401 RIVER RD
GREENWOOD, MS 38930-1410
CLIA ID 25D0029660 (TJC)

SANCTION: Denial of Accreditation
EFFECTIVE DATE: 7/5/2023
REASON: Refusal to Permit Performance of a Survey
STATUS: Denial of Accreditation
REASON: Denial of Accreditation

DAVID ARMBRUSTER, DIRECTOR
MMI LABORATORY SERVICES, LLC
2833 E BATTLEFIELD, SUITE A100
SPRINGFIELD, MO 65804
CLIA ID# 26D2178426 (COLA)

SANCTION: Cease Testing for Phenytoin, Valproic Acid
EFFECTIVE DATE: 7/10/2023
REASON: Unsuccessful PT
STATUS: No Longer Accredited by COLA
REASON: Non-Compliance due to Unsuccessful Participation in Proficiency Testing

RICHARD LEE, DIRECTOR
Mt. SINAI DOCTORS - ROCKVILLE CENTRE
242 MERRICK ROAD STE 301 ROCKVILLE
CENTRE, NY 11570
CLIA ID# 33D0154543 (COLA)

SANCTION: Cease Testing for Hemoglobin, Platelet Count, White Blood Cell Count (Leukocyte Count) (WBC), Red Blood Cell Count (Erythrocyte Count) (RBC), White Blood Cell Differential (WBC Diff), Hematocrit
EFFECTIVE DATE: 2/22/2023
REASON: Unsuccessful PT
STATUS: No Longer Accredited by COLA
REASON: Non-Compliance due to Unsuccessful Participation in Proficiency Testing

ADRIAN GRUSZKO, DIRECTOR
CHILDREN'S MEDICAL GROUP, PLLC
CHILDREN'S MEDICAL GROUP, PLLC, THE
4252 ALBANY POST ROAD
HYDE PARK, NY 12538
CLIA ID# 33D1057090 **(COLA)**

SANCTION: Cease Testing for Red Blood Cell Count (Erythrocyte Count)(RBC)
EFFECTIVE DATE: 4/24/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON: Non-Compliance due to Unsuccessful Participation in Proficiency Testing

WENDELL LEWIS RANDALL, DIRECTOR
LIFEBRITE COMMUNITY HOSPITAL OF STOKES
1570 NC 8 & 89 NORTH
DANBURY, NC 27016
CLIA ID# 34D0655016 **(COLA)**

SANCTION: Cease Testing for PO2
EFFECTIVE DATE: 11/21/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON: Non-Compliance due to Unsuccessful Participation in Proficiency Testing

MAURICE THOMPSON, DIRECTOR
BOICE WILLIS CLINIC IMMEDIATE CARE LAB
921 NORTH WINSTEAD AVENUE
ROCKY MOUNT, NC 27804
CLIA ID# 34D0695219 **(COLA)**

SANCTION: Cease Testing for Infectious Mononucleosis Antibodies (Mono)
EFFECTIVE DATE: 11/9/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON: Non-Compliance due to Unsuccessful Participation in Proficiency Testing

NO DIRECTOR AT TIME OF REVOCATION*
UNC HEALTH CARE SYSTEM SANFORD SPECIALTY CLINIC-LABORATORY
1301 CENTRAL DR
SANFORD, NC 27330-4159
CLIA ID# 34D0967987 (**CAP**)

SANCTION: Revocation of Accreditation
EFFECTIVE DATE: 1/25/2023
REASON: Laboratory Performance Does Not Meet CAP Standards of Accreditation
STATUS: As of 12/31/2023 Not Accredited by CAP
REASON: Revocation of Accreditation due to no laboratory director*

CARL BUCKNER, DIRECTOR
MERCY HOSPITAL CLERMONT
3000 HOSPITAL DRIVE
BATAVIA, OH 45103
CLIA ID# 36D0345410 (**CAP**)

SANCTION: Cease Testing for Compatibility Testing
EFFECTIVE DATE: 10/6/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MATTHEW HAAG, DIRECTOR
GALLERY CLINIC, THE
2801 NW 23RD STREET
OKLAHOMA CITY, OK 73107
CLIA ID# 37D1077856 (**COLA**)

SANCTION: Cease Testing for White Blood Cell Differential
EFFECTIVE DATE: 4/24/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON: Non-Compliance due to Unsuccessful Participation in Proficiency Testing

ANDREA FRALEY, DIRECTOR
FRALEY CLINIC, THE
925 W I 35 FRONTAGE ROAD ST 100
EDMOND, OK 73034
CLIA ID# 37D2137027 **(COLA)**

SANCTION: Denial of Accreditation
EFFECTIVE DATE: 12/15/2023
REASON: Failure to Adhere to COLA-Imposed Required Improvements
STATUS: No Longer Accredited by COLA
REASON: Failure to adhere to COLA-Imposed Required Improvements

SHRADDHA BABARIYA, DIRECTOR
AMERICAN NATL RED CROSS-PHILA, PA
700 SPRING GARDEN STREET
PHILADELPHIA, PA 19123
CLIA ID# 39D0194473 **(AABB)**

SANCTION: Conditional Accreditation Status
EFFECTIVE DATE: 8/8/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Conditional Accreditation Status Still in Effect
REASON: Non-Compliance due to Unsuccessful Participation in Proficiency Testing;
Unsuccessful PT for Transfusion Related Cell Counts TRC 2023 A and B challenges

WILLIAM CHILDERS, DIRECTOR
PRISMA HEALTH - UPSTATE
DBA LAURENS FAMILY MEDICINE - MAIN POC LAB
106 PARKVIEW DRIVE
LAURENS, SC 29360
CLIA ID# 42D0250262 **(COLA)**

SANCTION: Cease Testing for Hematocrit
EFFECTIVE DATE: 1/17/2023
REASON: Unsuccessful PT
STATUS: Test Reinstated 8/28/2023
REASON: Non-Compliance due to Unsuccessful Participation in Proficiency Testing

WESLEY ELLISON, DIRECTOR
US PUBLIC HEALTH SERVICE HOSPITAL
EAST HIGHWAY 18 PO BOX 1201
PINE RIDGE, SD 57770
CLIA ID# 43D0408124 (TJC)

SANCTION: Cease Testing for PO2
EFFECTIVE DATE: 5/2/2023
REASON: Unsuccessful PT
STATUS: Reinstated Effective 11/7/2023
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

HENRY EDWARDS, DIRECTOR
LAB PLUS, LLC DBA LABORATORY
2000 CHURCH ST
NASHVILLE, TN 37236
CLIA ID# 44D0309201 (TJC)

SANCTION: Cease Testing for Parasitology
EFFECTIVE DATE: 8/10/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

LORENZ SCHMIEGE III, DIRECTOR
CARTHAGE HOSPITAL, LLC
409 COTTAGE ROAD
CARTHAGE, TX 75633
CLIA ID# 45D0051995 (TJC)

SANCTION: Cease Testing for Compatibility Testing
EFFECTIVE DATE: 10/9/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

GARY GELDMEIER, DIRECTOR
HILL REGIONAL HOSPITAL
101 CIRCLE DRIVE
HILLSBORO, TX 76645
CLIA ID# 45D0692852 (TJC)

SANCTION: Cease Testing for pCO2
EFFECTIVE DATE: 11/9/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

IBRAHIM HASHIM, DIRECTOR
EMPLOYEE HEALTH CENTER - PARKLAND
5151 MAPLE AVE 4A
DALLAS, TX 75235
CLIA ID# 45D0701953 (COLA)

SANCTION: Cease Testing for Glucose 4/5/2023
EFFECTIVE DATE: Unsuccessful PT
REASON: No Longer Accredited by COLA
STATUS:
REASON:
Non-Compliance due to Unsuccessful Participation in Proficiency Testing

RONALD SKUFCA, DIRECTOR
HEALTHCARE CLINICS
5315 ROSS AVENUE
DALLAS, TX 75206
CLIA ID# 45D0859832 (COLA)

SANCTION: Cease Testing for Alkaline Phosphatase (ALP)
EFFECTIVE DATE: 7/10/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON:
Non-Compliance due to Unsuccessful Participation in Proficiency Testing

ALI SALIH, DIRECTOR
DNA REFERENCE LAB
5282 MEDICAL DRIVE, STE
312 SAN ANTONIO, TX 78229
CLIA ID# 45D0938564 **(CAP)**

SANCTION: Probation
EFFECTIVE DATE: 4/26/2023
REASON: Quality and Severity of Deficiencies is Significant Enough to Question Ability to Sustain Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory
STATUS: Removed from Probation 6/14/2023
REASON: Probation

DONA COOPER DOCKERY, DIRECTOR
COOPER INTERNAL MEDICINE
801 E NOLANA STE 12
MCALLEN, TX 78504
CLIA ID# 45D0964429 **(COLA)**

SANCTION: Cease Testing forChloride
EFFECTIVE DATE: 7/10/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON: Non-Compliance due to Unsuccessful Participation in Proficiency Testing

BENJAMIN SHAHABI AZAD, DIRECTOR
VIBRA REHABILITATION HOSPITAL OF EL PASO, LLC
DBA HIGHLANDS REHABILITATION HOSPITAL
1395 GEORGE DIETER DRIVE
EL PASO, TX 79936
CLIA ID# 45D0971423 **(COLA)**

SANCTION: Cease Testing for Blood Gases, Chloride, Creatinine, Glucose, Urea (BUN), PO2, PCO2, Potassium, Hemoglobin, Hematocrit, Sodium
EFFECTIVE DATE: 3/21/2023
REASON: Unsuccessful PT
STATUS: No Longer Accredited by COLA
REASON: Non-Compliance due to Unsuccessful Participation in Proficiency Testing

ALMA TSCHIRHART, DIRECTOR
ICON EARLY PHASE SERVICES
LLC 8307 GAULT LANE
SAN ANTONIO, TX 78209
CLIA ID# 45D0995477 **(COLA)**

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)
EFFECTIVE DATE: 1/17/2023
REASON: Unsuccessful PT
STATUS: Test Reinstated 7/17/2023
REASON: Non-Compliance due to Unsuccessful Participation in Proficiency Testing

KELLY MAEDO, DIRECTOR
BRAZOS VALLEY URGENT CARE
2911 TEXAS AVE SOUTH SUITE 103
COLLEGE STATION, TX 77845
CLIA ID# 45D1044424 **(COLA)**

SANCTION: Cease Testing for Red Blood Cell Count (Erythrocyte Count)(RBC)
EFFECTIVE DATE: 9/20/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON: Non-Compliance due to Unsuccessful Participation in Proficiency Testing

ALBERTO GONZALEZ, DIRECTOR
SOUTH TEXAS CLINICAL LABORATORY
418 S 6TH STREET
KINGSVILLE, TX 78363
CLIA ID# 45D1075228 **(COLA)**

SANCTION: Cease Testing for Albumin, Bilirubin, Total
EFFECTIVE DATE: 7/10/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON: Non-Compliance due to Unsuccessful Participation in Proficiency Testing

MARIO CERVANTES-VASQUEZ, DIRECTOR
CHCA PEARLAND, LP DBA HCA HOUSTON HEALTHCARE PEARLAND
11100 SHADOW CREEK PARKWAY
PEARLAND, TX 77584
CLIA ID# 45D2089559 **(CAP)**

SANCTION: Cease Testing for Compatibility Testing
EFFECTIVE DATE: 9/11/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON: Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

SAVITA RATHI, DIRECTOR
HACO HEALTH SOLUTIONS,LLC DBA HIGHLAND MEADOWS
1870 SOUTH JOHN KING BOULEVARD
ROCKWALL, TX 75032
CLIA ID# 45D2096576 **(COLA)**

SANCTION: Cease Testing for Magnesium
EFFECTIVE DATE: 7/10/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON: Non-Compliance due to Unsuccessful Participation in Proficiency Testing

SAMUEL MITZ, DIRECTOR
VIBRA HOSPITAL OF RICHARDSON
401 WEST CAMPBELL ROAD SUITE 300
RICHARDSON, TX 75080
CLIA ID# 45D2109330 **(COLA)**

SANCTION: Cease Testing for Blood Gases, Chloride, Creatinine Kinase MB Fraction (CKMB), PCO2, PO2, Potassium, Sodium, Creatinine, Glucose, Hematocrit; Cease Testing for Prothrombin Time (PT); Cease Testing for Urea (BUN)
EFFECTIVE DATE: 1/6/2023; 1/6/2023; 3/22/2023
REASON: Unsuccessful PT
STATUS: PT Reinstated 7/11/2023; Blood Gases, Chloride, CKMB, PCO2, PO2, Potassium, Sodium, Creatinine, Glucose, Hematocrit Reinstated 7/31/2023; As of 12/31/2023 Cease Testing for BUN Still in Effect
REASON: Non-Compliance due to Unsuccessful Participation in Proficiency Testing.

GLEN FRIEDMAN, DIRECTOR
LAS PALMAS DEL SOL EMERGENCY ROOM-WEST
1535 RESLER DRIVE
EL PASO, TX 79912
CLIA ID# 45D2111681 (**CAP**)

SANCTION: Cease Testing for pCO2
EFFECTIVE DATE: 4/14/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

WILLIAM CREWS JR, DIRECTOR
HENDRICK REGIONAL LABORATORY TRANSFUSION SERVICES
1900 PINE STREET ROOM 1604
ABILENE, TX 79601
CLIA ID# 45D2130998 (**AABB**)

SANCTION: Conditional Accreditation Status
EFFECTIVE DATE: 10/31/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Conditional Accreditation Status Still in Effect
REASON:
Non-Compliance due to Unsuccessful Participation in Proficiency Testing;
Unsuccessful PT for antigen typing has been identified as part of the J-C 2022 and J-A PT challenges

RICKY GANIM, DIRECTOR
DEERBROOK CATH LAB, LLC
18450 HWY 59, STE 101-A
HUMBLE, TX 77338
CLIA ID# 45D2157428 (**COLA**)

SANCTION: Cease Testing for Sodium, Potassium, Glucose, Hematocrit
EFFECTIVE DATE: 3/3/2023
REASON: Unsuccessful PT
STATUS: Test Reinstated 11/16/2023
REASON:
Non-Compliance due to Unsuccessful Participation in Proficiency Testing

ROBERT FLORES, DIRECTOR
CLEAR CHOICE ER
7105 BARTLETT, SUITE 101
LAREDO, TX 78041
CLIA ID# 45D2163656 **(COLA)**

SANCTION: Cease Testing for Calcium, Total, Chloride, Urea (BUN), Glucose, Creatinine, Potassium, Albumin; Cease Testing for Sodium

EFFECTIVE DATE: 3/10/2023; 3/10/2023

REASON: Unsuccessful PT

STATUS: Calcium, Total, Chloride, Urea (BUN), Glucose, Creatinine, Potassium, Albumin; Tests Reinstated 9/8/2023; Sodium Reinstated 11/30/2023

REASON:
Non-Compliance due to Unsuccessful Participation in Proficiency Testing

NAJMUDDIN KHAJA, DIRECTOR
SPACE CITY LABORATORIES, LLC
12440 EMILY CT SUITE 301
SUGAR LAND, TX 77478
CLIA ID# 45D2172083 **(COLA)**

SANCTION: Cease Testing for HDL Cholesterol

EFFECTIVE DATE: 8/15/2023

REASON: Unsuccessful PT

STATUS: As of 12/31/2023 Cease Testing Still in Effect

REASON:
Non-Compliance due to Unsuccessful Participation in Proficiency Testing

RICKY GANIM, DIRECTOR
DEERBROOK ASC, LLC
18450 HWY 59, STE 101-B
HUMBLE, TX 77338
CLIA ID# 45D2172112 **(COLA)**

SANCTION: Cease Testing for Sodium, Potassium, Glucose, Hematocrit

EFFECTIVE DATE: 3/3/2023

REASON: Unsuccessful PT

STATUS: Test Reinstated 11/3/2023

REASON:
Non-Compliance due to Unsuccessful Participation in Proficiency Testing

SIDONI FINDONG, DIRECTOR
KINGSPPOINT LABORATORY
14200 GULF FREEWAY SUITE 202
HOUSTON, TX 77034
CLIA ID# 45D2191884 **(COLA)**

SANCTION: Cease Testing for Albumin
EFFECTIVE DATE: 7/10/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON:
Non-Compliance due to Unsuccessful Participation in Proficiency Testing

JAIME TREVINO, DIRECTOR
MALE MEDICAL GROUP
14615 SAN PEDRO #100
SAN ANTONIO, TX 78232
CLIA ID# 45D2200048 **(COLA)**

SANCTION: Denial of Accreditation
EFFECTIVE DATE: 4/26/2023
REASON: Failure to Comply with Reasonable Requests of COLA
STATUS: No Longer Accredited by COLA
REASON:
Denial of Accreditation

JEFFREY WALTERSCHEID, DIRECTOR
METROPOLITAN LABORATORY SERVICES, INC
12011 LEE JACKSON MEMORIAL HWY SUITE 200
FAIRFAX, VA 22033
CLIA ID# 49D0661011 **(CAP)**

SANCTION: Probation
EFFECTIVE DATE: 9/28/2023
REASON: Quality and Severity of Deficiencies is Significant Enough to Question Ability to Sustain Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory
STATUS: As of 12/31/2023 Probation Still in Effect
REASON:
Probation

AMANDA GOHLKE, DIRECTOR
SWIFT CREEK FREE STANDING EMERGENCY DEPARTMENT
14720 HANCOCK VILLAGE STREET
CHESTERFIELD, VA 23832
CLIA ID# 49D2101961 (CAP)

SANCTION: Cease Testing for Bilirubin, Total
EFFECTIVE DATE: 11/2/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON:
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

KHIEM TRAN, DIRECTOR
PROGRESSIVE URGENT CARE, PC
7306 MAPLE PLACE
ANNANDALE, VA 22003
CLIA ID# 49D2112667 (COLA)

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff), Red Blood Cell Count (Erythrocyte Count)(RBC), Hematocrit, Hemoglobin, White Blood Cell Count (Leukocyte Count)(WBC), Platelet Count, Chloride, Creatinine, Glucose, Potassium, Sodium, Urea (BUN)
EFFECTIVE DATE: 9/14/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON: 9/14/2023
Non-Compliance due to Unsuccessful Participation in Proficiency Testing

JOHN M. SALMON, IV, DIRECTOR
GASTROENTEROLOGYASSOCIATES-PATHOLOGY LABORATORY
121 NATIONWIDE DR STE A
Lynchburg, VA 24502-4272
CLIA ID# 49D0944710 (CAP)

SANCTION: Revocation of Accreditation
EFFECTIVE DATE: 3/22/2023
REASON: Laboratory Performance Does Not Meet CAP Standards of Accreditation
STATUS: As of 12/31/2023 Not Accredited by CAP
REASON:
Revocation of Accreditation

RATIDZAI RIOGA, DIRECTOR
WAUWATOSA CHILDREN'S CLINIC
10625 W. NORTH AVE, SUITE 326
WAUWATOSA, WI 53226
CLIA ID# 52D0390759 **(COLA)**

SANCTION: Cease Testing for Virology
EFFECTIVE DATE: 10/4/2023
REASON: Unsuccessful PT
STATUS: As of 12/31/2023 Cease Testing Still in Effect
REASON:
Non-Compliance due to Unsuccessful Participation in Proficiency Testing

ELLEN HAYES, DIRECTOR
VIOS FERTILITY INSTITUTE MILWAUKEE
2500 N MAYFAIR RD Ste 420
WAUWATOSA, WI 53226
CLIA ID# 52D2148363 **(CAP)**

SANCTION: Revocation of Accreditation
EFFECTIVE DATE: 3/8/2023
REASON: Laboratory Performance Does Not Meet CAP Standards of Accreditation
STATUS: As of 12/31/2023 Not Accredited by CAP
REASON:
Laboratory Performance Does Not Meet CAP Standards of Accreditation

SHELLY GUNN, DIRECTOR
BGI HEALTH (HK COMPANY LIMITED-
INTERNATIONAL CLINICAL LABORATORY
TAI PO NT
TAI PO INDUSTRIAL ESTATE
16 DAI FU ST
HONG KONG
CLIA ID# 99D2135851 **(CAP)**

SANCTION: Revocation of Accreditation
EFFECTIVE DATE: 10/25/2023
REASON: Laboratory Performance Does Not Meet CAP Standards of Accreditation
STATUS: As of 12/31/2023 Not Accredited by CAP
REASON:
Laboratory Performance Does Not Meet CAP Standards of Accreditation

6. ALL APPEALS AND HEARING DECISIONS. FOR DETAILED INFORMATION REGARDING THE FOLLOWING LISTING SEE CLIA HEARING DECISION INDEX AT [HTTP://WWW.CMS.GOV/CLIA/HEARINGGROUP.ASP](http://www.cms.gov/clia/hearinggroup.asp)

Quantox Lab, LLC vs CMS
DECISION NUMBER: CR6293
DECISION DATE: 6/2/2023
DECISION: For CMS

7. A LIST OF LABORATORIES AGAINST WHICH CMS HAS BROUGHT SUIT UNDER SECTION 493.1846 AND THE REASON FOR THOSE ACTIONS.

*** NO DATA FOUND ***

8. A LIST OF LABORATORIES THAT HAVE BEEN EXCLUDED FROM PARTICIPATION IN MEDICARE OR MEDICAID AND THE REASON FOR EXCLUSION.

*** NO DATA FOUND ***

9. CORRECTION OF ANY ERRONEOUS STATEMENTS OF INFORMATION THAT APPEARED IN THE 2022 REGISTRY.

*** NO DATA FOUND ***

10. OTHER ACTIONS. THIS SECTION INCLUDES OTHER SPECIFIC INFORMATION THAT MAY BE USEFUL IN EVALUATING THE PERFORMANCE OF LABORATORIES AS SPECIFIED IN 493 CFR 1850(a). IT ALSO INCLUDES INFORMATION PROVIDED BY CLIA EXEMPT STATES.

BRYNN LEVY, DIRECTOR
IGENOMIX USA INC
7955 NW 12 ST, STE 415
MIAMI, FL 33126
CLIA ID# 1002066797

REASON: NY permit voided 7/7/2023
Failure to Disclose Ownership Change Within Required Time Frame
Permit Voided; new permit application received and approved #9954)

HENRY BELL JR., DIRECTOR
CAPITAL DIGESTIVE CARE, LABORATORY SERVICES
11921 BOURNEFIELD WAY, SUITE 100
SILVER SPRING, MD 20904
CLIA ID# 2101037782

REASON: NY permit void 6/9/2023
Failure to Identify NY Qualified Director Change Within Required Time Frame
Permit Voided

CONSTANCE WESTHOFF, DIRECTOR
COMMUNITY BLOOD CENTER OF KC DBA:
IMMUNOHEMATOLOGY REFERENCE LABORATORY
4040 MAIN STREET
KANSAS CITY, MO 64111
CLIA ID# 2600443642

REASON: NY Permit void 3/28/2023
Failure to Disclose Director Change Within Required Time Frame
Permit Voided; new permit application received #9933

CHRISTIAN CARSON, DIRECTOR
PTC LABORATORIES, INC
300 PORTLAND ST, SUITE 300
COLUMBIA, MO 65201
CLIA ID# 2602056029

REASON: NY Permit void 6/6/2023
Failure to Identify NY Qualified Director Change Within Required Time Frame
Permit Voided

DONALD WARKENTIN, DIRECTOR
RNJ SERVICES INC DBA PREMIER
MEDICAL LABORATORY INC
35-37 PROGRESS ST, STE B-6
EDISON NJ 08820
CLIA ID# 31D0894713

REASON: Cease testing for chloride 9/18/2023
Non-Compliance Due to Unsuccessful Participation in Proficiency
Testing As of 12/31/2023, Cease Testing Order Still in Effect

BRYNN LEVY, DIRECTOR
IGENOMIXUSA INC
30 MONTGOMERY STREET
JERSEY CITY, NJ 07302
CLIA ID# 31D2160400

REASON: NY Permit void 7/7/2023
Failure to Disclose Ownership Change Within Required Time Frame
Permit Voided; new permit application received and approved #0953

MIR ANWAR HOSSAIN, DIRECTOR
LAB XHEALTH
4 BRIGHTON RD, SUITE 210
CLIFTON NJ 07012
CLIA ID# 31D2178650

REASON: Cease testing for hCG 8/17/2023
Non-Compliance Due to Unsuccessful Participation in Proficiency
Testing Test Removed from Test Menu

EDWARD S. LIU, DIRECTOR
COVIGEN MEDTOXLAB INC
700 N BROAD STREET SUITE 103
ELIZABETH NJ 07208
CLIA ID#31D2225576

REASON: NY Permit void 3/28/2023
Failure to Identify NY Qualified Director Change Within Required Time Frame
Permit Voided

AYUNA DAGDANOVA,
DIRECTOR SIGMUND LABS LLC
900 SOUTH AVENUE,
SUITE 404 STATEN
ISLAND, NY 10314
CLIA ID# 31D2192664

REASON: NY Permit void 8/17/2023
Failure to Identify Location Change Within Required Time Frame;
location change 12/31/2022; notified 8/15/2023.
New address 78 John Miller Way, #1001, Kearny, NJ 07032
Permit Voided

YESPHAL CHAUHAN, DIRECTOR
ELITE MEDICAL LAB
900 LAKE STREET SUITE D
RAMSEY, NJ 07446
CLIA ID# 31D2210610

REASON: NY Permit revoked 3/8/2023
Non-Compliance with Conditions of Provisional Permit Issued for COVID-19 Testing
Permit Revoked

JAY STAMBLER, DIRECTOR
RUGGIERO LADINSKY STAMBLER NORTHORN DARROW
126 EAST MAIN ST
EAST ISLIP NY 11730
CLIA ID# 33D0156859

REASON: Cease Testing for TSH 3/28/2023
Non-Compliance Due to Unsuccessful Participation in Proficiency
Testing Authorization to Resume Testing Issued 11/3/2023

BERNARD NG, DIRECTOR
ELLIS HOSPITAL LABORATORY
1101 NOTT STREET
SCHENECTADY NJ 12308
CLIA ID# 33D0162651

REASON: Cease testing for IgA and IgE 7/10/2023
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing
As of 12/31/2023, Cease Testing Order Still in Effect

ELOY CARACUEL, DIRECTOR
XERON CLINICAL LABORATORIES, INC.
48-25 36TH STREET
LONG ISLAND CITY, NY 11101
CLIA ID# 33D0931561

REASON: Permit Denial 8/16/2023
Failure to Maintain Proper Operation of Clinical Laboratory
Permit Denied

JOSENIA NARCISA TAN, DIRECTOR
ROCHESTER GENERAL HOSPITAL STD CLINIC LAB
819 WEST MAIN ST
ROCHESTER, NY 14611
CLIA ID# 33D1020139

REASON: Civil Monetary Penalty 2/6/2023
Improper PT Handling
Fine Paid

MICHAEL LEHRER, DIRECTOR
SENTRA LABORATORIES INC
40 BAY SHORE AVE
BAY SHORE, NY 11706
CLIA ID# 33D2080616

REASON: Permit Void 4/7/2023
Failure to Disclose Director Change Within Required Time Frame
Permit Voided

PETER ZVEJNIEKS, DIRECTOR
PREMIER MEDICAL
6000 PELHAM ROAD
GREENVILLE SC 29615
CLIA ID# 42D2017829

REASON: NY permit void 9/12/2023
Failure to Disclose Director Change Within Required Time Frame;
NY notified Director left on 5/1/2023.
Permit Voided