




End-Stage Renal Disease Quality Incentive Program 2021 Certificate of Dialysis Facility Performance

Sample Facility Anytown, MD, 21212 Facility CMS Certification Number: 111111



Facility Medical Director

/s/ Lee Fleisher

CMS Chief Medical Officer

The Total Performance Score (TPS) is a single number that tells how a facility performed in the ESRD QIP and determines whether CMS will lower that facility's payments by up to two percent for an entire year. Along with other CMS ESRD programs, it provides information on the quality of care provided by facilities. Each facility earns points for its performance in 2019 based on one of two factors 1) how close the facility's performance is to the national median in 2017, and 2) how much the facility improved relative to its previous performance in 2018. Since the score can be calculated differently for each facility, the TPS should not be used alone to compare different facilities. Please use the Dialysis Facility Compare website for more information about comparing dialysis facilities in your area.

Dialysis facilities are required to post this certificate prominently in a patient area.
This certificate expires December 31, 2021.

To learn more about ESRD QIP and other CMS quality initiatives, visit:


ESRD QIP webpage on CMS.gov: cms.gov/Medicare/Quality-Initiatives-patient-Assessment-Instruments/ESRDQIP

ESRD Network Coordinating Center: esrdncc.org

Dialysis Facility Compare: medicare.gov/DialysisFacilityCompare

Programa de Incentivo a la Calidad para la Enfermedad
Renal en Etapa Terminal
Certificado de Desempeño del Centro de Diálisis 2021

Sample Facility Anytown, MD, 21212 Número de Certificación de CMS del Centro: 111111



Director de Medios de la Instalación

/s/ Lee Fleisher

Oficial Médico Jefe de CMS

El puntaje de rendimiento total (TPS) es un número que informa cómo se desempeñó el centro de diálisis en el Programa de Incentivos a la Calidad para las personas con Enfermedad Renal en etapa Terminal (PIC ERET) y determina si CMS reducirá los pagos a la misma hasta un máximo de dos por ciento durante un año entero. Igualmente proporciona información sobre la calidad de la atención brindada por el centro de diálisis, junto con otros programas de CMS ESRD. Cada instalación recibe puntos por su desempeño en 2019 basado en: 1) qué tan cerca está el rendimiento del centro de diálisis al medio nacional del año 2017, y 2) cuánto mejoró la instalación en relación con su desempeño anterior durante el año 2018. Dado que la puntuación puede ser calculada de manera distinta para cada centro, el TPS no debe ser utilizado como la única fuente para comparar centros de diálisis. Utilice el sitio web de comparación de centros de diálisis para obtener más información sobre cómo comparar los centros de diálisis en su zona.

Los centros de diálisis deben mostrar este certificado de manera prominente en un área de pacientes.

Este certificado expira el 31 de diciembre, 2021.

Para obtener más información sobre el PIC ERET y otras iniciativas de calidad de los CMS, visite:

El sitio Web de PIC ERET en CMS.gov: cms.gov/Medicare/Quality-Initiatives-patient-Assessment-Instruments/ESRDQIP

El Centro de Coordinación de la Red de ERET: esrdncc.org

Comparación de Centros de Diálisis: es.medicare.gov/DialysisFacilityCompare