

# Living With Low Vision:

# What you should know









# Living With Low Vision:

# What you should know





#### Presenter Instructions:

- Introduce yourself to the group.
- Tell your audience how long the presentation will last.
- Engage the audience by asking them to introduce themselves and to name one thing they would like to learn from this presentation.

- The purpose of this presentation is to provide information about low vision, what can be done about it, and where to get more information.
- After attending this presentation, you will be able to do the following:
  - O Identify signs that may signal vision loss.
  - Define low vision and vision rehabilitation.
  - O Outline what you can do if you have low vision.
  - List questions that are good to ask an eye care professional and/or specialist in low vision.






NIH

Education Program NEHEP



#### Talking Point:

• Many changes to vision are normal and common as you age. But losing vision or going blind is not a normal part of aging.





- As we get older, our eyes and vision change. Some of these normal changes include:
  - Losing the ability to focus, which makes it harder to perform tasks such as reading, writing, playing cards, and working on the computer.
  - Noticing declining contrast and color sensitivity, making it harder to distinguish colors such as blue and black or distinguish where an object ends and its background begins.
  - Needing more light to see well and more time to adjust to changing levels of light. For example, going from a room that is dark to one that is brightly lit.
- These changes usually don't lead to low vision.




#### **Presenter Instruction:**

• Ask the audience if anyone can define low vision before you go to the next slide.





- Low vision is a visual impairment that is not corrected by standard eyeglasses, contact lenses, medication, or surgery. Low vision may interfere with the ability to perform everyday activities.
- People with low vision may find everyday tasks difficult to do. This may include:
  - Reading the newspaper, mail, or bills.
  - Shopping, including seeing prices or reading labels on food.
  - Watching TV.
  - Writing.
  - Driving or getting around their neighborhood.




- Some people develop low vision after eye injuries or from birth defects.
- Most people develop low vision because of the following eye diseases:
  - Age-related macular degeneration or AMD [Pronunciation: MACK-you-luhr Dee-jen-er-RAY-shun]
  - O Cataract [Pronunciation: KAT-uh-rakt]
  - O Diabetic eye disease
  - O Glaucoma [Pronunciation: Glaw-KO-muh]
- If these diseases and conditions are diagnosed early, treatment can sometimes prevent or delay vision loss.
- Irreversible vision loss is most common in people over age 65.
- Although vision that's lost usually cannot be restored, many people can use vision rehabilitation and adaptive devices to make the most of their remaining vision.






- There are many signs that can signal vision loss. For example, even when wearing your regular glasses or contact lenses, you may have difficulty with some of the following:
  - Recognizing familiar faces.
  - Doing things that require you to see well up close, such as reading, cooking, sewing, or fixing things around the house.
  - Picking out and matching the color of your clothes.
  - O Reading street signs, bus signs, or the names of stores.






- If you experience any vision changes, you should see your eye care professional as soon as possible. A change in vision could be an early warning sign of eye disease.
- Early detection, timely treatment, and appropriate follow-up may prevent vision loss or blindness.
- Regular comprehensive dilated eye exams should be part of your routine health care. If you are age 50 or older, you should see your eye care professional for a comprehensive dilated eye exam, even if you aren't having any eye problems.
- Your eye care professional can tell the difference between normal changes in the aging eye and those caused by eye diseases.
- If you have an eye disease, talk with your eye care professional about how often you will need to have your eyes examined.






- Only an eye care professional can tell if you have low vision.
- An eye care professional is an *ophthalmologist* (oph-thal-MOL-o-gist) or *optometrist* (op-TOM-e-trist).
- Optional Information: The following information may be useful if participants ask about the difference between an ophthalmologist and optometrist.
  - An ophthalmologist is a medical doctor who specializes in eye health and eye care.
    Ophthalmologists are specially trained to provide the full spectrum of eye care, from prescribing glasses and contact lenses to performing complex and delicate eye surgery.
  - An optometrist is the primary healthcare professional for the eye. Optometrists examine, diagnose, treat, and manage diseases, injuries, and disorders of the visual system, the eye, and associated structures. They also identify related systemic conditions affecting the eye.
- Your eye care professional may refer you to a specialist in low vision for a low vision assessment.





- A low vision assessment determines the extent of vision loss and potential for vision rehabilitation.
- An assessment by a specialist in low vision is an important first step to choosing rehabilitation services that can help you adapt to vision loss and maintain your normal activities.





- The specialist in low vision will assess the following:
  - Your general health and eye health history.
  - Daily living activities related to your vision.
  - Your visual acuity and other eye functions.
- Results of the assessment will be used to:
  - Prescribe treatment options, including low vision devices.
  - Help you identify other resources for rehabilitation.
- Vision rehabilitation can be more effective if it is started as soon as low vision problems are identified.



- Take charge. Learn about devices and services that can help you keep your independence.
- Talk with your eye care professional about your vision problems.
- Ask your eye care professional for a referral to a specialist in low vision who is an ophthalmologist or optometrist trained to evaluate and treat low vision.
- Find out where you can get more information about services and devices that can help you to maintain your independence.
  - Different types of vision loss require different types of visual devices and training in how to use them.
- Ask about vision rehabilitation. Look for programs that offer the following:
  - A wide range of services, such as low vision evaluations and special training to use visual and adaptive devices.
  - Guidance for modifying your home.
  - Group support from others with low vision.




#### **Presenter Instruction:**

• Ask the audience if anyone currently uses any low vision devices or services.





• Vision rehabilitation offers information about devices and services to help people adapt to vision loss and maintain their independence.



- There are a variety of devices that people with low vision can use.
- Many people require more than one visual device. The following are some examples of devices:
  - O Glasses with high-powered lenses
  - Telescopic lenses for distance viewing
  - O Special software to work effectively on computers
  - O Other devices that can help you with daily activities
- Talk with your specialist in low vision about the best devices for you.




#### Presenter Instruction:

• Ask participants to identify some low vision devices.

# Living With Low Vision Speaker's Guide 7/14

# Slide 14





#### Talking Point:

• At home, people need devices that can help them read, write, and manage the tasks of daily living. These adaptive devices include prescription reading glasses with high-powered lenses and reading prisms.

# Living With Low Vision Speaker's Guide 7/14


## Slide 15





#### Talking Point:


• Visual devices, such as telescopic spectacles and reversed telescopes for visual field defects, can help people with low vision. These devices must be prescribed by eye care professionals, and patients must be trained to use them.





#### Talking Point:

• Computers can help people who have low vision with reading and writing. New technology can increase text size on computer screens and allow computers to read what appears on the screen.





• Other devices that can be helpful for daily activities include guides to help you write letters or checks and magnifying glasses to help you read.



### Presenter Instructions:

- Show the video *Living With Low Vision: Stories of Hope and Independence*, which can be found at <u>www.nei.nih.gov/lowvision/content/profiles/hope\_independence.asp</u>.
- Ask participants to identify where they would go to receive low vision services.



- Vision rehabilitation services can take place in different locations. Some of these places are:
  - O Ophthalmology or optometry offices that specialize in low vision.
  - $\odot$   $\,$  Hospital clinics.
  - State, nonprofit, or for-profit vision rehabilitation organizations.
  - Independent-living centers.





- To find a specialist in low vision, talk with your eye care professional. He or she may be able to refer you to a variety of local resources to assist you.
- You can also visit this website for additional resources: <u>www.nei.nih.gov/lowvision</u>





- Investigate and learn as much as you can, especially if you have been told that you may lose more vision. Be persistent about getting information.
- Ask questions about vision rehabilitation and ask for a referral for care or a resource for more information. Many resources are available to help you.






- Remember the following:
  - Rehabilitation programs, devices, and technology can help you adapt to vision loss. They may help you keep doing many of the things you did before.
  - Your family and friends can provide support. Don't be afraid to ask them for help.
  - You and your eye care professional and specialist in low vision need to work in partnership to achieve what is best for you. An important part of this relationship is good communication.






- To help you talk with your eye care professional and gain a better understanding of low vision, you can:
  - Ask questions and get the information you need to take care of you and your family. If you don't understand your eye care professional's responses, ask questions until you do—or ask where you can go for more information.
  - Take notes or get a friend or family member to take notes for you.
  - Take a tape recorder with you to record answers.
  - These are some questions you can ask your eye care professional.



- Here are more suggestions to help you talk with your eye care professional and gain a better understanding of low vision:
  - $\odot$   $\,$  Ask your eye care professional to write down his or her instructions for you.
  - $\odot$   $\,$  Ask your eye care professional for printed material about your condition.
  - Talk to other members of your healthcare team, such as nurses and pharmacists. They can be good sources of information too.





- Special devices can help you with daily activities, such as reading, sewing, cooking, or fixing things around the house.
- Today, people take an active role in their health care. Be an active participant in your eye care.
- These are some questions you can ask your specialist in low vision.






- Here are additional questions you can ask your specialist in low vision.
- You can find these questions in the *Living With Low Vision* booklet.



#### **Presenter Instruction:**

• Hand out the *Living With Low Vision* booklet to participants.




#### Talking Points:

- Let's recap some of the key points about low vision that have been presented today:
  - Some changes are normal as you age. However, you may be at increased risk for eye diseases that can cause low vision.
  - Losing vision is not a normal part of aging. Your eye care professional can tell the difference between normal changes in the aging eye and those caused by eye diseases.
  - Low vision is a visual impairment that is not corrected by standard eyeglasses, contact lenses, medication, or surgery. Low vision may interfere with the ability to perform everyday activities.
  - Usually, the earlier your problem is diagnosed, the better the chance of keeping your remaining vision.
  - While vision that's lost usually cannot be restored, many people can make the most of their remaining vision with the assistance of vision rehabilitation.
  - If you have low vision, take charge. Learn about devices and services that can help you keep your independence.



#### Presenter Instruction:

• Ask if anyone has questions.





- On behalf of the National Eye Institute (NEI) and (name of your organization), thank you for attending this workshop. Please be sure to visit NEI's website or call NEI for more information. You can also contact me or visit our website at \_\_\_\_\_\_ for more information.
- To get more information, please visit NEI's Low Vision website: <u>www.nei.nih.gov/lowvision</u>
- You can also contact your state or local rehabilitation agency for the blind and visually impaired.

Notes	